

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| * 100.001 | ELECTRICIAN | HR |
| * 100.002 | LABORER | HR |
| * 100.003 | SKILLED LABORER | HR |
| * 100.004 | WELDER | HR |
| * 100.005 | PLUMBER | HR |
| * 100.006 | CARPENTER | HR |
| * 100.007 | MECHANIC | HR |
| * 100.008 | MILLWRIGHT | HR |
| * 100.009 | EQUIPMENT OPERATOR | HR |
| * 100.01 | SCHEDULE OF OPERATIONS - FIXED PRICE \$_____ | LS |
| * 100.010 | IRONWORKER | HR |
| * 100.011 | MACHINIST | HR |
| * 100.1 | BASE LABOR RATE | HR |
| * 100.4 | STORAGE FACILITY OR BUILDING | LS |
| * 100.5 | ELECTRICAL WORK | LS |
| * 100.6 | PLUMBING WORK | LS |
| * 100.61 | HVAC WORK | LS |
| * 100.7 | ROOFING AND FLASHING WORK | LS |
| * 100.71 | MASONRY WORK | LS |
| * 100.72 | LATHING AND PLASTERING WORK | LS |
| * 100.73 | GLASS AND GLAZING WORK | LS |
| * 100.74 | METAL WINDOWS WORK | LS |
| * 100.75 | PAINTING | LS |
| * 100.76 | TILES | EA |
| * 100.77 | RESILENT FLOORING | LS |
| * 100.78 | MISCELLANEOUS AND ORNAMENTAL IRON WORK | LS |
| * 100.8 | ELEVATORS | LS |
| 101. | CLEARING AND GRUBBING | A |
| * 101.1 | CLEARING SITE | LS |
| 102. | SELECTIVE CLEARING AND THINNING | A |
| * 102.01 | SELECTIVE CLEARING AND GRUBBING | LS |
| 102.1 | TREE TRIMMING | FT |
| * 102.2 | TREE TRIMMING | LS |
| * 102.5 | ROADSIDE TREE PROTECTION | EA |
| * 102.51 | INDIVIDUAL TREE PROTECTION | EA |
| 103. | TREE REMOVED - DIAMETER UNDER 24 INCHES | EA |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| 104. | TREE REMOVED - DIAMETER 24 INCHES AND OVER | EA |
| 105. | STUMP REMOVED | EA |
| * 105.40 | TREE REMOVED (EXCLUDING STUMP) DIAMETER UNDER 24 INCHES | EA |
| * 105.43 | TREE REMOVED (EXCLUDING STUMP) DIAMETER 24 INCHES AND OVER | EA |
| * 106.101 | BEARING ADJUSTMENT | EA |
| * 106.11 | BLEEDER (BRIDGE DECK) | EA |
| * 106.12 | BRIDGE CURB REMOVED AND RESET | FT |
| * 106.13 | BRIDGE FENCE POST ANCHOR BOLT | EA |
| * 106.14 | BRIDGE SCUPPER | EA |
| * 106.15 | BLEEDER (BRIDGE DECK) PVC | EA |
| * 106.2 | CEMENT CONCRETE REFINISHING | SY |
| * 106.251 | CEMENT MORTAR FOR PATCHING | CY |
| * 106.28 | CLEANING ABUTMENT DRAIN | EA |
| * 106.301 | CLEAN AND PAINT STRUCTURAL STEEL | LS |
| * 106.302 | CLEAN AND PAINT STRUCTURAL STEEL | SF |
| * 106.33 | CLEAN, PAINT + REPAIR HIGHWAY LIGHTING ASSEM.(DOUBLE LUM.) | EA |
| * 106.331 | CLEAN, PAINT + REPAIR HIGHWAY LIGHTING ASSEM.(SINGLE LUM.) | EA |
| * 106.34 | CLEAR COATING | SF |
| * 106.407 | JACKING AND SHORING EXISTING FLOOR BEAM | EA |
| * 106.408 | JACKING AND SHORING EXISTING PLATE GIRDER | EA |
| * 106.49 | ELASTOMERIC EXPANSION JOINT | FT |
| * 106.5 | ELASTOMERIC JOINT SEALER | FT |
| * 106.61 | GEARS AND RACKS RENEWED | LB |
| * 106.86 | HIGHWAY CLEANING | LS |
| * 106.87 | JACKING SUPERSTRUCTURE | LS |
| * 106.88 | JACKING AND SHORING | EA |
| * 106.9 | JOINT FILLER COMPOUND | FT |
| * 106.91 | JOINT FILLER COMPOUND | GAL |
| * 106.92 | JOURNAL REPAIRED | EA |
| * 107.02 | LOW ALLOY STEEL PLATES | LB |
| * 107.1 | MACHINERY AND STRUCTURAL REPAIRS | LS |
| * 107.12 | MAINTENANCE AND CARE OF NURSERY STOCK | LS |
| * 107.14 | METAL BRIDGE PLANK | SF |
| * 107.15 | METAL GUTTER | FT |
| * 107.17 | MISCELLANEOUS STEEL FOR MACHINERY | LB |
| * 107.18 | MISCELLANEOUS STRUCTURAL STEEL | LB |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| * 107.3 | OVERHEAD SIGN SUPPORT CLEANED AND PAINTED | EA |
| * 107.31 | OVERHEAD SIGN SUPPORT CLEANED AND PAINTED | LS |
| * 107.4 | PAINTING STEEL | LS |
| * 107.41 | PAINTING STRUCTURE | LS |
| * 107.42 | PENTA TREATED LUMBER | MBM |
| * 107.43 | BRONZE SELF-LUBRICATING BEARING PLATES | EA |
| * 107.44 | PNEUMATICALLY APPLIED MORTAR | SF |
| * 107.441 | REMOVAL OF EXISTING GUNITE | LS |
| * 107.45 | PNEUMATICALLY APPLIED MORTAR | CF |
| * 107.46 | PREFORMED COMPRESSION JOINT | FT |
| * 107.47 | PREFORMED ELASTOMERIC COMPRESSION JOINT SEALER | FT |
| * 107.48 | PREFORMED JOINT FILLER | FT |
| * 107.62 | REMOVAL AND DISPOSAL OF FENDER PIER (PILES AND TIMBERS) | LS |
| * 107.63 | REMOVAL AND REPLACEMENT OF WALKS | LS |
| * 107.64 | REMOVAL AND REPLACEMENT OF BRIDGE RAILING | FT |
| * 107.68 | ROADWAY EXPANSION DAM ASSEMBLY REMOVED AND RESET | EA |
| * 107.81 | SAFETY TRUCK | HR |
| * 107.82 | SCUPPER REMOVED AND RESET | EA |
| * 107.84 | SEALING LONGITUDINAL JOINTS IN CEMENT CONCRETE PAVEMENT | FT |
| * 107.85 | SEALING RANDOM CRACKS IN CEMENT CONCRETE PAVEMENT | FT |
| * 107.855 | PRESSURE INJECTION OF CRACKS | FT |
| * 107.856 | PRESSURE INJECTION OF VOIDS UNDER ARMORED JOINT ANGLES | FT |
| * 107.86 | SEALING CRACKS IN ASPHALT PAVEMENT | FT |
| * 107.87 | CAULKING JOINTS AND RANDOM CRACKS | FT |
| * 107.89 | SIGN SUPPORT FOUNDATION REPAIR | EA |
| * 107.9 | SIGN OVERLAY | SF |
| * 107.94 | STEEL GRATING FOR WALK | SF |
| * 107.95 | STEEL GRID DECKING | SY |
| * 107.96 | STRUCTURAL STEEL REPAIRS | LS |
| * 107.97 | STRUCTURAL STEEL REPAIRS | LB |
| * 108.23 | TRAFFIC GATE FOR DRAW SPAN | LS |
| * 108.24 | TRAFFIC WARNING DEVICES | LS |
| * 108.25 | TRAVEL TRASH DISPOSAL (MHD CONTAINER) | EA |
| * 108.26 | TRAVEL TRASH DISPOSAL (CONTRACTOR'S CONTAINER) | EA |
| * 108.41 | WATER TRUCK | HR |
| 112.1 | DEMOLITION OF BUILDING NO. _____ | LS |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 112.2 | DEMOLITION OF BUILDING NO. _____ | LS |
| 112.3 | DEMOLITION OF BUILDING NO. _____ | LS |
| 114.1 | DEMOLITION OF SUPERSTRUCTURE OF BRIDGE NO. _____ | LS |
| 114.2 | DEMOLITION OF SUPERSTRUCTURE OF BRIDGE NO. _____ | LS |
| 114.3 | DEMOLITION OF SUPERSTRUCTURE OF BRIDGE NO. _____ | LS |
| 115.1 | DEMOLITION OF BRIDGE NO. _____ | LS |
| 115.2 | DEMOLITION OF BRIDGE NO. _____ | LS |
| 115.3 | DEMOLITION OF BRIDGE NO. _____ | LS |
| * 116. | REMOVAL OF TEMPORARY STRUCTURE | LS |
| * 116.2 | REMOVAL OF TEMPORARY DETOUR | LS |
| * 118. | TEMPORARY CONSTRUCTION ACCESS ROAD | LS |
| 119. | RODENT CONTROL | LS |
| * 119.4 | PEST BIRD CONTROL | LS |
| 120. | EARTH EXCAVATION | CY |
| 120.1 | UNCLASSIFIED EXCAVATION | CY |
| 121. | CLASS A ROCK EXCAVATION | CY |
| 122. | PRESPLITTING ROCK | SY |
| 123. | MUCK EXCAVATION | CY |
| * 124. | LOAM EXCAVATED AND STACKED | CY |
| 125. | TOPSOIL EXCAVATED AND STACKED | CY |
| * 127. | CONCRETE EXCAVATION | CY |
| * 127.1 | REINFORCED CONCRETE EXCAVATION | CY |
| * 127.11 | REINFORCED CONCRETE EXCAVATION | LS |
| * 127.21 | SCARIFYING REINFORCED CONCRETE SURFACE | CY |
| * 127.3 | REINFORCED CONCRETE SURFACE EXCAVATION | SY |
| * 127.4 | REINFORCED CONCRETE DECK EXCAVATION (FULL DEPTH) | SY |
| * 127.41 | REINFORCED CONCRETE DECK EXCAVATION (PARTIAL DEPTH) | CY |
| 129. | PAVEMENT MILLING | SY |
| * 129.2 | OLD PAVEMENT EXCAVATION | SY |
| * 129.3 | OLD PAVEMENT EXCAVATION | CY |
| * 129.4 | DUMP EXCAVATION | CY |
| * 129.5 | TRACK EXCAVATION | FT |
| * 129.6 | BRIDGE PAVEMENT EXCAVATION | SY |
| * 130. | PAVEMENT MILLING (QUALITY ASSURANCE) | SY |
| 140. | BRIDGE EXCAVATION | CY |
| 140.1 | BRIDGE EXCAVATION WITHIN COFFERDAM | CY |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 141. | CLASS A TRENCH EXCAVATION | CY |
| 141.1 | TEST PIT FOR EXPLORATION | CY |
| 142. | CLASS B TRENCH EXCAVATION | CY |
| 143. | CHANNEL EXCAVATION | CY |
| 144. | CLASS B ROCK EXCAVATION | CY |
| * 144.1 | CLASS B ROCK EXCAVATION - PIERS IN DEEP WATER | CY |
| 145. | DRAINAGE STRUCTURE ABANDONED | EA |
| 146. | DRAINAGE STRUCTURE REMOVED | EA |
| 148. | DREDGING AND DISPOSING OF MATERIAL | CY |
| 148.1 | DREDGING AND DISPOSING OF MATERIAL (HYDRAULIC METHOD) | CY |
| 148.2 | REMOVAL AND DISPOSAL OF ROCK FROM DREDGED AREAS | CY |
| 148.3 | REMOVAL AND DISPOSAL OF LEDGE FROM DREDGED AREAS | CY |
| 148.4 | DREDGING, MOBILIZATION AND DEMOBILIZATION | LS |
| 150. | ORDINARY BORROW | CY |
| 150.1 | SPECIAL BORROW | CY |
| 151. | GRAVEL BORROW | CY |
| 151.01 | GRAVEL BORROW - TYPE C | CY |
| * 151.02 | GRAVEL BORROW | TON |
| * 151.03 | GRAVEL BORROW - TYPE C | TON |
| 151.1 | GRAVEL BORROW FOR BRIDGE FOUNDATION | CY |
| 151.2 | GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES | CY |
| * 151.21 | GRAVEL BORROW FOR RIPRAP | CY |
| * 151.22 | GRAVEL BORROW FOR SIDEWALK | CY |
| * 151.3 | GRAVEL BORROW FOR SLOPE TREATMENT | CY |
| * 151.5 | GRAVEL BORROW IN COFFERDAMS | CY |
| 152. | PROCESSED GRAVEL | CY |
| * 152.01 | PROCESSED GRAVEL | TON |
| * 152.1 | SCREENED GRAVEL | CY |
| * 152.3 | PEASTONE FOR INTEGRAL ABUTMENTS | TON |
| * 152.4 | PEASTONE FOR SEDIMENTATION POOL | TON |
| * 152.5 | PEASTONE FOR DRIVEWAYS | TON |
| * 152.6 | PEASTONE FOR SIDEWALKS | TON |
| * 152.7 | PEASTONE | TON |
| * 153. | CONTROLLED DENSITY FILL - EXCAVATABLE | CY |
| * 153.1 | CONTROLLED DENSITY FILL - NON-EXCAVATABLE | CY |
| 154. | SAND BORROW | CY |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 154.1 | SAND BORROW (COVER) | CY |
| * 154.2 | SAND BORROW IN COFFERDAM | CY |
| * 154.3 | SAND BORROW FOR BRIDGE MEDIAN | CY |
| * 154.4 | SAND BORROW FOR DUMPED RIPRAP | CY |
| * 154.5 | SAND BORROW FOR FILTER BLANKET | CY |
| * 155. | LOAM OR CLAY HARDENING | CY |
| 156. | CRUSHED STONE | TON |
| 156.1 | CRUSHED STONE FOR BRIDGE FOUNDATIONS | TON |
| * 156.12 | CRUSHED STONE FOR CURB FOUNDATION | TON |
| * 156.2 | CRUSHED STONE FOR SLOPE TREATMENT | TON |
| * 156.3 | CRUSHED STONE FOR BACKING | TON |
| * 156.4 | CRUSHED STONE FOR UNDERDRAIN | FT |
| * 156.5 | CRUSHED STONE FOR FILTER BLANKET | CY |
| * 156.8 | CRUSHED STONE FOR SUB-BASE | CY |
| * 156.9 | CRUSHED STONE FOR CHANNEL PAVING FOUNDATION | TON |
| * 157. | STONE FOR DRAINAGE END | SY |
| * 157.1 | GABIONS | CY |
| * 157.2 | RENO MATTRESS | CY |
| * 160. | PIEZOMETER | EA |
| * 160.1 | PIEZOMETER - VIBRATION WIRE | EA |
| * 160.2 | PIEZOMETER - HYDRAULIC (SINGLE TUBE) | EA |
| * 160.3 | PIEZOMETER - HYDRAULIC (DOUBLE TUBE) | EA |
| * 160.4 | INCLINOMETER CASING | FT |
| * 160.5 | INCLINATOR CASING | EA |
| * 160.6 | TIDE GAUGE | EA |
| * 160.7 | PERMANENT BENCH MARK | EA |
| * 161. | SETTLEMENT PLATFORM | EA |
| * 161.1 | SETTLEMENT ANCHOR | EA |
| * 162. | DISPLACEMENT STAKE | EA |
| 170. | FINE GRADING AND COMPACTING | SY |
| * 170.1 | FINE GRADING, COMPACTING AND FINISHING | SY |
| * 170.2 | GRADING AND COMPACTING | SY |
| * 170.4 | SCARIFYING AND RESHAPING | SY |
| * 180.1 | HEALTH AND SAFETY PLAN | LS |
| * 180.2 | IMPLEMENTATION OF HEALTH AND SAFETY PLAN | HR |
| * 180.3 | PERSONNEL PROTECTION LEVEL C UPGRADE | HR |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 180.4 | MONITORING/HANDLING AND STOCKPILING OF CONTAMINATED SOILS | CY |
| * 180.5 | LICENSED SITE PROFESSIONAL | HR |
| * 180.6 | MISCELLANEOUS SOILS TESTING | EA |
| * 181.1 | DISPOSAL OF CONTAMINATED SOIL | TON |
| * 182.1 | INSPECTION AND TESTING FOR ASBESTOS | LS |
| * 182.2 | REMOVAL OF ASBESTOS | FT |
| * 183.1 | TREATMENT OF CONTAMINATED GROUNDWATER | GAL |
| * 183.2 | DISPOSAL OF GRANULAR ACTIVATED CARBON | LB |
| * 184.1 | DISPOSAL OF TREATED WOOD PRODUCTS | TON |
| * 185.1 | UNDERGROUND STORAGE TANK REMOVAL (FUEL OIL OR DIESEL) | LS |
| * 185.2 | UST REMOVAL/ 5,000-10,000 GAL. (FUEL OIL OR DIESEL) | LS |
| * 185.3 | UST REMOVAL/ OVER 10,000 GAL. (FUEL OIL OR DIESEL) | LS |
| * 185.4 | UST REMOVAL/ UNDER 5,000 GAL. (GASOLINE) | LS |
| * 185.5 | UST REMOVAL/ 5,000-10,000 GAL. (GASOLINE) | LS |
| * 185.6 | UST REMOVAL/ UNDER 1,000 GAL. (WASTE OIL) | LS |
| * 185.7 | UST REMOVAL/ 1,000-5,000 GAL. (WASTE OIL) | LS |
| * 186.1 | DISPOSAL OF RECLAIMABLE - RECYCLABLE WASTE LIQUID | GAL |
| * 186.2 | DISPOSAL OF NON-RECLAIMABLE - RECYCLABLE WASTE LIQUID | GAL |
| * 187.3 | REMOVAL AND DISPOSAL OF DRAINAGE STRUCTURE SEDIMENTS | CY |
| * 187.31 | REMOVAL AND DISPOSAL OF DRAINAGE PIPE SEDIMENTS | FT |
| 191. | DRIVE SAMPLE BORING | FT |
| 191.10 | HOLLOW STEM AUGER BORINGS | FT |
| 191.11 | CORE BORING | FT |
| 191.2 | UNDISTURBED SAMPLE PREPARTORY BORING | FT |
| 191.21 | UNDISTURBED SAMPLE | EA |
| 191.3 | VANE SHEAR TEST PREP. BORING | FT |
| 191.31 | VANE SHEAR TEST | EA |
| 191.4 | AUGER BORING | FT |
| 191.41 | AUGER BORING SAMPLE | EA |
| 191.5 | THIN WALL STEEL TUBE DRIVE SAMPLE | EA |
| 191.6 | TEST PIT | EA |
| 191.61 | TEST PIT THROUGH PAVEMENT | EA |
| 192. | GROUND WATER OBSERVATION WELLPOINT TYPE I | FT |
| 192.1 | GROUND WATER OBSERVATION WELLPOINT TYPE II | FT |
| 192.2 | GROUND WATER OBSERVATION WELLPOINT TY III-SOLID PIPE | FT |
| 192.21 | GROUND WATER OBSERVATION WELLPOINT TY III-WELLSCREEN | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 192.3 | GROUND WATER OBSERVATION WELLPOINT TY IV-SOLID PIPE | FT |
| 192.31 | GROUND WATER OBSERVATION WELLPOINT TY IV-WELLSCREEN | FT |
| 193. | MOBILIZATION AND DISMANTLING OF BORING EQUIPMENT | LS |
| 201. | CATCH BASIN | EA |
| * 201.3 | SPECIAL CATCH BASIN | EA |
| * 201.5 | CATCH BASIN - MUNICIPAL STANDARD | EA |
| 202. | MANHOLE | EA |
| * 202.01 | MANHOLE - MUNICIPAL STANDARD | EA |
| 202.2 | MANHOLE (9 TO 14 FOOT DEPTH) | EA |
| * 202.21 | MANHOLE (9 TO 14 FOOT DEPTH) - MUNICIPAL STANDARD | EA |
| 202.3 | MANHOLE (14 TO 18 FOOT DEPTH) | EA |
| * 202.31 | MANHOLE (14 TO 18 FOOT DEPTH) - MUNICIPAL STANDARD | EA |
| * 202.4 | MANHOLE (18 FOOT AND OVER) | EA |
| 203. | SPECIAL MANHOLE | EA |
| * 203.11 | SPECIAL MANHOLE - MUNICIPAL STANDARD | EA |
| 204. | GUTTER INLET | EA |
| * 204.11 | GUTTER INLET - SPECIAL | EA |
| * 204.3 | GUTTER INLET - MUNICIPAL STANDARD | EA |
| 205. | LEACHING BASIN | EA |
| 206. | DROP INLET, TYPE A | EA |
| 206.1 | DROP INLET, TYPE AF | EA |
| 207. | DROP INLET, TYPE B | EA |
| 207.1 | DROP INLET, TYPE BF | EA |
| 208. | DROP INLET, TYPE C | EA |
| 208.1 | DROP INLET, TYPE CF | EA |
| * 208.11 | DROP INLET (DOUBLE) TYPE CF | EA |
| 209. | DROP INLET, TYPE D | EA |
| 209.1 | DROP INLET, TYPE DF | EA |
| * 209.2 | SPECIAL DROP INLET | EA |
| * 209.3 | DROP INLET CHANGE IN TYPE | EA |
| * 209.4 | DROP INLET REMODELED | EA |
| * 209.5 | DROP INLET REBUILT | EA |
| * 210. | SANITARY SEWER MANHOLE | EA |
| * 210.02 | SANITARY SEWER MANHOLE REMOVED | EA |
| * 210.1 | SANITARY SEWER MANHOLE MUNICIPAL STANDARD | EA |
| * 210.2 | SANITARY SEWER MANHOLE (9 TO 14 FOOT DEPTH) | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 210.3 | SANITARY SEWER MANHOLE (14 TO 18 FOOT DEPTH) | EA |
| * 210.4 | SANITARY SEWER MANHOLE (18 FOOT AND OVER) | EA |
| * 211. | SPECIAL SANITARY SEWER MANHOLE | EA |
| 220. | DRAINAGE STRUCTURE ADJUSTED | EA |
| 220.2 | DRAINAGE STRUCTURE REBUILT | FT |
| 220.3 | DRAINAGE STRUCTURE CHANGE IN TYPE | EA |
| 220.5 | DRAINAGE STRUCTURE REMODELED | EA |
| * 220.51 | DRAINAGE STRUCTURE REMODELED | FT |
| * 220.6 | SANITARY STRUCTURE REBUILT | FT |
| 220.7 | SANITARY STRUCTURE ADJUSTED | EA |
| * 220.8 | SANITARY STRUCTURE REMODELED | EA |
| * 220.9 | SANITARY STRUCTURE ABANDONED | EA |
| 221. | FRAME AND COVER | EA |
| 222. | FRAME AND GRATE - MASSDOT BAR TYPE | EA |
| 222.1 | FRAME AND GRATE - MASSDOT CASCADE TYPE | EA |
| * 222.2 | FRAME AND GRATE - MASSDOT DROP INLET | EA |
| * 222.3 | FRAME AND GRATE (OR COVER) MUNICIPAL STANDARD | EA |
| 223. | FRAME AND GRATE (OR COVER) REMOVED AND RESET | EA |
| * 223.1 | FRAME AND GRATE (OR COVER) REMOVED AND STACKED | EA |
| * 223.2 | FRAME AND GRATE (OR COVER) REMOVED AND DISCARDED | EA |
| * 223.3 | EXTENSION RING FOR MANHOLE | EA |
| 224.08 | 8 INCH HOOD | EA |
| 224.10 | 10 INCH HOOD | EA |
| 224.12 | 12 INCH HOOD | EA |
| 224.15 | 15 INCH HOOD | EA |
| 224.18 | 18 INCH HOOD | EA |
| * 225.52 | TRAP AND HOOD MUNICIPAL STANDARD | EA |
| * 226. | CLEANING DRAINAGE STRUCTURES | EA |
| * 226.1 | CLEANING DRAINAGE STRUCTURES | LS |
| * 226.2 | CLEANING DRAINAGE PIPES | LS |
| * 226.3 | CLEANING DRAINAGE PIPES | FT |
| * 226.4 | CLEANING CATCH BASIN | EA |
| * 227. | TRASH RACK | EA |
| * 227.1 | TIDE GATE | EA |
| * 227.2 | SLUICE GATE | LS |
| * 227.3 | BUILDING DRAIN CONNECTION | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 227.4 | MASONRY PLUG | SF |
| 230.112 | 12 INCH CORRUGATED METAL PIPE 16 GAGE | FT |
| 230.115 | 15 INCH CORRUGATED METAL PIPE 16 GAGE | FT |
| 230.118 | 18 INCH CORRUGATED METAL PIPE 16 GAGE | FT |
| 230.124 | 24 INCH CORRUGATED METAL PIPE 16 GAGE | FT |
| 230.212 | 12 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.215 | 15 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.218 | 18 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.224 | 24 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.230 | 30 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.236 | 36 INCH CORRUGATED METAL PIPE 14 GAGE | FT |
| 230.315 | 15 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.318 | 18 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.324 | 24 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.330 | 30 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.336 | 36 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.342 | 42 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.348 | 48 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.354 | 54 INCH CORRUGATED METAL PIPE 12 GAGE | FT |
| 230.424 | 24 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.430 | 30 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.436 | 36 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.442 | 42 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.448 | 48 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.454 | 54 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.460 | 60 INCH CORRUGATED METAL PIPE 10 GAGE | FT |
| 230.530 | 30 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.536 | 36 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.542 | 42 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.548 | 48 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.554 | 54 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.560 | 60 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.572 | 72 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.584 | 84 INCH CORRUGATED METAL PIPE 8 GAGE | FT |
| 230.712 | 12 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.715 | 15 INCH CORRUGATED METAL PIPE END SECTION | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 230.718 | 18 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.724 | 24 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.730 | 30 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.736 | 36 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.742 | 42 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.748 | 48 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.754 | 54 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.760 | 60 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.772 | 72 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 230.784 | 84 INCH CORRUGATED METAL PIPE END SECTION | EA |
| 232.0 | 18 X 11 INCH ACCM PIPE-ARCH 16 GAGE | FT |
| 232.1 | 22 X 13 INCH ACCM PIPE-ARCH 16 GAGE | FT |
| 232.2 | 29 X 18 INCH ACCM PIPE-ARCH 14 GAGE | FT |
| 232.3 | 36 X 22 INCH ACCM PIPE-ARCH 14 GAGE | FT |
| 232.4 | 43 X 27 INCH ACCM PIPE-ARCH 12 GAGE | FT |
| 232.5 | 50 X 31 INCH ACCM PIPE-ARCH 12 GAGE | FT |
| 232.6 | 58 X 36 INCH ACCM PIPE-ARCH 12 GAGE | FT |
| 232.7 | 65 X 40 INCH ACCM PIPE-ARCH 10 GAGE | FT |
| 232.8 | 72 X 44 INCH ACCM PIPE-ARCH 10 GAGE | FT |
| 232.9 | 72 X 44 INCH ACCM PIPE-ARCH 8 GAGE | FT |
| 234.12 | 12 INCH DRAINAGE PIPE - OPTION | FT |
| 234.15 | 15 INCH DRAINAGE PIPE - OPTION | FT |
| 234.18 | 18 INCH DRAINAGE PIPE - OPTION | FT |
| 234.24 | 24 INCH DRAINAGE PIPE - OPTION | FT |
| 234.30 | 30 INCH DRAINAGE PIPE - OPTION | FT |
| 234.36 | 36 INCH DRAINAGE PIPE - OPTION | FT |
| * 235.12 | 12 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| * 235.15 | 15 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| * 235.18 | 18 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| * 235.24 | 24 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| * 235.30 | 30 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| * 235.36 | 36 INCH DRAINAGE PIPE FLARED END - OPTION | EA |
| 238.10 | 10 INCH DUCTILE IRON PIPE | FT |
| 238.12 | 12 INCH DUCTILE IRON PIPE | FT |
| 238.16 | 16 INCH DUCTILE IRON PIPE | FT |
| 238.18 | 18 INCH DUCTILE IRON PIPE | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 238.24 | 24 INCH DUCTILE IRON PIPE | FT |
| 239.60 | 60 INCH STRUCTURAL PLATE PIPE | FT |
| 239.66 | 66 INCH STRUCTURAL PLATE PIPE | FT |
| 239.72 | 72 INCH STRUCTURAL PLATE PIPE | FT |
| 239.84 | 84 INCH STRUCTURAL PLATE PIPE | FT |
| 239.96 | 96 INCH STRUCTURAL PLATE PIPE | FT |
| 239.97 | 108 INCH STRUCTURAL PLATE PIPE | FT |
| 239.98 | 120 INCH STRUCTURAL PLATE PIPE | FT |
| 240.616 | 6 FT. 1 IN. X 4 FT. 7 IN. STRUCTURAL PLATE PIPE-ARCH 12 GAGE | FT |
| 240.646 | 6 FT. 4 IN. X 4 FT. 9 IN. STRUCTURAL PLATE PIPE-ARCH 12 GAGE | FT |
| 240.696 | 6 FT. 9 IN. X 4 FT. 11 IN. STRUCTURAL PLATE PIPE-ARCH 12 GAG | FT |
| 240.706 | 7 FT. 0 IN. X 5 FT. 1 IN. STRUCTURAL PLATE PIPE-ARCH 12 GAGE | FT |
| 240.735 | 7 FT. 3 IN. X 5 FT. 3 IN. STRUCTURAL PLATE PIPE-ARCH 10 GAGE | FT |
| 240.736 | 7 FT. 3 IN. X 5 FT. 3 IN. STRUCTURAL PLATE PIPE-ARCH 12 GAGE | FT |
| 240.990 | 9 FT. 9 IN. X 6 FT. 7 IN. STRUCTURAL PLATE PIPE-ARCH 3 GAGE | FT |
| 240.992 | 11 FT. 10 IN. X 7 FT. 7 IN. STRUCTURAL PLATE PIPE-ARCH 7 GAG | FT |
| 240.994 | 20 FT. 7 IN. X 13 FT. 2 IN. STRUCTURAL PLATE PIPE-ARCH 3 GAG | FT |
| 241.12 | 12 INCH REINFORCED CONCRETE PIPE | FT |
| 241.15 | 15 INCH REINFORCED CONCRETE PIPE | FT |
| 241.18 | 18 INCH REINFORCED CONCRETE PIPE | FT |
| 241.24 | 24 INCH REINFORCED CONCRETE PIPE | FT |
| 241.30 | 30 INCH REINFORCED CONCRETE PIPE | FT |
| 241.36 | 36 INCH REINFORCED CONCRETE PIPE | FT |
| 241.42 | 42 INCH REINFORCED CONCRETE PIPE | FT |
| 241.48 | 48 INCH REINFORCED CONCRETE PIPE | FT |
| 241.54 | 54 INCH REINFORCED CONCRETE PIPE | FT |
| 241.60 | 60 INCH REINFORCED CONCRETE PIPE | FT |
| 241.66 | 66 INCH REINFORCED CONCRETE PIPE | FT |
| 241.72 | 72 INCH REINFORCED CONCRETE PIPE | FT |
| 242.12 | 12 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.15 | 15 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.18 | 18 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.24 | 24 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.30 | 30 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.36 | 36 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.42 | 42 INCH REINFORCED CONCRETE PIPE FLARED END | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 242.48 | 48 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.54 | 54 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.60 | 60 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.66 | 66 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 242.72 | 72 INCH REINFORCED CONCRETE PIPE FLARED END | EA |
| 243.12 | 12 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.15 | 15 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.18 | 18 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.24 | 24 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.30 | 30 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.36 | 36 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.42 | 42 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.48 | 48 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.54 | 54 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.60 | 60 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 243.66 | 66 INCH REINFORCED CONCRETE PIPE CLASS IV | FT |
| 244.12 | 12 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.15 | 15 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.18 | 18 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.24 | 24 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.30 | 30 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.36 | 36 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.42 | 42 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.48 | 48 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.54 | 54 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.60 | 60 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.66 | 66 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.72 | 72 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| 244.84 | 84 INCH REINFORCED CONCRETE PIPE CLASS V | FT |
| * 246.12 | 12 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.15 | 15 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.18 | 18 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.21 | 21 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.24 | 24 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.30 | 30 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.36 | 36 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 246.42 | 42 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 246.48 | 48 INCH REINFORCED CONCRETE SANITARY SEWER PIPE | FT |
| * 250.06 | 6 INCH POLYVINYL CHLORIDE SANITARY SEWER PIPE | FT |
| * 250.08 | 8 INCH POLYVINYL CHLORIDE SANITARY SEWER PIPE | FT |
| * 250.10 | 10 INCH POLYVINYLCHLORIDE SANITARY SEWER PIPE | FT |
| * 250.12 | 12 INCH POLYVINYLCHLORIDE SANITARY SEWER PIPE | FT |
| 252.112 | 12 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.115 | 15 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.118 | 18 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.12 | 12 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.124 | 24 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.130 | 30 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.136 | 36 INCH CORRUGATED PLASTIC PIPE FLARED END | EA |
| 252.15 | 15 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.18 | 18 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.24 | 24 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.30 | 30 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.36 | 36 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.48 | 48 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| 252.60 | 60 INCH CORRUGATED PLASTIC (POLYETHYLENE) PIPE | FT |
| * 253.30 | JACKING 30 INCH PIPE | FT |
| * 253.36 | JACKING 36 INCH PIPE | FT |
| * 253.42 | JACKING 42 INCH PIPE | FT |
| * 253.48 | JACKING 48 INCH PIPE | FT |
| * 253.60 | JACKING 60 INCH PIPE | FT |
| * 253.66 | JACKING 66 INCH PIPE | FT |
| * 253.72 | JACKING 72 INCH PIPE | FT |
| * 253.84 | JACKING 84 INCH PIPE | FT |
| * 254.08 | 8 INCH SEWER PIPE INSULATION | FT |
| * 254.10 | 10 INCH SEWER PIPE INSULATION | FT |
| * 254.12 | 12 INCH SEWER PIPE INSULATION | FT |
| * 254.14 | 14 INCH SEWER PIPE INSULATION | FT |
| * 254.16 | 16 INCH SEWER PIPE INSULATION | FT |
| * 254.18 | 18 INCH SEWER PIPE INSULATION | FT |
| * 254.24 | 24 INCH SEWER PIPE INSULATION | FT |
| 255.06 | 6 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |

Standard Items - English

| Item # | Item Description | Units |
|--------|---|-------|
| 255.08 | 8 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.10 | 10 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.12 | 12 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.15 | 15 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.18 | 18 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.21 | 21 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.24 | 24 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.30 | 30 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.36 | 36 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.42 | 42 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.48 | 48 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.54 | 54 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.60 | 60 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.72 | 72 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 255.84 | 84 INCH POLYMERIC PRECOATED CORRUGATED METAL PIPE | FT |
| 258. | STONE FOR PIPE ENDS | SY |
| 259. | CRUSHED STONE FOR BLEEDERS | TON |
| 261.06 | 6 INCH PERFORATED CORRUGATED METAL PIPE-18 GAGE (SUBDRAIN) | FT |
| 261.08 | 8 INCH PERFORATED CORRUGATED METAL PIPE-18 GAGE (SUBDRAIN) | FT |
| 261.10 | 10 INCH PERFORATED CORRUGATED METAL PIPE-18 GAGE (SUBDRAIN) | FT |
| 261.12 | 12 INCH PERFORATED CORRUGATED METAL PIPE-16 GAGE (SUBDRAIN) | FT |
| 265.06 | 6 INCH PIPE SUBDRAIN - OPTION | FT |
| 265.08 | 8 INCH PIPE SUBDRAIN - OPTION | FT |
| 266.06 | 6 INCH POROUS CONCRETE PIPE (SUBDRAIN) | FT |
| 266.08 | 8 INCH POROUS CONCRETE PIPE (SUBDRAIN) | FT |
| 269.06 | 6 INCH SLOT-PERFORATED CORRUGATED PLASTIC PIPE (SUBDRAIN) | FT |
| 269.08 | 8 INCH SLOT-PERFORATED CORRUGATED PLASTIC PIPE (SUBDRAIN) | FT |
| 269.10 | 10 INCH SLOT-PERFORATED CORRUGATED PLASTIC PIPE (SUBDRAIN) | FT |
| 270.12 | 12 INCH AND UNDER PIPE REMOVED AND RELAID | FT |
| 270.15 | 15 INCH PIPE REMOVED AND RELAID | FT |
| 270.18 | 18 INCH PIPE REMOVED AND RELAID | FT |
| 270.24 | 24 INCH PIPE REMOVED AND RELAID | FT |
| 270.30 | 30 INCH PIPE REMOVED AND RELAID | FT |
| 270.36 | 36 INCH PIPE REMOVED AND RELAID | FT |
| 270.42 | 42 INCH PIPE REMOVED AND RELAID | FT |
| 270.48 | 48 INCH PIPE REMOVED AND RELAID | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 270.60 | 60 INCH PIPE REMOVED AND RELAID | FT |
| * 271.12 | 12 INCH AND UNDER PIPE REMOVED AND STACKED | FT |
| * 271.15 | 15 INCH PIPE REMOVED AND STACKED | FT |
| * 271.18 | 18 INCH PIPE REMOVED AND STACKED | FT |
| * 271.24 | 24 INCH PIPE REMOVED AND STACKED | FT |
| * 271.30 | 30 INCH PIPE REMOVED AND STACKED | FT |
| 280. | HOT MIX ASPHALT WATERWAY | SY |
| * 280.1 | HOT MIX ASPHALT WATERWAY | TON |
| 281. | CEMENT CONCRETE PAVING (WATERWAY) | SY |
| * 281.2 | JUTE MESH (WATERWAYS) | SY |
| * 281.3 | GROUTED STONE PAVING (WATERWAYS) | SY |
| * 281.4 | GROUTED STONE PAVING (WATERWAYS) - REBUILT | SY |
| * 281.5 | DUMPED STONE LINING (WATERWAYS) | SY |
| * 282. | CEMENT CONCRETE PAVING - DITCHES | SY |
| 302.04 | 4 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.06 | 6 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.08 | 8 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.10 | 10 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.12 | 12 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.16 | 16 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.18 | 18 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.20 | 20 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 302.24 | 24 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET) | FT |
| 303.04 | 4 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.06 | 6 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.08 | 8 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.10 | 10 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.12 | 12 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.16 | 16 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.18 | 18 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.20 | 20 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 303.24 | 24 INCH DUCTILE IRON WATER PIPE (MECHANICAL JOINT) | FT |
| 309. | DUCTILE IRON FITTINGS FOR WATER PIPE | LB |
| 313.04 | 4 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.06 | 6 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.08 | 8 INCH WATER MAIN REMOVED AND RELAID | FT |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| 313.10 | 10 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.12 | 12 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.16 | 16 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.18 | 18 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.20 | 20 INCH WATER MAIN REMOVED AND RELAID | FT |
| 313.24 | 24 INCH WATER MAIN REMOVED AND RELAID | FT |
| * 315.04 | 4 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.06 | 6 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.08 | 8 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.10 | 10 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.12 | 12 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.16 | 16 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.18 | 18 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.20 | 20 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 315.24 | 24 INCH WATER MAIN REMOVED AND STACKED | FT |
| * 325.06 | 6 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.08 | 8 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.10 | 10 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.12 | 12 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.16 | 16 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.18 | 18 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.20 | 20 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 325.24 | 24 INCH STEEL PIPE CASING FOR WATER PIPE | FT |
| * 327.03 | 3 INCH BLOW-OFF PIPE | FT |
| * 327.04 | 4 INCH BLOW-OFF PIPE | FT |
| * 327.06 | 6 INCH BLOW-OFF PIPE | FT |
| * 327.08 | 8 INCH BLOW-OFF PIPE | FT |
| * 327.10 | 10 INCH BLOW-OFF PIPE | FT |
| * 327.12 | 12 INCH BLOW-OFF PIPE | FT |
| * 336.1 | 1 INCH PLASTIC WATER PIPE | FT |
| * 345.075 | 3/4 INCH TEMPORARY SERVICE PIPE | FT |
| * 345.1 | 1 INCH TEMPORARY SERVICE PIPE | FT |
| * 345.151 | 1-1/2 INCH TEMPORARY SERVICE PIPE | FT |
| * 345.6 | 6 INCH TEMPORARY SERVICE PIPE | FT |
| * 346.05 | 1/2 INCH SERVICE PIPE REMOVED AND RESET | FT |
| * 346.075 | 3/4 INCH SERVICE PIPE REMOVED AND RESET | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 346.1 | 1 INCH SERVICE PIPE REMOVED AND RESET | FT |
| * 346.15 | 1-1/2 INCH SERVICE PIPE REMOVED AND RESET | FT |
| * 346.2 | 2 INCH SERVICE PIPE REMOVED AND RESET | FT |
| 347.075 | 3/4 INCH COPPER TUBING TYPE K | FT |
| 347.1 | 1 INCH COPPER TUBING TYPE K | FT |
| 347.125 | 1-1/4 INCH COPPER TUBING TYPE K | FT |
| 347.15 | 1-1/2 INCH COPPER TUBING TYPE K | FT |
| 347.2 | 2 INCH COPPER TUBING TYPE K | FT |
| 349.04 | 4 INCH GATE VALVE | EA |
| 349.06 | 6 INCH GATE VALVE | EA |
| 349.08 | 8 INCH GATE VALVE | EA |
| 349.10 | 10 INCH GATE VALVE | EA |
| 349.12 | 12 INCH GATE VALVE | EA |
| 349.16 | 16 INCH GATE VALVE | EA |
| 349.18 | 18 INCH GATE VALVE | EA |
| 349.20 | 20 INCH GATE VALVE | EA |
| 349.24 | 24 INCH GATE VALVE | EA |
| 350.04 | 4 INCH GATE AND GATE BOX | EA |
| 350.06 | 6 INCH GATE AND GATE BOX | EA |
| 350.08 | 8 INCH GATE AND GATE BOX | EA |
| 350.10 | 10 INCH GATE AND GATE BOX | EA |
| 350.12 | 12 INCH GATE AND GATE BOX | EA |
| 350.16 | 16 INCH GATE AND GATE BOX | EA |
| 350.18 | 18 INCH GATE AND GATE BOX | EA |
| 350.20 | 20 INCH GATE AND GATE BOX | EA |
| 350.24 | 24 INCH GATE AND GATE BOX | EA |
| 351.12 | 12 INCH AND UNDER GATE AND GATE BOX REMOVED AND RESET | EA |
| 351.16 | 16 INCH GATE AND GATE BOX REMOVED AND RESET | EA |
| 351.18 | 18 INCH GATE AND GATE BOX REMOVED AND RESET | EA |
| 351.20 | 20 INCH GATE AND GATE BOX REMOVED AND RESET | EA |
| 351.24 | 24 INCH GATE AND GATE BOX REMOVED AND RESET | EA |
| 354.12 | 12 INCH AND UNDER GATE BOX REMOVED AND RESET | EA |
| 354.16 | 16 INCH GATE BOX REMOVED AND RESET | EA |
| 354.18 | 18 INCH GATE BOX REMOVED AND RESET | EA |
| 354.20 | 20 INCH GATE BOX REMOVED AND RESET | EA |
| 354.24 | 24 INCH GATE BOX REMOVED AND RESET | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 355.06 | 6 INCH GATE + GATE BOX REMOVED AND STACKED | EA |
| * 355.08 | 8 INCH GATE + GATE BOX REMOVED AND STACKED | EA |
| * 355.10 | 10 INCH GATE + GATE BOX REMOVED AND STACKED | EA |
| * 356.12 | 12 INCH BUTTERFLY VALVE AND BOX | EA |
| * 356.16 | 16 INCH BUTTERFLY VALVE AND BOX | EA |
| * 356.20 | 20 INCH BUTTERFLY VALVE AND BOX | EA |
| * 356.24 | 24 INCH BUTTERFLY VALVE AND BOX | EA |
| 357.04 | 4 INCH GATE BOX | EA |
| 357.06 | 6 INCH GATE BOX | EA |
| 357.08 | 8 INCH GATE BOX | EA |
| 357.10 | 10 INCH GATE BOX | EA |
| 357.12 | 12 INCH GATE BOX | EA |
| 357.16 | 16 INCH GATE BOX | EA |
| 357.18 | 18 INCH GATE BOX | EA |
| 357.20 | 20 INCH GATE BOX | EA |
| 357.24 | 24 INCH GATE BOX | EA |
| 358. | GATE BOX ADJUSTED | EA |
| * 358.1 | GATE BOX REMOVED AND STACKED | EA |
| 363.075 | 3/4 INCH CORPORATION COCK | EA |
| 363.1 | 1 INCH CORPORATION COCK | EA |
| 363.125 | 1-1/4 INCH CORPORATION COCK | EA |
| 363.15 | 1-1/2 INCH CORPORATION COCK | EA |
| 363.175 | 1-3/4 INCH CORPORATION COCK | EA |
| 363.2 | 2 INCH CORPORATION COCK | EA |
| 367.04 | 4 INCH CAST IRON PLUG | EA |
| 367.06 | 6 INCH CAST IRON PLUG | EA |
| 367.08 | 8 INCH CAST IRON PLUG | EA |
| 367.10 | 10 INCH CAST IRON PLUG | EA |
| 367.12 | 12 INCH CAST IRON PLUG | EA |
| 367.16 | 16 INCH CAST IRON PLUG | EA |
| 367.18 | 18 INCH CAST IRON PLUG | EA |
| 367.20 | 20 INCH CAST IRON PLUG | EA |
| 367.24 | 24 INCH CAST IRON PLUG | EA |
| * 369.03 | 3 X 3 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.06 | 6 X 6 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.08 | 8 X 8 INCH TAPPING SLEEVE, VALVE AND BOX | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 369.10 | 10 X 10 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.12 | 12 X 12 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.14 | 14 X 14 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.16 | 16 X 16 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.18 | 18 X 18 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.20 | 20 X 20 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 369.24 | 24 X 24 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.0 | 6 X 3 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.1 | 8 X 6 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.2 | 10 X 6 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.3 | 10 X 8 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.4 | 12 X 6 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.5 | 12 X 8 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.6 | 12 X 10 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.7 | 14 X 8 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.8 | 14 X 10 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 370.9 | 14 X 12 INCH TAPPING SLEEVE, VALVE AND BOX | EA |
| * 371.03 | 3 INCH COUPLING | EA |
| * 371.04 | 4 INCH COUPLING | EA |
| * 371.06 | 6 INCH COUPLING | EA |
| * 371.08 | 8 INCH COUPLING | EA |
| * 371.10 | 10 INCH COUPLING | EA |
| * 371.12 | 12 INCH COUPLING | EA |
| * 371.16 | 16 INCH COUPLING | EA |
| * 371.18 | 18 INCH COUPLING | EA |
| * 371.20 | 20 INCH COUPLING | EA |
| * 371.24 | 24 INCH COUPLING | EA |
| 373.04 | 4 INCH WATER PIPE INSULATION | FT |
| 373.06 | 6 INCH WATER PIPE INSULATION | FT |
| 373.08 | 8 INCH WATER PIPE INSULATION | FT |
| 373.10 | 10 INCH WATER PIPE INSULATION | FT |
| 373.12 | 12 INCH WATER PIPE INSULATION | FT |
| 373.16 | 16 INCH WATER PIPE INSULATION | FT |
| 373.18 | 18 INCH WATER PIPE INSULATION | FT |
| 373.20 | 20 INCH WATER PIPE INSULATION | FT |
| 373.24 | 24 INCH WATER PIPE INSULATION | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 375.04 | 4 INCH INSERTION VALVE AND BOX | EA |
| * 375.06 | 6 INCH INSERTION VALVE AND BOX | EA |
| * 375.08 | 8 INCH INSERTION VALVE AND BOX | EA |
| * 375.10 | 10 INCH INSERTION VALVE AND BOX | EA |
| * 375.12 | 12 INCH INSERTION VALVE AND BOX | EA |
| 376. | HYDRANT | EA |
| * 376.1 | HYDRANT - EXCLUDING COST OF HYDRANT | EA |
| 376.2 | HYDRANT - REMOVED AND RESET | EA |
| * 376.3 | HYDRANT - REMOVED AND STACKED | EA |
| * 376.5 | HYDRANT - ADJUSTED | EA |
| * 379.1 | 1 INCH AIR RELEASE VALVE | EA |
| * 379.15 | 1-1/2 INCH AIR RELEASE VALVE | EA |
| 381. | SERVICE BOX | EA |
| * 381.01 | SERVICE BOX (MUNICIPAL STANDARD) | EA |
| 381.1 | SERVICE BOX REMOVED AND RESET | EA |
| * 381.2 | SERVICE BOX REMOVED AND STACKED | EA |
| 381.3 | SERVICE BOX ADJUSTED | EA |
| * 382. | METER BOX | EA |
| * 382.1 | METER BOX REMOVED AND RESET | EA |
| * 382.2 | METER BOX REMOVED AND STACKED | EA |
| * 382.3 | METER BOX ADJUSTED | EA |
| * 383. | METER CHAMBER | EA |
| * 383.2 | METER CHAMBER ADJUSTED | EA |
| * 383.3 | METER CHAMBER REMOVED AND RESET | LS |
| 384. | CURB STOP | EA |
| 384.1 | CURB STOP REMOVED AND RESET | EA |
| * 384.2 | CURB STOP ADJUSTED | EA |
| * 387. | BLOW-OFF CHAMBER | EA |
| * 388. | AIR VALVE CHAMBER | EA |
| * 389. | DRINKING FOUNTAIN | EA |
| * 389.1 | DRINKING FOUNTAIN REMOVED AND RESET | EA |
| 402. | DENSE GRADED CRUSHED STONE FOR SUB-BASE | CY |
| 402.1 | DENSE GRADED CRUSHED STONE FOR SUB-BASE | TON |
| * 402.11 | DENSE GRADED CRUSHED STONE FOR SHOULDERS | TON |
| * 402.12 | DENSE GRADED CRUSHED STONE FOR SHOULDERS | CY |
| 403. | RECLAIMED PAVEMENT FOR BASE COURSE AND/OR SUB-BASE | SY |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 403.1 | CRUSHED STONE FOR BLENDING | TON |
| * 404. | PRE-TREATED CRUSHED STONE | TON |
| 404.5 | RECLAIMED PAVEMENT BORROW MATERIAL | CY |
| 420. | HOT MIX ASPHALT BASE COURSE | TON |
| 430. | CEMENT CONCRETE BASE COURSE | SY |
| 431. | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE | SY |
| * 431.1 | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE | CY |
| 440. | CALCIUM CHLORIDE FOR ROADWAY DUST CONTROL | LB |
| 441. | BITUMEN FOR ROADWAY DUST CONTROL | GAL |
| 443. | WATER FOR ROADWAY DUST CONTROL | MGL |
| * 450. | GRAVEL FOR SURFACING | CY |
| * 450.10 | OPEN GRADED FRICTION COURSE – POLYMER MODIFIED (OGFC – P) | TON |
| * 450.20 | HMA SURFACE COURSE – DENSE BINDER | TON |
| * 450.21 | HMA SURFACE COURSE – MODIFIED TOP | TON |
| * 450.22 | HMA SURFACE COURSE – STANDARD TOP | TON |
| * 450.30 | HMA INTERMEDIATE COURSE – DENSE BINDER | TON |
| * 450.31 | HMA INTERMEDIATE COURSE – BINDER | TON |
| * 450.40 | HMA BASE COURSE – BINDER | TON |
| * 450.50 | HMA LEVELING COURSE – LEVELING MIX | TON |
| * 450.60 | HMA BRIDGE SURFACE COURSE – MODIFIED TOP | TON |
| * 450.70 | HMA BRIDGE PROTECTIVE COURSE – DENSE BINDER | TON |
| * 450.90 | CONTRACTOR QUALITY CONTROL | TON |
| * 451. | HMA FOR PATCHING | TON |
| * 452. | ASPHALT EMULSION FOR TACK COAT | GAL |
| * 453. | HMA JOINT SEALANT | FT |
| 455.21 | SUPERPAVE SURFACE COURSE – 4.75 (SSC – 4.75) | TON |
| * 455.22 | SUPERPAVE SURFACE COURSE – 9.5 (SSC – 9.5) | TON |
| * 455.23 | SUPERPAVE SURFACE COURSE - 12.5 (SSC - 12.5) | TON |
| * 455.24 | SUPERPAVE SURFACE COURSE – 19.0 (SSC – 19.0) | TON |
| * 455.31 | SUPERPAVE INTERMEDIATE COURSE – 12.5 (SIC –12.5) | TON |
| * 455.32 | SUPERPAVE INTERMEDIATE COURSE - 19.0 (SIC - 19.0) | TON |
| * 455.41 | SUPERPAVE BASE COURSE – 25.0 (SBC – 25.0) | TON |
| * 455.42 | SUPERPAVE BASE COURSE - 37.5 (SBC - 37.5) | TON |
| * 455.51 | SUPERPAVE LEVELING COURSE – 4.75 (SLC – 4.75) | TON |
| * 455.52 | SUPERPAVE LEVELING COURSE - 9.5 (SLC - 9.5) | TON |
| * 455.60 | SUPERPAVE BRIDGE SURFACE COURSE - 9.5 (SSC-B - 9.5) | TON |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 455.61 | SUPERPAVE BRIDGE SURFACE COURSE - 12.5 (SSC-B - 12.5) | TON |
| * 455.70 | SUPERPAVE BRIDGE PROTECTIVE COURSE - 9.5 (SPC-B - 9.5) | TON |
| * 455.71 | SUPERPAVE BRIDGE PROTECTIVE COURSE - 12.5 (SPC-B - 12.5) | TON |
| * 456. | CRUSHED STONE FOR ROAD-MIX SURFACING | TON |
| * 458. | CRUSHED STONE FOR MACADAM SURFACING | TON |
| * 458.1 | CRUSHED STONE FOR WEARING SURFACING | TON |
| * 458.2 | STONE GRITS FOR SURFACE COVER | TON |
| * 458.6 | CRUSHED STONE BALLAST | CY |
| * 458.7 | LIGHTWEIGHT AGGREGATE | CY |
| * 459. | BITUMEN FOR ROADWAY BASE COURSE | GAL |
| * 459.1 | BITUMEN FOR SURFACING TREATMENT | GAL |
| * 459.2 | BITUMEN FOR ROAD-MIX SURFACING | GAL |
| * 459.3 | BITUMEN FOR MACADAM SURFACING | GAL |
| * 459.4 | BITUMEN FOR SEAL COAT | GAL |
| * 459.5 | BITUMEN FOR WEARING SURFACE | GAL |
| * 459.6 | BITUMEN FOR CURING | GAL |
| * 459.7 | RECLAIMED BITUMEN BASE | SY |
| 460. | HOT MIX ASPHALT | TON |
| * 460.1 | HOT MIX ASPHALT DENSE BINDER | TON |
| 460.2 | HOT MIX ASPHALT OPEN GRADED FRICTION COURSE | TON |
| * 460.7 | CONTRACTOR QUALITY CONTROL - HOT MIX ASPHALT | TON |
| * 460.72 | CONTRACTOR TESTING FOR HMA ACCEPTANCE | TON |
| * 461. | HOT MIX ASPHALT, TYPE ST | TON |
| 462. | HOT MIX ASPHALT DENSE BINDER COURSE FOR BRIDGES | TON |
| 463. | BITUMEN FOR PRIME COAT | GAL |
| 464. | BITUMEN FOR TACK COAT | GAL |
| 464.5 | HOT Poured RUBBERIZED ASPHALT SEALER | FT |
| 466. | STRESS ABSORBING MEMBRANE INTERLAYER | SY |
| 468. | CRUSHED STONE FOR PEASTONE COVER | TON |
| 469. | BITUMEN FOR PEASTONE COVER | GAL |
| 470. | HOT MIX ASPHALT BERM, TYPE A | TON |
| * 470.1 | HOT MIX ASPHALT BERM, TYPE A-1 | TON |
| * 470.2 | HOT MIX ASPHALT BERM, TYPE A - MODIFIED | FT |
| 472. | HOT MIX ASPHALT FOR MISCELLANEOUS WORK | TON |
| 476. | CEMENT CONCRETE PAVEMENT | SY |
| * 476.1 | CEMENT CONCRETE PAVEMENT | CY |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 476.2 | HIGH EARLY STRENGTH CEMENT CONCRETE PAVEMENT | CY |
| * 476.21 | HIGH EARLY STRENGTH CEMENT CONCRETE PAVEMENT | SY |
| * 476.31 | POLYMER MODIFIED MORTAR OVERLAYMENT | SY |
| * 476.32 | POLYMER MODIFIED CONCRETE OVERLAYMENT | SY |
| * 476.35 | EPOXY WATERPROOFING OVERLAY | SY |
| * 477. | MILLED RUMBLE STRIP | FT |
| * 481.42 | ELASTOMERIC BRIDGE JOINT SYSTEM | FT |
| * 482. | HOT APPLIED ASPHALTIC CRACK FILLER | GAL |
| * 482.01 | HOT APPLIED ASPHALTIC CRACK FILLER | FT |
| * 482.15 | HOT APPLIED ASPHALTIC CRACK FILLER (POLYESTER FIBERS) | GAL |
| * 482.17 | HOT APPLIED RUBBERIZED ASPHALTIC CRACK FILLER | GAL |
| * 482.20 | HOT POURED JOINT SEALER | FT |
| * 482.25 | ROUTING, DRYING, AND SEALING CRACKS IN EXISTING PAVEMENT | FT |
| * 482.3 | SAWING ASPHALT PAVEMENT | FT |
| * 482.31 | SAWING & SEALING JOINTS IN ASPHALT PAVEMENT AT BRIDGES | FT |
| * 482.32 | SAWING AND SEALING JOINTS IN ASPHALT PAVEMENT | FT |
| * 483.2 | SEALING ASPHALT PAVEMENT SURFACE CRACKS | GAL |
| * 484. | REHABILITATING EXISTING ASPHALT PAVEMENT | SY |
| 485. | GRANITE RUBBLE BLOCK PAVEMENT | SY |
| * 485.1 | GRANITE RUBBLE BLOCK PAVEMENT REMOVED AND RESET | SY |
| * 485.11 | GRANITE RUBBLE BLOCK PAVEMENT REMOVED AND STACKED | SY |
| * 485.2 | GRANITE RUBBLE BLOCK PAVEMENT EXCL. COST OF CONCRETE BASE | SY |
| * 486. | SCORED CEMENT CONCRETE PAVEMENT | CY |
| * 486.1 | SCORED CEMENT CONCRETE PAVEMENT | SY |
| * 490. | RUBBERIZED RAILROAD CROSSING | FT |
| 501. | GRANITE CURB TYPE VA1 - STRAIGHT | FT |
| 501.1 | GRANITE CURB TYPE VA1 - CURVED | FT |
| 502. | GRANITE CURB TYPE VA2 - STRAIGHT | FT |
| 502.1 | GRANITE CURB TYPE VA2 - CURVED | FT |
| 503. | GRANITE CURB TYPE VA3 - STRAIGHT | FT |
| 503.1 | GRANITE CURB TYPE VA3 - CURVED | FT |
| 504. | GRANITE CURB TYPE VA4 - STRAIGHT | FT |
| 504.1 | GRANITE CURB TYPE VA4 - CURVED | FT |
| * 504.2 | GRANITE CURB TYPE VA4 - SPLAYED END | EA |
| 505. | GRANITE CURB TYPE VA5 - STRAIGHT | FT |
| 505.1 | GRANITE CURB TYPE VA5 - CURVED | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 506. | GRANITE CURB TYPE VB - STRAIGHT | FT |
| 506.1 | GRANITE CURB TYPE VB - CURVED | FT |
| 509. | GRANITE TRANSITION CURB FOR WHEELCHAIR RAMPS - STRAIGHT | FT |
| 509.1 | GRANITE TRANSITION CURB FOR WHEELCHAIR RAMPS - CURVED | FT |
| 510. | GRANITE EDGING TYPE SA | FT |
| 510.1 | GRANITE EDGING TYPE SA (RADIUS 10 FEET OR LESS) | FT |
| 511.1 | GRANITE EDGING TYPE SB - STRAIGHT | FT |
| 512.1 | GRANITE EDGING TYPE SB (RADIUS 10 FEET OR LESS) | FT |
| 513. | GRANITE EDGING TYPE SC | FT |
| 513.1 | GRANITE EDGING TYPE SC (RADIUS 10 FEET OR LESS) | FT |
| 514. | GRANITE CURB INLET - STRAIGHT | EA |
| * 514.01 | GRANITE CURB INLET - STRAIGHT - EXCLUDING COST OF CURB INLET | EA |
| * 514.2 | GRANITE CURB INLET - STRAIGHT- MUNICIPAL STANDARD | EA |
| 515. | GRANITE CURB INLET - CURVED | EA |
| * 515.1 | GRANITE CURB INLET - CURVED - MUNICIPAL STANDARD | EA |
| 516. | GRANITE CURB CORNER TYPE A | EA |
| 517. | GRANITE CURB CORNER TYPE B | EA |
| * 517.01 | GRANITE CURB CORNER - TYPE C | EA |
| * 518. | CONCRETE CURB INLET - STRAIGHT | EA |
| * 519. | CONCRETE CURB INLET - CURVED | EA |
| 520. | CONCRETE CURB TYPE VA | FT |
| * 520.1 | CONCRETE CURB TYPE VA - PRECAST | FT |
| * 520.11 | SPECIAL CONCRETE CURB - CAST IN PLACE | FT |
| * 520.12 | CONCRETE CURB STOP REMOVED AND RESET | EA |
| * 520.2 | SPECIAL CONCRETE CURB - PRECAST | EA |
| 521. | CONCRETE CURB CORNER TYPE A | EA |
| 521.1 | CONCRETE CURB CORNER TYPE B | EA |
| 522. | CONCRETE EDGING TYPE SA | FT |
| * 570. | HOT MIX ASPHALT CURB - OPTION | FT |
| 570.1 | HOT MIX ASPHALT CURB TYPE 1 | FT |
| 570.2 | HOT MIX ASPHALT CURB TYPE 2 | FT |
| 570.3 | HOT MIX ASPHALT CURB TYPE 3 | FT |
| * 572. | HOT MIX ASPHALT CURB - OPTION | TON |
| 572.1 | HOT MIX ASPHALT CURB TYPE 1 | TON |
| 572.2 | HOT MIX ASPHALT CURB TYPE 2 | TON |
| 572.3 | HOT MIX ASPHALT CURB TYPE 3 | TON |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 580. | CURB REMOVED AND RESET | FT |
| * 580.1 | CURB REMOVED, RELOCATED AND RESET | FT |
| 581. | CURB INLET REMOVED AND RESET | EA |
| * 581.1 | CURB INLET REMOVED, RELOCATED AND RESET | EA |
| 582. | CURB CORNER REMOVED AND RESET | EA |
| * 582.1 | CURB CORNER - EXCLUDING COST OF CURB CORNER | EA |
| * 582.2 | CURB CORNER REMOVED, RELOCATED AND RESET | EA |
| 583. | EDGING REMOVED AND RESET | FT |
| * 590. | CURB REMOVED AND STACKED | FT |
| * 590.1 | CONCRETE CURB BARRIER REMOVED AND STACKED | EA |
| * 590.2 | CONCRETE CURB BARRIER REMOVED AND RESET | EA |
| * 591. | CURB INLET REMOVED AND STACKED | EA |
| * 592. | CURB CORNER REMOVED AND STACKED | EA |
| * 593. | EDGING REMOVED AND STACKED | FT |
| 594. | CURB REMOVED AND DISCARDED | FT |
| 595. | CURB INLET REMOVED AND DISCARDED | EA |
| 596. | CURB CORNER REMOVED AND DISCARDED | EA |
| 597. | EDGING REMOVED AND DISCARDED | FT |
| 602. | GUARDRAIL POST - STEEL | EA |
| 602.1 | GUARDRAIL POST - WOOD | EA |
| 603.1 | STEEL OFFSET BRACKET - W BEAM | EA |
| 603.2 | STEEL OFFSET BRACKET - THRIE BEAM | EA |
| 603.3 | GUARDRAIL OFFSET BLOCK FOR STEEL POST - W BEAM | EA |
| 603.4 | GUARDRAIL OFFSET BLOCK FOR WOOD POST - W BEAM | EA |
| 603.5 | GUARDRAIL OFFSET BLOCK FOR STEEL POST - THRIE BEAM | EA |
| 603.6 | GUARDRAIL OFFSET BLOCK FOR WOOD POST - THRIE BEAM | EA |
| 604. | W BEAM GUARD PANEL | EA |
| 604.1 | THRIE BEAM GUARD PANEL | EA |
| 620.1 | STEEL W BEAM HIGHWAY GUARD (SINGLE FACED) | FT |
| 620.3 | STEEL W BEAM HIGHWAY GUARD - CURVED (SINGLE FACED) | FT |
| 620.4 | STEEL W BEAM HIGHWAY GUARD BURIED END (SINGLE FACED) | EA |
| 621.1 | STEEL W BEAM HIGHWAY GUARD (DOUBLE FACED) | FT |
| 621.3 | STEEL W BEAM HIGHWAY GUARD - CURVED (DOUBLE FACED) | FT |
| 621.4 | STEEL W BEAM HIGHWAY GUARD BURIED END (DOUBLE FACED) | EA |
| 622.1 | STEEL W BEAM HIGHWAY GUARD (SINGLE FACED/WOOD POSTS) | FT |
| 622.3 | STEEL W BEAM HIGHWAY GUARD - CURVED(SINGLE FACED/WOOD POSTS) | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 622.4 | STEEL W BEAM HIGHWAY GUARD BURIED END(SF/WOOD POSTS) | EA |
| 623.1 | STEEL THRIE BEAM HIGHWAY GUARD (SINGLE FACED) | FT |
| 623.3 | STEEL THRIE BEAM HIGHWAY GUARD - CURVED (SINGLE FACED) | FT |
| 623.4 | STEEL THRIE BEAM HIGHWAY GUARD BURIED END (SINGLE FACED) | EA |
| 624.1 | STEEL THRIE BEAM HIGHWAY GUARD (DOUBLE FACED) | FT |
| 624.3 | STEEL THRIE BEAM HIGHWAY GUARD - CURVED (DOUBLE FACED) | FT |
| 624.4 | STEEL THRIE BEAM HIGHWAY GUARD BURIED END (DOUBLE FACED) | EA |
| 625.1 | STEEL THRIE BEAM HIGHWAY GUARD (SINGLE FACED/WOOD POSTS) | FT |
| 625.3 | STEEL THRIE BEAM HIGHWAY GUARD - CURVED (SF/WOOD POSTS) | FT |
| 625.4 | STEEL THRIE BEAM HIGHWAY GUARD BURIED END (SF/WOOD POSTS) | EA |
| 626.1 | STEEL W BEAM HIGHWAY GUARD (SINGLE FACED/SP BASE ANCHOR) | FT |
| 626.2 | STEEL W BEAM HIGHWAY GUARD (DOUBLE FACED/SP BASE ANCHOR) | FT |
| 626.3 | STEEL THRIE BEAM HIGHWAY GUARD (SINGLE FACED/SP BASE ANCHOR) | FT |
| 626.4 | STEEL THRIE BEAM HIGHWAY GUARD (DOUBLE FACED/SP BASE ANCHOR) | FT |
| 627.1 | STEEL W BEAM TERMINAL SECTION (SINGLE FACED) | EA |
| 627.2 | STEEL W BEAM TERMINAL SECTION (DOUBLE FACED) | EA |
| 627.3 | STEEL THRIE BEAM TERMINAL SECTION (SINGLE FACED) | EA |
| 627.4 | STEEL THRIE BEAM TERMINAL SECTION (DOUBLE FACED) | EA |
| 627.5 | STEEL THRIE BEAM TERMINAL CONNECTOR | EA |
| 627.6 | STEEL HIGHWAY GUARD TRANSITION BEAM | EA |
| 627.8 | STEEL BEAM HIGHWAY GUARD TANGENT END TREATMENT | EA |
| 627.9 | STEEL BEAM HIGHWAY GUARD FLARED END TREATMENT | EA |
| 628. | LEADING END FOR STEEL THRIE BEAM HIGHWAY GUARD AT BRIDGE | EA |
| 628.01 | TRAILING END FOR STEEL THRIE BEAM HIGHWAY GUARD AT BRIDGE | EA |
| 628.1 | LEADING END FOR STEEL BEAM HIGHWAY GUARD AT BRIDGE | EA |
| 628.11 | TRAILING END FOR STEEL BEAM HIGHWAY GUARD AT BRIDGE | EA |
| 628.2 | BRIDGE RAIL TO HIGHWAY GUARD RAIL TRANSITION | EA |
| * 628.31 | IMPACT ATTENUATOR FOR SHOULDER, INCAPABLE OF REDIRECTION | EA |
| * 628.32 | IMPACT ATTENUATOR FOR SHOULDER, CAPABLE OF REDIRECTION | EA |
| * 628.33 | IMPACT ATTENUATOR FOR MEDIAN, INCAPABLE OF REDIRECTION | EA |
| * 628.34 | IMPACT ATTENUATOR FOR MEDIAN, CAPABLE OF REDIRECTION | EA |
| 629.1 | PRECAST CONCRETE BARRIER - SINGLE FACED | FT |
| 629.2 | PRECAST CONCRETE MEDIAN BARRIER - DOUBLE FACED | FT |
| 629.3 | CAST-IN-PLACE CONCRETE BARRIER - SINGLE FACED | FT |
| 629.4 | CAST-IN-PLACE CONCRETE MEDIAN BARRIER - DOUBLE FACED | FT |
| 629.5 | CAST-IN-PLACE MEDIAN BARRIER CAP | CY |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 630. | HIGHWAY GUARD REMOVED AND RESET | FT |
| * 630.1 | HIGHWAY GUARD REMOVED AND RESET BY FIELD DRILLING | FT |
| 632. | INDIVIDUAL POST REMOVED AND RESET | EA |
| * 632.1 | INDIVIDUAL POST REALIGNED | EA |
| 633. | NEW POST IN HIGHWAY GUARD REMOVED AND RESET | EA |
| * 634. | HARDWARE FOR GUARDRAIL ASSEMBLY | LB |
| * 635. | HIGHWAY GUARD REMOVED AND STACKED | FT |
| * 635.1 | HIGHWAY GUARD REMOVED AND DISCARDED | FT |
| * 636. | ANCHOR REMOVED AND STACKED | EA |
| * 637. | INDIVIDUAL POST REMOVED AND STACKED | EA |
| * 637.1 | INDIVIDUAL POST REMOVED AND DISCARDED | EA |
| * 638.1 | PROTECTIVE SCREEN (CHAIN LINK) | FT |
| * 638.11 | PROTECTIVE SCREEN (CHAIN LINK) WITH HANDRAIL | FT |
| * 638.2 | PROTECTIVE SCREEN FOR PEDESTRIAN OVERPASS | FT |
| 644.036 | 36 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.048 | 48 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.060 | 60 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.072 | 72 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.084 | 84 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.096 | 96 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.097 | 120 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.098 | 144 INCH CHAIN LINK FENCE (STW) (LINE POST OPTION) | FT |
| 644.136 | 36 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.148 | 48 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.160 | 60 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.172 | 72 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.184 | 84 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.196 | 96 INCH CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.197 | 120 IN. CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 644.198 | 144 IN. CHAIN LINK FENCE (STW) VINYL COATED (LINE POST OPT.) | FT |
| 645.036 | 36 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.048 | 48 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.060 | 60 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.072 | 72 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.084 | 84 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.096 | 96 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 645.097 | 120 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.098 | 144 INCH CHAIN LINK FENCE (PIPE TOP RAIL) (LINE POST OPTION) | FT |
| 645.137 | 36 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.148 | 48 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.160 | 60 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.172 | 72 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.184 | 84 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.196 | 96 INCH CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.197 | 120 IN. CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 645.198 | 144 IN. CHAIN LINK FENCE (PTR) VINYL COATED (LINE POST OPT.) | FT |
| 647.036 | 36 IN. CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.048 | 48 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.060 | 60 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.072 | 72 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.084 | 84 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.096 | 96 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.120 | 120 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 647.144 | 144 INCH CHAIN LINK FENCE (PTR) W/BARB (LINE POST OPTION) | FT |
| 649.036 | 36 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.048 | 48 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.060 | 60 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.072 | 72 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.084 | 84 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.096 | 96 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.120 | 120 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 649.144 | 144 INCH CHAIN LINK FENCE (STW) W/BARB (LINE POST OPTION) | FT |
| 650.036 | 36 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.048 | 48 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.060 | 60 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.072 | 72 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.084 | 84 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.096 | 96 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.120 | 120 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 650.144 | 144 INCH CHAIN LINK GATE WITH GATE POSTS | FT |
| 651.060 | 60 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |
| 651.072 | 72 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 651.084 | 84 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |
| 651.096 | 96 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |
| 651.120 | 120 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |
| 651.144 | 144 INCH CHAIN LINK GATE WITH GATE POSTS AND BARBED WIRE | FT |
| 652.036 | 36 INCH CHAIN LINK FENCE END POST | EA |
| 652.048 | 48 INCH CHAIN LINK FENCE END POST | EA |
| 652.060 | 60 INCH CHAIN LINK FENCE END POST | EA |
| 652.072 | 72 INCH CHAIN LINK FENCE END POST | EA |
| 652.084 | 84 INCH CHAIN LINK FENCE END POST | EA |
| 652.096 | 96 INCH CHAIN LINK FENCE END POST | EA |
| 652.120 | 120 INCH CHAIN LINK FENCE END POST | EA |
| 652.144 | 144 INCH CHAIN LINK FENCE END POST | EA |
| 653.036 | 36 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.048 | 48 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.060 | 60 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.072 | 72 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.084 | 84 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.096 | 96 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.120 | 120 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 653.144 | 144 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST | EA |
| 654.036 | 36 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.048 | 48 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.060 | 60 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.072 | 72 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.084 | 84 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.096 | 96 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.120 | 120 INCH CHAIN LINK FENCE FABRIC | FT |
| 654.144 | 144 INCH CHAIN LINK FENCE FABRIC | FT |
| * 655. | CEDAR RAIL FENCE | FT |
| * 655.1 | IRON PIPE FENCE | FT |
| * 655.2 | ORNAMENTAL HAND RAIL | FT |
| * 657. | TEMPORARY FENCE | FT |
| * 657.5 | TEMPORARY FENCE REMOVED AND RESET | FT |
| * 658. | INDIVIDUAL LINE POST - OPTION | EA |
| 660. | METAL PIPE RAIL | FT |
| 665. | CHAIN LINK FENCE REMOVED AND STACKED | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 665.1 | CHAIN LINK FENCE ADJUST AND PAINT | FT |
| 666. | CHAIN LINK FENCE REMOVED AND RESET | FT |
| 667. | CHAIN LINK FENCE GATE W/GATE POSTS REMOVED & STACKED | EA |
| 668. | CHAIN LINK FENCE GATE W/GATE POSTS REMOVED & RESET | EA |
| 669. | FENCE REMOVED AND STACKED | FT |
| 670. | FENCE REMOVED AND RESET | FT |
| 671. | FENCE GATE AND GATE POSTS REMOVED AND STACKED | EA |
| 672. | FENCE GATE AND GATE POSTS REMOVED AND RESET | EA |
| * 675. | PERMANENT BARRIER FENCE | FT |
| * 675.1 | PERMANENT BARRIER FENCE REMOVED AND RESET | FT |
| * 677. | PORTABLE BARRIER FENCE (LEFT-IN-PLACE) | EA |
| * 680.30 | 30 INCH YELLOW MODULE CONTAINER | EA |
| * 680.36 | 36 INCH YELLOW MODULE CONTAINER | EA |
| * 681.24 | 24 INCH ANTI-GLARE SCREEN (MODULAR UNITS) - PADDLE TYPE | FT |
| * 681.36 | 36 INCH ANTI-GLARE SCREEN (MODULAR UNITS) - PADDLE TYPE | FT |
| * 681.48 | 48 INCH ANTI-GLARE SCREEN (MODULAR UNITS) - PADDLE TYPE | FT |
| * 684. | STONE MASONRY STAIRS REMOVED AND RESET IN CEMENT MORTAR | LS |
| 685. | STONE MASONRY WALL IN CEMENT MORTAR | CY |
| 685.1 | STONE MASONRY WALL, DRY | CY |
| * 685.2 | STONE MASONRY POST REMOVED AND REBUILT | EA |
| 690. | STONE MASONRY WALL REMOVED AND REBUILT IN CEMENT MORTAR | CY |
| 690.1 | STONE MASONRY WALL REMOVED AND REBUILT DRY | CY |
| 691. | BALANCE STONE WALL REMOVED AND REBUILT | FT |
| * 692. | BALANCE STONE WALL | FT |
| 697. | SEDIMENTATION FENCE | FT |
| * 697.1 | SILT SACK | EA |
| * 697.2 | FLOATING SILT FENCE | FT |
| * 698.1 | GEOTEXTILE FABRIC FOR STABILIZATION | SY |
| * 698.2 | GEOTEXTILE FABRIC FOR SUBSURFACE DRAINAGE | SY |
| * 698.3 | GEOTEXTILE FABRIC FOR SEPARATION | SY |
| * 698.4 | GEOTEXTILE FABRIC FOR PERMANENT EROSION CONTROL | SY |
| 701. | CEMENT CONCRETE SIDEWALK | SY |
| 701.1 | CEMENT CONCRETE SIDEWALK AT DRIVEWAYS | SY |
| * 701.2 | CEMENT CONCRETE WHEELCHAIR RAMP | SY |
| 702. | HOT MIX ASPHALT WALK SURFACE | TON |
| 703. | HOT MIX ASPHALT DRIVEWAY | TON |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 703.1 | CONCRETE WHEEL STOP | EA |
| * 704. | STONE DUST WALKS | TON |
| * 704.1 | STONE DUST FOR DRIVEWAYS | TON |
| * 705. | FLAGSTONE WALK | SY |
| * 705.1 | FLAGSTONE WALK REMOVED AND RESET | SY |
| * 706. | BRICK WALK | SY |
| * 706.1 | BRICK WALK REMOVED AND RELAID | SY |
| * 706.2 | BRICK STEPS | LS |
| * 706.4 | GRANITE STEPS REMOVED AND RESET | LS |
| * 706.5 | FIELD STONE WALK REMOVED AND RESET | SY |
| * 706.6 | GRANITE SLAB WALK REMOVED AND RESET | SY |
| * 707.1 | PARK BENCH | EA |
| * 707.15 | PARK BENCH REMOVED AND RESET | EA |
| * 707.2 | TRASH RECEPTACLE | EA |
| * 707.3 | TREE GRATE | EA |
| * 707.5 | TREE GUARD | EA |
| * 707.6 | PICNIC TABLE | EA |
| * 707.8 | STEEL BOLLARD | EA |
| * 707.9 | BICYCLE RACK | EA |
| * 710.1 | CONCRETE BOUND | EA |
| * 710.2 | BOUND (EXCLUDING COST OF BOUND) | EA |
| 710.3 | BOUND - LETTERED GRANITE | EA |
| 710.4 | BOUND - PLAIN GRANITE | EA |
| * 710.6 | TOWN LINE BOUND | EA |
| * 710.7 | TOWN LINE WITNESS BOUND | EA |
| 711. | BOUND REMOVED AND RESET | EA |
| * 711.1 | PROPERTY BOUND REMOVED AND RESET | EA |
| * 711.2 | TOWN LINE BOUND REMOVED AND RESET | EA |
| * 711.3 | TOWN LINE WITNESS BOUND REMOVED AND RESET | EA |
| * 712. | BOUND REMOVED AND STACKED | EA |
| * 712.1 | TOWN LINE BOUND REMOVED AND STACKED | EA |
| * 713.2 | TOWN LINE POST REMOVED AND RESET | EA |
| * 714. | MONUMENT REMOVED AND RESET | EA |
| * 714.1 | MONUMENTS REMOVED AND RESET | LS |
| 715. | RURAL MAIL BOX REMOVED AND RESET | EA |
| * 715.1 | MAIL BOX REMOVED AND RESET | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 717. | METAL BIN-TYPE RETAINING WALL | SF |
| * 718. | FLAGPOLE | EA |
| * 718.1 | FLAGPOLE REMOVED AND RESET | LS |
| * 734. | SIGN REMOVED AND RESET | EA |
| * 734.52 | SIGN POST REMOVED AND STACKED | EA |
| * 740. | ENGINEERS FIELD OFFICE AND EQUIPMENT (TYPE A) | MO |
| * 740.1 | RENOVATING ENGINEERS FIELD OFFICE | EA |
| * 740.2 | RELOCATE ENGINEERS FIELD OFFICE AND EQUIPMENT | LS |
| * 741. | ENGINEERS FIELD OFFICE AND EQUIPMENT (TYPE B) | MO |
| * 742. | ENGINEERS FIELD OFFICE AND EQUIPMENT (TYPE C) | MO |
| * 743. | ENGINEERS FIELD OFFICE AND EQUIPMENT (TYPE D) | MO |
| 744. | MATERIALS LABORATORY AND EQUIPMENT | MO |
| * 745. | PEDESTRIAN BUS SHELTER | EA |
| * 745.1 | PEDESTRIAN BUS SHELTER REMOVED AND RESET | LS |
| * 745.2 | PEDESTRIAN BUS SHELTER REMOVED AND STACKED | LS |
| 746. | TRANSPORTATION VEHICLE | MO |
| * 746.6 | TRANSPORTATION OFFICE VAN | MO |
| * 747. | EQUIPMENT FOR ENGINEERS FIELD OFFICE | LS |
| 748. | MOBILIZATION | LS |
| * 748.1 | EMERGENCY RESPONSE | EA |
| 751. | LOAM BORROW | CY |
| * 751.1 | LOAM REHANDLED AND SPREAD | CY |
| 752. | TOPSOIL REHANDLED AND SPREAD | CY |
| * 754. | WETLAND SOIL REHANDLED AND SPREAD | CY |
| * 755. | WETLAND REPLICATION AREA | SY |
| * 756. | NPDES STORMWATER POLLUTION PREVENTION PLAN | LS |
| 760. | IMPERVIOUS SOIL BORROW | CY |
| 765. | SEEDING | SY |
| * 765.1 | SEEDING | A |
| 765.2 | SEED FOR EROSION CONTROL | LB |
| * 765.3 | SEED FOR EROSION CONTROL | A |
| * 765.7 | SEEDING WILDFLOWER | A |
| 766. | REFERTILIZATION | SY |
| * 766.1 | REFERTILIZATION | A |
| 767. | HAY MULCH | TON |
| 767.1 | HAY MULCH | A |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 767.2 | HAY MULCH | SY |
| 767.3 | STRAW MULCH | TON |
| 767.31 | STRAW MULCH | SY |
| 767.32 | STRAW MULCH | A |
| 767.4 | WOOD CHIP MULCH | CY |
| * 767.41 | WOOD CHIP MULCH | SY |
| * 767.42 | WOOD CHIP MULCH | A |
| 767.5 | WOOD FIBRE MULCH | TON |
| * 767.51 | WOOD FIBRE MULCH | A |
| * 767.52 | WOOD FIBRE MULCH | SY |
| 767.6 | AGED PINE BARK MULCH | CY |
| * 767.61 | AGED PINE BARK MULCH | TON |
| 767.8 | BALES OF HAY FOR EROSION CONTROL | EA |
| * 767.9 | MATTING FOR EROSION CONTROL | SY |
| * 768.1 | HERBICIDE APPLICATION | SY |
| * 768.2 | POISON IVY ERADICATION | SY |
| 769. | PAVEMENT MILLING MULCH UNDER GUARD RAIL | FT |
| 770. | LAWN SODDING | SY |
| 772.033 | ARBORVITAE - DARK AMERICAN 2-3 FEET | EA |
| 772.036 | ARBORVITAE - DARK AMERICAN 5-6 FEET | EA |
| 772.058 | ARBORVITAE - EMERALD GREEN 5-6 FEET | EA |
| 772.138 | ARBORVITAE - GIANT 5-6 FEET | EA |
| 772.146 | ARBORVITAE - 'HETZ WINTERGREEN' 5-6 FEET | EA |
| 772.158 | ARBORVITAE - PYRAMID 5-6 FEET | EA |
| 772.333 | CEDAR-RED 2-3 FEET | EA |
| 772.336 | CEDAR - RED 5-6 FEET | EA |
| 772.337 | CEDAR - RED 7-8 FEET | EA |
| 772.346 | FIR - DOUGLAS 5-6 FEET | EA |
| 772.356 | FIR - FRASER 5-6 FEET | EA |
| 772.376 | FIR - WHITE 5-6 FEET | EA |
| 772.433 | HEMLOCK - CANADA 2-3 FEET | EA |
| 772.436 | HEMLOCK - CANADA 5-6 FEET | EA |
| 772.439 | HEMLOCK - CANADA 8-10 FEET | EA |
| 772.535 | HEMLOCK - CAROLINA 4-5 FEET | EA |
| 773.036 | PINE - AUSTRIAN 5-6 FEET | EA |
| 773.039 | PINE - AUSTRIAN 8-10 FEET | EA |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| 773.136 | PINE - JAPANESE BLACK 5-6 FEET | EA |
| 773.141 | PINE - JAPANESE BLACK 8-10 FEET | EA |
| 773.148 | PINE - JAPANESE UMBRELLA 6-7 FEET | EA |
| 773.224 | PINE - PITCH 4-5 FEET | EA |
| 773.236 | PINE - RED 5-6 FEET | EA |
| 773.238 | PINE - RED 8-10 FEET | EA |
| 773.337 | PINE - SCOTCH 5-6 FEET | EA |
| 773.408 | PINE - SWISS STONE 5-6 FEET | EA |
| 773.436 | PINE - WHITE 5-6 FEET | EA |
| 773.439 | PINE - WHITE 10-12 FEET | EA |
| 774.037 | SPRUCE - COLORADO GREEN 5-6 FEET | EA |
| 774.041 | SPRUCE - COLORADO GREEN 8-10 FEET | EA |
| 774.136 | SPRUCE - NORWAY 5-6 FEET | EA |
| 774.138 | SPRUCE - NORWAY 8-10 FEET | EA |
| 774.235 | SPRUCE - SERBIAN 5-6 FEET | EA |
| 774.238 | SPRUCE - SERBIAN 8-10 FEET | EA |
| 774.638 | SPRUCE - WHITE 5-6 FEET | EA |
| 774.642 | SPRUCE - WHITE 7-8 FEET | EA |
| 775.003 | ASH - GREEN 8-10 FEET | EA |
| 775.005 | ASH - GREEN 2.5-3 INCH CALIPER | EA |
| 775.006 | ASH - GREEN 3-3.5 INCH CALIPER | EA |
| 775.007 | ASH - WHITE 8-10 FEET | EA |
| 775.008 | ASH - WHITE 2-2.5 INCH CALIPER | EA |
| 775.011 | ASH - WHITE 3-3.5 INCH CALIPER | EA |
| 775.012 | BEECH - AMERICAN 2-2.5 INCH CALIPER | EA |
| 775.013 | BEECH - AMERICAN 3-3.5 INCH CALIPER | EA |
| * 775.015 | BEECH - COPPER 2-2.5 INCH CALIPER | EA |
| 775.017 | BEECH - COPPER 3 - 3.5 INCH CALIPER | EA |
| 775.018 | BEECH - RIVER'S PURPLE 2-2.5 INCH CALIPER | EA |
| 775.019 | BEECH - RIVER'S PURPLE 3-3.5 INCH CALIPER | EA |
| 775.022 | BUTTERNUT 8-10 FEET | EA |
| 775.026 | CHESTNUT - SWEETHEART 8-10 FEET | EA |
| 775.029 | ELM - CAMPERDOWN 3-3.5 INCH CALIPER | EA |
| 775.031 | HICKORY - SHAGBARK 8-10 FEET | EA |
| 775.034 | HOPHORNBEAM - AMERICAN 8-10 FEET | EA |
| 775.035 | HOPHORNBEAM - AMERICAN 2-2.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| 775.038 | HORNBEAM - AMERICAN 8-10 FEET | EA |
| 775.043 | HORNBEAM - AMERICAN 3-3.5 INCH CALIPER | EA |
| 775.047 | HORNBEAM - EUROPEAN 8-10 FEET | EA |
| 775.049 | HORNBEAM - EUROPEAN 2-2.5 INCH CALIPER | EA |
| 775.055 | HORNBEAM - FASTIGIATE 2.5-3 INCH CALIPER | EA |
| 775.071 | JAPANESE SNOWBELL TREE 5-6 FEET | EA |
| 775.075 | JAPANESE SNOWBELL TREE 1.5-2 INCH CALIPER | EA |
| 775.128 | KATSURA TREE 2-2.5 INCH CALIPER | EA |
| 775.131 | KATSURA TREE 3-3.5 INCH CALIPER | EA |
| 775.133 | LARCH - EUROPEAN 2-2.5 INCH CALIPER | EA |
| 775.134 | LARCH - EUROPEAN 3-3.5 INCH CALIPER | EA |
| 775.137 | LARCH - JAPANESE 1.5-2 INCH CALIPER | EA |
| 775.139 | LARCH - JAPANESE 3-3.5 INCH CALIPER | EA |
| 775.140 | LINDEN - AMERICAN 2-2.5 INCH CALIPER | EA |
| 775.145 | LINDEN - AMERICAN 3-3.5 INCH CALIPER | EA |
| 775.147 | LINDEN - LITTLE LEAF 2-2.5 INCH CALIPER | EA |
| 775.151 | LINDEN - LITTLE LEAF 3-3.5 INCH CALIPER | EA |
| 775.264 | LINDEN - SILVER 2-2.5 INCH CALIPER | EA |
| 775.266 | LINDEN - SILVER 3-3.5 INCH CALIPER | EA |
| 775.431 | LOCUST - HONEY - 'SHADEMASTER' 2-2.5 INCH CALIPER | EA |
| 775.434 | LOCUST - HONEY - 'SHADEMASTER' 3-3.5 INCH CALIPER | EA |
| 775.437 | LOCUST - HONEY - 'SKYLINE' 2-2.5 INCH CALIPER | EA |
| * 775.441 | LOCUST - HONEY - 'SKYLINE' 3-3.5 INCH CALIPER | EA |
| 776.036 | MAPLE - AMUR 5-6 FEET | EA |
| 776.039 | MAPLE - AMUR 10-12 FEET | EA |
| 776.044 | MAPLE - HEDGE 2-2.5 INCH CALIPER | EA |
| 776.048 | MAPLE - HEDGE 3-3.5 INCH CALIPER | EA |
| 776.354 | MAPLE - JAPANESE CUTLEAF - 'EVER RED' 3.5-4 FOOT SPREAD | EA |
| 776.355 | MAPLE - JAPANESE - GREEN CUTLEAF 3.5-4 FOOT SPREAD | EA |
| 776.475 | MAPLE - PAPERBARK 2-2.5 INCH CALIPER | EA |
| 776.478 | MAPLE - PAPERBARK 3-3.5 INCH CALIPER | EA |
| 776.523 | MAPLE - RED - 'ARMSTRONG' 2-2.5 INCH CALIPER | EA |
| 776.525 | MAPLE - RED - 'ARMSTRONG' 2.5-3 INCH CALIPER | EA |
| 776.527 | MAPLE - RED - 'ARMSTRONG' 3-3.5 INCH CALIPER | EA |
| 776.538 | MAPLE - RED - 'OCTOBER GLORY' 8-10 FEET | EA |
| 776.543 | MAPLE - RED - 'OCTOBER GLORY' 2-2.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 776.551 | MAPLE - RED - 'OCTOBER GLORY' 3-3.5 INCH CALIPER | EA |
| 776.557 | MAPLE - RED - 'RED SUNSET' 2-2.5 INCH CALIPER | EA |
| 776.561 | MAPLE - RED - 'RED SUNSET' 3-3.5 INCH CALIPER | EA |
| 776.737 | MAPLE - SILVER 2-2.5 INCHES CALIPER | EA |
| 776.836 | MAPLE - SUGAR 2-2.5 INCHES CALIPER | EA |
| 776.840 | MAPLE - SUGAR 3-3.5 INCHES CALIPER | EA |
| 776.841 | MAPLE - SUGAR - 'GREEN MOUNTAIN' 2-2.5 INCH CALIPER | EA |
| 776.845 | MAPLE - SUGAR - 'GREEN MOUNTAIN' 3-3.5 INCH CALIPER | EA |
| 776.851 | MAPLE - SUGAR - 'LEGACY' 2-2.5 INCH CALIPER | EA |
| 776.855 | MAPLE - SUGAR - 'LEGACY' 3-3.5 INCH CALIPER | EA |
| 776.873 | MAPLE - SUGAR - COLUMNAR 2-2.5 INCH CALIPER | EA |
| 776.875 | MAPLE - SUGAR - COLUMNAR 2.5-3 INCH CALIPER | EA |
| 776.935 | MAPLE - SYCAMORE 2-2.5 INCH CALIPER | EA |
| 776.939 | MAPLE - SYCAMORE 3-3.5 INCH CALIPER | EA |
| 777.009 | OAK - BLACK 1.5-2 INCH CALIPER | EA |
| 777.011 | OAK - BLACK 2-2.5 INCH CALIPER | EA |
| 777.016 | OAK - BUR 1.5-2 INCH CALIPER | EA |
| 777.018 | OAK - BUR 2-2.5 INCH CALIPER | EA |
| 777.023 | OAK - CHESTNUT 1.5-2 INCH CALIPER | EA |
| 777.025 | OAK - CHESTNUT 2-2.5 INCH CALIPER | EA |
| 777.033 | OAK - ENGLISH 2-2.5 INCH CALIPER | EA |
| 777.036 | OAK - NORTHERN RED 2-2.5 INCH CALIPER | EA |
| 777.042 | OAK - NORTHERN RED 2.5-3 INCH CALIPER | EA |
| 777.043 | OAK - NORTHERN RED 3-3.5 INCH CALIPER | EA |
| 777.138 | OAK - PIN 2-2.5 INCH CALIPER | EA |
| 777.141 | OAK - PIN 3-3.5 INCH CALIPER | EA |
| 777.161 | OAK - PYRAMIDAL ENGLISH 1.5-2 INCH CALIPER | EA |
| 777.165 | OAK - PYRAMIDAL ENGLISH 2.5-3 INCH CALIPER | EA |
| 777.239 | OAK - SCARLET 10-12 FEET | EA |
| 777.241 | OAK - SCARLET 2-2.5 INCH CALIPER | EA |
| 777.261 | OAK - SWAMP WHITE 1.5-2 INCH CALIPER | EA |
| 777.327 | OAK - WHITE 1.5-2 INCH CALIPER | EA |
| 777.332 | OAK - WHITE 2.5-3 INCH CALIPER | EA |
| 777.342 | OAK - WILLOW 2.5-3 INCH CALIPER | EA |
| 777.438 | PLANETREE - AMERICAN 8-10 FEET | EA |
| 777.442 | PLANETREE - AMERICAN 2-2.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 777.446 | PLANETREE - AMERICAN 3-3.5 INCH CALIPER | EA |
| 777.538 | PLANETREE - LONDON 8-10 FEET | EA |
| 777.542 | PLANETREE - LONDON 2-2.5 INCH CALIPER | EA |
| 777.546 | PLANETREE - LONDON 3-3.5 INCH CALIPER | EA |
| 777.631 | POPLAR - EASTERN 2-2.5 INCH CALIPER | EA |
| 777.641 | POPLAR - BOLLEANA 2-2.5 INCH CALIPER | EA |
| 777.673 | SWEETGUM 2-2.5 INCH CALIPER | EA |
| 777.677 | SWEETGUM 3-3.5 INCH CALIPER | EA |
| 777.731 | WALNUT - EASTERN BLACK 6-8 FEET | EA |
| 777.738 | WILLOW - YELLOW WEEPING 8-10 FEET | EA |
| 777.741 | WILLOW - YELLOW WEEPING 2-2.5 INCH CALIPER | EA |
| 777.743 | WILLOW - YELLOW WEEPING 2.5-3 INCH CALIPER | EA |
| 777.745 | WILLOW - YELLOW WEEPING 3-3.5 INCH CALIPER | EA |
| 778.009 | ASPEN - QUAKING 8-10 FEET | EA |
| 778.013 | ASPEN - QUAKING 2-2.5 INCH CALIPER | EA |
| 778.121 | BIRCH - PAPER 1.5-2 INCH CALIPER | EA |
| 778.125 | BIRCH - PAPER 2.5-3 INCH CALIPER | EA |
| 778.137 | BIRCH - PAPER 6-8 FOOT CLUMP | EA |
| 778.141 | BIRCH - PAPER 10-12 FOOT CLUMP | EA |
| 778.161 | BIRCH - RIVER 'HERITAGE' 8-10 FOOT CLUMP | EA |
| 778.165 | BIRCH - RIVER 'HERITAGE' 12-14 FOOT CLUMP | EA |
| 778.239 | BIRCH - WHITE EUROPEAN 10-12 FEET | EA |
| 778.241 | BIRCH - EUROPEAN - SINGLE STEM 1.5-2 INCH CALIPER | EA |
| 778.245 | BIRCH - EUROPEAN - SINGLE STEM 2.5-3 INCH CALIPER | EA |
| 778.251 | BIRCH - WHITESPIRE JAPANESE 2.5-3 INCH CALIPER | EA |
| 778.253 | BIRCH - WHITESPIRE JAPANESE 12-14 FOOT CLUMP | EA |
| 778.263 | CAROLINA SILVERBELL 1.5-2 INCH CALIPER | EA |
| 778.267 | CAROLINA SILVERBELL 2.5-3 INCH CALIPER | EA |
| 778.313 | CHERRY - AUTUMN FLOWERING 1.5-2 INCH CALIPER | EA |
| 778.317 | CHERRY - AUTUMN FLOWERING 2.5-3 INCH CALIPER | EA |
| 778.321 | CHERRY - BLACK 8-10 FEET | EA |
| 778.323 | CHERRY - BLACK 1.5-2 INCH CALIPER | EA |
| 778.335 | CHERRY - CHOKE 'SHUBERT' 1.5-2 INCH CALIPER | EA |
| 778.339 | CHERRY - CHOKE 'SHUBERT' 2.5-3 INCH CALIPER | EA |
| 778.343 | CHERRY - HIGAN - WEEPING 1.5-2 INCH CALIPER | EA |
| 778.347 | CHERRY - HIGAN - WEEPING 2.5-3 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 778.353 | CHERRY - KWANZAN 1.5-2 INCH CALIPER | EA |
| 778.357 | CHERRY - KWANZAN 2.5-3 INCH CALIPER | EA |
| 778.363 | CHERRY - MT. FUJI 1.5-2 INCH CALIPER | EA |
| 778.367 | CHERRY - MT. FUJI 2.5-3 INCH CALIPER | EA |
| 778.373 | CHERRY - SARGENT 1.5-2 INCH CALIPER | EA |
| 778.377 | CHERRY - SARGENT 2.5-3 INCH CALIPER | EA |
| 778.383 | CHERRY - SARGENT COLUMNAR 1.5-2 INCH CALIPER | EA |
| 778.387 | CHERRY - SARGENT COLUMNAR 2.5-3 INCH CALIPER | EA |
| 778.393 | CHERRY - YOSHINO 1.5-2 INCH CALIPER | EA |
| 778.397 | CHERRY - YOSHINO 2.5-3 INCH CALIPER | EA |
| 778.399 | CORK - AMUR 8-10 FEET | EA |
| 778.401 | CORNELIANCHERRY 6-8 FEET | EA |
| 778.405 | CORNELIANCHERRY 1.5-2 INCH CALIPER | EA |
| 778.413 | CRABAPPLE - 'CENTURION' 1.5-2 INCH CALIPER | EA |
| 778.417 | CRABAPPLE - 'CENTURION' 2.5-3 INCH CALIPER | EA |
| 778.423 | CRABAPPLE - 'DONALD WYMAN' 1.5-2 INCH CALIPER | EA |
| 778.427 | CRABAPPLE - 'DONALD WYMAN' 2.5-3 INCH CALIPER | EA |
| 778.433 | CRABAPPLE - 'PINK PERFECTION' 1.5-2 INCH CALIPER | EA |
| 778.437 | CRABAPPLE - 'PINK PERFECTION' 2.5-3 INCH CALIPER | EA |
| 778.443 | CRABAPPLE - 'RADIANT' 1.5-2 INCH CALIPER | EA |
| 778.447 | CRABAPPLE - 'RADIANT' 2.5-3 INCH CALIPER | EA |
| 778.453 | CRABAPPLE - 'RED JADE' - WEEPING 1.5-2 INCH CALIPER | EA |
| 778.457 | CRABAPPLE - 'RED JADE' - WEEPING 2.5-3 INCH CALIPER | EA |
| 778.463 | CRABAPPLE - 'SNOWDRIFT' 1.5-2 INCH CALIPER | EA |
| 778.467 | CRABAPPLE - 'SNOWDRIFT' 2.5-3 INCH CALIPER | EA |
| 778.473 | CRABAPPLE - 'ZUMI' 1.5-2 INCH CALIPER | EA |
| 778.477 | CRABAPPLE - 'ZUMI' 2.5-3 INCH CALIPER | EA |
| 780.137 | DOGWOOD - JAPANESE CLUMP 6-8 FEET | EA |
| 780.141 | DOGWOOD - JAPANESE CLUMP 10-12 FEET | EA |
| 780.142 | DOGWOOD - JAPANESE SINGLE STEM 2-2.5 INCH CALIPER | EA |
| 780.143 | DOGWOOD - JAPANESE SINGLE STEM 2.5-3 INCH CALIPER | EA |
| 780.155 | DOGWOOD - PINK 'RUBRA' 2-2.5 INCH CALIPER | EA |
| 780.159 | DOGWOOD - PINK 'RUBRA' 3-3.5 INCH CALIPER | EA |
| 780.165 | DOGWOOD - 'CHEROKEE CHIEF' 2-2.5 INCH CALIPER | EA |
| 780.169 | DOGWOOD - 'CHEROKEE CHIEF' 3-3.5 INCH CALIPER | EA |
| 780.175 | DOGWOOD - 'CHEROKEE PRINCESS' 2-2.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 780.179 | DOGWOOD - 'CHEROKEE PRINCESS' 3-3.5 INCH CALIPER | EA |
| 780.237 | DOGWOOD - KOUSA 6-8 FEET | EA |
| 781.023 | FRINGE TREE 6-8 FEET | EA |
| 781.037 | GOLDENCHAIN - FLOWERING 6-8 FEET | EA |
| 781.137 | GOLDENRAIN TREE 6-8 FEET | EA |
| 781.141 | GOLDENRAIN TREE 2.5-3 INCH CALIPER | EA |
| 781.171 | HACKBERRY TREE 1.5-2 INCH CALIPER | EA |
| 781.173 | HACKBERRY TREE 2-2.5 INCH CALIPER | EA |
| 781.253 | HAWTHORN - 'CRIMSON CLOUD' 1.5-2 INCH CALIPER | EA |
| 781.257 | HAWTHORN - 'CRIMSON CLOUD' 2.5-3 INCH CALIPER | EA |
| 781.263 | HAWTHORN - 'WINTER KING' 1.5-2 INCH CALIPER | EA |
| 781.267 | HAWTHORN - 'WINTER KING' 2.5-3 INCH CALIPER | EA |
| 781.273 | HAWTHORN - LAVALLE 1.5-2 INCH CALIPER | EA |
| 781.277 | HAWTHORN - LAVALLE 2.5-3 INCH CALIPER | EA |
| 781.285 | HAWTHORN - WASHINGTON CLUMP 8-10 FOOT CLUMP | EA |
| 781.287 | HAWTHORN - WASHINGTON CLUMP 10-12 FOOT CLUMP | EA |
| 781.473 | HORSECHESTNUT - BAUMAN'S 2-2.5 INCH CALIPER | EA |
| 781.477 | HORSECHESTNUT - BAUMAN'S 3-3.5 INCH CALIPER | EA |
| 781.483 | HORSECHESTNUT - RED 1.5-2 INCH CALIPER | EA |
| 781.487 | HORSECHESTNUT - RED 2.5-3 INCH CALIPER | EA |
| 781.571 | LILAC TREE - JAPANESE CLUMP 6-8 FOOT CLUMP | EA |
| 781.573 | LILAC TREE - JAPANESE CLUMP 8-10 FOOT CLUMP | EA |
| 781.575 | LILAC TREE - JAPANESE CLUMP 10-12 FOOT CLUMP | EA |
| 781.579 | LILAC TREE - JAPANESE 2-2.5 INCH CALIPER | EA |
| 782.025 | MAGNOLIA TREE - 'MERRILL' 8-10 FEET | EA |
| 782.036 | MAGNOLIA TREE - SAUCER 5-6 FEET | EA |
| 782.039 | MAGNOLIA TREE - SAUCER 8-10 FEET | EA |
| 782.044 | MAGNOLIA TREE - STAR 6-7 FEET | EA |
| 782.048 | MAGNOLIA TREE - STAR 8-10 FEET | EA |
| 782.053 | MAGNOLIA TREE - SWEETBAY 5-6 FEET | EA |
| 782.057 | MAGNOLIA TREE - SWEETBAY 7-8 FEET | EA |
| 782.145 | MAIDENHAIR TREE 2-2.5 INCH CALIPER | EA |
| 782.149 | MAIDENHAIR TREE 3-3.5 INCH CALIPER | EA |
| 782.237 | MOUNTAIN ASH - EUROPEAN 6-8 FEET | EA |
| 782.239 | MOUNTAIN ASH - EUROPEAN 2-2.5 INCH CALIPER | EA |
| 782.243 | MOUNTAIN ASH - EUROPEAN 3-3.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 782.245 | MOUNTAIN ASH - KOREAN 1.5-2 INCH CALIPER | EA |
| 782.251 | MOUNTAIN ASH - KOREAN 2.5-3 INCH CALIPER | EA |
| 782.353 | OHIO BUCKEYE 2-2.5 INCH CALIPER | EA |
| 782.357 | OHIO BUCKEYE 3-3.5 INCH CALIPER | EA |
| 782.373 | PAGODA TREE - 'REGENT' 2-2.5 INCH CALIPER | EA |
| 782.377 | PAGODA TREE - 'REGENT' 3-3.5 INCH CALIPER | EA |
| 782.403 | PEAR - CALLERY - 'ARISTOCRAT' 2-2.5 INCH CALIPER | EA |
| 782.407 | PEAR - CALLERY - 'ARISTOCRAT' 3-3.5 INCH CALIPER | EA |
| 782.413 | PEAR - CALLERY - 'BRADFORD' 2-2.5 INCH CALIPER | EA |
| 782.417 | PEAR - CALLERY - 'BRADFORD' 3-3.5 INCH CALIPER | EA |
| 782.423 | PEAR - CALLERY - 'CHANTICLEER' 2-2.5 INCH CALIPER | EA |
| 782.427 | PEAR - CALLERY - 'CHANTICLEER' 3-3.5 INCH CALIPER | EA |
| 782.453 | PLUM TREE - 'NEWPORT' 1.5-2 INCH CALIPER | EA |
| 782.457 | PLUM TREE - 'NEWPORT' 2.5-3 INCH CALIPER | EA |
| 782.473 | PLUM TREE - 'THUNDERCLOUD' 1.5-2 INCH CALIPER | EA |
| 782.477 | PLUM TREE - 'THUNDERCLOUD' 2.5-3 INCH CALIPER | EA |
| 782.536 | REDBUD - EASTERN 5-6 FEET | EA |
| 782.537 | REDBUD - EASTERN 1.5-2 INCH CALIPER | EA |
| 782.539 | REDBUD - EASTERN 2.5-3 INCH CALIPER | EA |
| 782.634 | REDWOOD - DAWN 2-2.5 INCH CALIPER | EA |
| 783.037 | SHAD TREE - ALLEGHENY CLUMP 4-5 FEET | EA |
| 783.041 | SHAD TREE - ALLEGHENY CLUMP 8-10 FEET | EA |
| 783.045 | SHAD TREE - DOWNY 6-8 FEET | EA |
| 783.049 | SHAD TREE - DOWNY 2-2.5 INCH CALIPER | EA |
| 783.339 | SOURWOOD 1.5-2 INCH CALIPER | EA |
| 783.343 | SOURWOOD 2.5-3 INCH CALIPER | EA |
| 783.366 | STEWARTIA 7-8 FEET | EA |
| 783.442 | TULIP TREE 2.5-3 INCH CALIPER | EA |
| 783.443 | TULIP TREE 3-3.5 INCH CALIPER | EA |
| 783.465 | TUPELO 1.5-2 INCH CALIPER | EA |
| 783.467 | TUPELO 2-2.5 INCH CALIPER | EA |
| 783.537 | YELLOWWOOD 1.5-2 INCH CALIPER | EA |
| 783.539 | YELLOWWOOD 2-2.5 INCH CALIPER | EA |
| 783.639 | ZELKOVA - 'GREEN VASE' 2-2.5 INCH CALIPER | EA |
| 783.641 | ZELKOVA - 'GREEN VASE' 2.5-3 INCH CALIPER | EA |
| 783.645 | ZELKOVA - 'VILLAGE GREEN' 2-2.5 INCH CALIPER | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 783.647 | ZELKOVA - 'VILLAGE GREEN' 2.5-3 INCH CALIPER | EA |
| 785.013 | ABELIA SHRUB - GLOSSY 15-18 INCH | EA |
| 785.023 | ABELIA SHRUB - GLOSSY 2-3 FEET | EA |
| 785.175 | ANDROMEDA - MOUNTAIN 24-36 INCH | EA |
| 785.179 | BOG ROSEMARY 1 GALLON | EA |
| 785.181 | BOXWOOD - COMMON 18-24 INCH | EA |
| 785.183 | BOXWOOD - COMMON 3-4 FEET | EA |
| 785.189 | BOXWOOD - 'GREEN MOUNTAIN' 18-24 INCH | EA |
| 785.193 | EUONYMOUS - 'EMERALD GAIETY' 1 GALLON | EA |
| 785.201 | EUONYMOUS - 'KEWENSIS' 1 GALLON | EA |
| 785.205 | EUONYMOUS - UPRIGHT WINTERCREEPER 2-3 FEET | EA |
| 785.213 | HEATHER - COMMON 2 GALLON | EA |
| 785.217 | HEATHER - 'MAIRES' 2 GALLON | EA |
| 785.223 | HEATHER - 'SPRING CREAM' 2 GALLON | EA |
| 785.525 | HEMLOCK - WEEPING 2-3 FOOT SPREAD | EA |
| 785.533 | HOLLY - AMERICAN MALE 6-7 FEET | EA |
| 785.537 | HOLLY - AMERICAN FEMALE 6-7 FEET | EA |
| 785.541 | HOLLY - 'BLUE PRINCE' 18-24 INCH | EA |
| 785.543 | HOLLY - 'BLUE PRINCE' 2-3 FEET | EA |
| 785.545 | HOLLY - 'BLUE PRINCESS' 18-24 INCH | EA |
| 785.547 | HOLLY - 'BLUE PRINCESS' 2-3 FEET | EA |
| 785.551 | HOLLY - 'CHINA BOY' 18-24 INCH | EA |
| 785.553 | HOLLY - 'CHINA BOY' 2-3 FEET | EA |
| 785.555 | HOLLY - 'CHINA GIRL' 18-24 INCH | EA |
| 785.557 | HOLLY - 'CHINA GIRL' 2-3 FEET | EA |
| 785.571 | HOLLY - JAPANESE COMPACT 18-24 INCH | EA |
| 785.573 | HOLLY - JAPANESE COMPACT 24-30 INCH | EA |
| 785.577 | HOLLY - JAPANESE CONVEXA 18-24 INCH | EA |
| 785.579 | HOLLY - JAPANESE CONVEXA 24-30 INCH | EA |
| 785.581 | HOLLY - JAPANESE-'HELLER' 18-24 INCH | EA |
| 785.583 | HOLLY - JAPANESE - 'HELLER' 24-30 INCH | EA |
| 785.585 | HOLLY - JAPANESE - 'HETZ' 18-24 INCH | EA |
| 785.587 | HOLLY - JAPANESE - 'HETZ' 24-30 INCH | EA |
| 785.593 | HOLLY - LONGSTALK MALE 2-3 FEET | EA |
| 785.597 | HOLLY - LONGSTALK FEMALE 2-3 FEET | EA |
| 785.609 | HOLLY - OREGON GRAPE COMPACT 15-18 INCH | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 785.611 | HOLLY - OREGON GRAPE COMPACT 18-24 INCH | EA |
| 785.631 | INKBERRY 18-24 INCH | EA |
| 785.633 | INKBERRY 2-3 FEET | EA |
| 785.731 | INKBERRY - COMPACT 18-24 INCH | EA |
| 785.733 | INKBERRY - COMPACT 24-30 INCH | EA |
| 786.011 | JUNIPER - ANDORRA 12-15 INCH | EA |
| 786.031 | JUNIPER - ANDORRA 18-24 INCH | EA |
| 786.079 | JUNIPER - BAR HARBOR 12-15 INCH | EA |
| 786.081 | JUNIPER - BAR HARBOR 15-18 INCH | EA |
| 786.101 | JUNIPER - 'BLUE HAVEN' 18-24 INCH | EA |
| 786.105 | JUNIPER - 'BLUE HAVEN' 2.5-3 FEET | EA |
| 786.109 | JUNIPER - 'BLUE RUG' 12-15 INCH | EA |
| 786.111 | JUNIPER - 'GREY OWL' 2 GALLON | EA |
| 786.113 | JUNIPER - 'GREY OWL' 3 GALLON | EA |
| 786.321 | JUNIPER - HETZ 15-18 INCH | EA |
| 786.331 | JUNIPER - HETZ 18-24 INCH | EA |
| 786.371 | JUNIPER - 'MINT JULEP' 15-18 INCH | EA |
| 786.375 | JUNIPER - 'MINT JULEP' 24-30 INCH | EA |
| 786.421 | JUNIPER - PFITZER 15-18 INCH | EA |
| 786.431 | JUNIPER - PFITZER 24-30 INCH | EA |
| 786.433 | JUNIPER - PFITZER COMPACT 15-18 INCH | EA |
| 786.437 | JUNIPER - PFITZER COMPACT 24-30 INCH | EA |
| 786.461 | JUNIPER - SARGENT'S GREEN 15-18 INCH | EA |
| 786.467 | JUNIPER - SARGENT'S GREEN 24-30 INCH | EA |
| 786.471 | JUNIPER - 'SEA GREEN' 18-24 INCH | EA |
| 786.475 | JUNIPER - 'SEA GREEN' 2.5-3 FEET | EA |
| 786.633 | LEUCOTHOE - COAST 18-24 INCH | EA |
| 786.637 | LEUCOTHOE - COMPACT DROOPING 18-24 INCH | EA |
| 786.671 | MOUNTAIN LAUREL 24-30 INCH | EA |
| 786.673 | MOUNTAIN LAUREL 3-4 FEET | EA |
| 787.031 | PINE SHRUB - MUGO 18-24 INCH | EA |
| 787.037 | PINE - MUGO DWARF 12-15 INCHES | EA |
| 787.043 | RHODO - 'BOULE DE NEIGE' 18-24 INCH | EA |
| 787.045 | RHODO - 'BOULE DE NEIGE' 24-30 INCH | EA |
| 787.047 | RHODO - CAROLINA 18-24 INCH | EA |
| 787.049 | RHODO - CAROLINA 24-30 INCH | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 787.051 | RHODO - 'CHIONOIDES' 18-24 INCH | EA |
| 787.053 | RHODO - 'CHIONOIDES' 24-30 INCH | EA |
| 787.055 | RHODO - CUNNINGHAM WHITE 18-24 INCH | EA |
| 787.057 | RHODO - CUNNINGHAM WHITE 24-30 INCH | EA |
| 787.059 | RHODO - ENGLISH ROSEUM 18-24 INCH | EA |
| 787.061 | RHODO - ENGLISH ROSEUM 24-30 INCH | EA |
| 787.063 | RHODO - NOVA ZEMBLA 18-24 INCH | EA |
| 787.065 | RHODO - NOVA ZEMBLA 24-30 INCH | EA |
| 787.067 | RHODO - PJM 18-24 INCH | EA |
| 787.069 | RHODO - PJM 24-30 INCH | EA |
| 787.071 | RHODO - 'PJM AGLO' 18-24 INCH | EA |
| 787.073 | RHODO - 'PJM AGLO' 24-30 INCH | EA |
| 787.075 | RHODO - 'PJM OLGA' 18-24 INCH | EA |
| 787.077 | RHODO - 'PJM OLGA' 24-30 INCH | EA |
| 787.079 | RHODO - ROSEBAY 18-24 INCH | EA |
| 787.081 | RHODO - ROSEBAY 24-30 INCH | EA |
| 787.083 | RHODO - 'ROSEUM ELEGANS' 18-24 INCH | EA |
| 787.085 | RHODO - 'ROSEUM ELEGANS' 24-30 INCH | EA |
| 787.087 | RHODO - WILSON 15-18 INCH | EA |
| 787.089 | RHODO - WILSON 18-21 INCH | EA |
| 787.091 | RHODO - YAKU 'PRINCE' 12-15 INCHES | EA |
| 787.093 | RHODO - YAKU 'PRINCESS' 12-15 INCHES | EA |
| 787.097 | SPRUCE - BIRD'S NEST 18-24 INCH SPREAD | EA |
| 787.183 | YEW - COLUMNAR ENGLISH 3-4 FEET | EA |
| 787.231 | YEW - HATFIELD 18-24 INCH | EA |
| 787.233 | YEW - HATFIELD 2-3 FEET | EA |
| 787.241 | YEW - HICK'S 18-24 INCH HEAVY | EA |
| 787.245 | YEW - HICK'S 30-36 INCH | EA |
| 787.253 | YEW - SPREADING DENSE 18-24 INCH HEAVY | EA |
| 787.255 | YEW - SPREADING DENSE 24-30 INCH | EA |
| 787.263 | YEW - SPREADING ENGLISH 24-30 INCH SPREAD | EA |
| 787.321 | YEW - SPREADING JAPANESE 15-18 INCH | EA |
| 787.331 | YEW - SPREADING JAPANESE 18-24 INCH | EA |
| 787.421 | YEW - UPRIGHT JAPANESE 15-18 INCH | EA |
| 787.431 | YEW - UPRIGHT JAPANESE 18-24 INCH | EA |
| 788.013 | ALDER SHRUB - SPECKLED 2 GALLON | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 788.131 | ARALIA - FIVELEAF 18-24 INCH | EA |
| 788.133 | ARALIA - FIVELEAF 2-3 FEET | EA |
| 788.205 | AZALEA - 'BLAAUW'S PINK' 18-24 INCHES | EA |
| 788.209 | AZALEA - 'CORAL BELLS' 18-24 INCHES | EA |
| 788.213 | AZALEA - CORNELL PINK 18-24 INCH | EA |
| 788.217 | AZALEA - 'DEL VALLEY WHITE' 18-24 INCH | EA |
| 788.221 | AZALEA - 'ELIZABETH GABLE' 18-24 INCH | EA |
| 788.225 | AZALEA - 'GIRARD'S ROSE' 18-24 INCH | EA |
| 788.229 | AZALEA - 'HINO CRIMSON' 18-24 INCH | EA |
| 788.233 | AZALEA - KOREAN COMPACT 18-24 INCH | EA |
| 788.237 | AZALEA - 'MOTHER'S DAY' 18-24 INCH | EA |
| 788.239 | AZALEA - PINKSHELL 18-24 INCH | EA |
| 788.245 | AZALEA - 'ROEHR'S TRADITION' 18-24 INCH | EA |
| 788.249 | AZALEA - 'ROSEBUD' 18-24 INCH | EA |
| 788.253 | AZALEA - ROYAL 18-24 INCH | EA |
| 788.257 | AZALEA - 'SALMON SPRAY' 18-24 INCH | EA |
| 788.261 | AZALEA - 'STEWARTSONIAN' 18-24 INCH | EA |
| 788.263 | AZALEA - SWAMP 18-24 INCH | EA |
| 788.265 | AZALEA - SWAMP 2-3 FEET | EA |
| 789.321 | BAYBERRY SHRUB - NORTHERN 15-18 INCH | EA |
| 789.331 | BAYBERRY SHRUB - NORTHERN 18-24 INCH | EA |
| 789.333 | BAYBERRY SHRUB - NORTHERN 2-3 FEET | EA |
| 789.431 | BEACH PLUM SHRUB 18-24 INCH | EA |
| 789.433 | BEACH PLUM SHRUB 2-3 FEET | EA |
| 789.631 | BLUEBERRY - HIGHBUSH 18-24 INCH | EA |
| 789.633 | BLUEBERRY - HIGHBUSH 2-3 FEET | EA |
| 789.669 | BLUEBERRY - LOWBUSH 6-9 INCH HEIGHT | EA |
| 789.713 | BUCKEYE - BOTTLEBRUSH 2-3 FEET | EA |
| 789.725 | BUTTERFLY BUSH 24-36 INCHES | EA |
| 789.817 | CINQUEFOIL - ABBOTSWOOD 2-3 FEET | EA |
| 789.823 | CINQUEFOIL - JACKMAN'S 12-15 INCHES | EA |
| 789.827 | CINQUEFOIL - JACKMAN'S 2-3 FEET | EA |
| 789.835 | CINQUEFOIL - KATHERINE DYKES 2-3 FEET | EA |
| 790.033 | CORALBERRY SHRUB 2-3 FEET | EA |
| 790.133 | CORALBERRY SHRUB-CHENAULT 2-3 FEET | EA |
| 790.261 | CORNELIANCHERRY 18-24 INCH | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 790.263 | CORNELIANCHERRY 2-3 FEET | EA |
| 790.327 | COTONEASTER - CRANBERRY 18-24 INCH | EA |
| 790.329 | COTONEASTER - ROCKSPRAY 18-24 INCH | EA |
| 790.331 | COTONEASTER - SPREADING 18-24 INCH | EA |
| 790.433 | CRANBERRY BUSH - AMERICAN 2-3 FEET | EA |
| 790.438 | CRANBERRY - DWARF 12-15 INCH SPREAD | EA |
| 790.531 | DOGWOOD - GRAY TWIG 18-24 INCH | EA |
| 790.533 | DOGWOOD - GRAY TWIG 2-3 FEET | EA |
| 790.631 | DOGWOOD - REDOSIER 18-24 INCH | EA |
| 790.633 | DOGWOOD - REDOSIER 2-3 FEET | EA |
| 790.643 | DOGWOOD - SIBERIAN 2-3 FEET | EA |
| 790.719 | DOGWOOD - SILKY 2-3 FEET | EA |
| 790.733 | DOGWOOD - YELLOW TWIG 2-3 FEET | EA |
| 791.033 | ELDERBERRY 2-3 FEET | EA |
| 791.243 | FIRETHORN - LALAND 2-3 FEET | EA |
| 791.251 | FORSYTHIA - 'ARNOLD DWARF' 15-24 INCH | EA |
| 791.255 | FORSYTHIA - 'LYNWOOD GOLD' 3-4 FEET | EA |
| 791.259 | FORSYTHIA - 'SPECTABILIS' 3-4 FEET | EA |
| 791.263 | FORSYTHIA - WEEPING 18-24 INCHES | EA |
| 791.313 | FOTHERGILLA - DWARF 18-24 INCH SPREAD | EA |
| 792.009 | HYDRANGEA - ANNABELLE 18-24 INCHES | EA |
| 792.013 | HYDRANGEA - BIGLEAF 18-24 INCHES | EA |
| 792.017 | HYDRANGEA - OAKLEAF 18-24 INCHES | EA |
| 792.021 | HYDRANGEA - PEEGEE 24-36 INCHES | EA |
| 792.433 | LILAC - COMMON PURPLE 3-4 FEET | EA |
| 792.435 | LILAC - COMMON PURPLE 4-5 FEET | EA |
| 792.443 | LILAC - BELLE DE NANCY 3-4 FEET | EA |
| 792.449 | LILAC - ELLEN WILLMONT 3-4 FEET | EA |
| 792.621 | LOCUST - BRISTLY 15-18 INCH | EA |
| 792.735 | MOCK ORANGE 'SNOWFLAKE' 2-3 FEET | EA |
| 793.033 | NINEBARK SHRUB - COMMON 2-3 FEET | EA |
| 793.053 | NINEBARK SHRUB - GOLDEN 2-3 FEET | EA |
| 793.317 | PRIVET - AMUR 24-30 INCH | EA |
| 793.331 | PRIVET - REGAL 18-24 INCH | EA |
| 793.343 | QUINCE - CAMEO FLOWERING 18-24 INCH SPREAD | EA |
| 793.353 | QUINCE - TEXAS SCARLET 2-3 FEET | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 793.505 | ROSE OF SHARON 'DIANA' 3-4 FEET | EA |
| 793.509 | ROSE OF SHARON 'LUCY' 3-4 FEET | EA |
| 793.513 | ROSE OF SHARON'WOODBIDGE' 3-4 FEET | EA |
| 793.527 | SANDCHERRY - PURPLE LEAF 2-3 FEET | EA |
| 793.529 | SANDCHERRY - PURPLE LEAF 3-4 FEET | EA |
| 793.712 | SPICEBUSH 15-18 INCH | EA |
| 793.715 | SPICEBUSH 5 GALLON | EA |
| 793.731 | SPIREA - 'ANTHONY WATERER' 2-3 FEET | EA |
| 794.133 | SPIREA - BRIDAL WREATH 2-3 FEET | EA |
| 794.143 | SPIREA - 'LITTLE PRINCES' 15-18 INCH SPREAD | EA |
| 794.153 | SPIREA - 'SNOWMOUND' 2-3 FEET | EA |
| 794.233 | SPIREA - VANHOUTTE 2-3 FEET | EA |
| 794.321 | SUMAC SHRUB - FRAGRANT 15-18 INCH | EA |
| 794.333 | SUMAC SHRUB - FRAGRANT 2-3 FEET | EA |
| 794.431 | SUMAC SHRUB - SHINING 18-24 INCH | EA |
| 794.433 | SUMAC SHRUB - SHINING 2-3 FEET | EA |
| 794.531 | SUMAC SHRUB - SMOOTH 18-24 INCH | EA |
| 794.533 | SUMAC SHRUB - SMOOTH 2-3 FEET | EA |
| 794.621 | SUMAC SHRUB - STAGHORN 15-18 INCH | EA |
| 794.633 | SUMAC SHRUB - STAGHORN 2-3 FEET | EA |
| 794.731 | SUMMERSWEET SHRUB 18-24 INCH | EA |
| 794.737 | SUMMERSWEET SHRUB 3-4 FEET | EA |
| 794.803 | SWEETFERN 1 GALLON | EA |
| 794.805 | SWEETFERN 2 GALLON | EA |
| 795.009 | VIBURNUM - ARROWWOOD 18-24 INCHES | EA |
| 795.013 | VIBURNUM - ARROWWOOD 3-4 FEET | EA |
| 795.017 | VIBURNUM - BLACKHAW 24-36 INCHES | EA |
| 795.023 | VIBURNUM - BURKWOOD 24-36 INCHES | EA |
| 795.031 | VIBURNUM - CRANBERRY BUSH 3-4 FEET | EA |
| 795.035 | VIBURNUM - DOUBLEFILE 'MARIE'S' 24-30 INCH | EA |
| 795.037 | VIBURNUM - DOUBLEFILE 'MARIE'S' 3-4 FEET | EA |
| 795.041 | VIBURNUM - DOUBLEFILE 'SHASTA' 24-30 INCH | EA |
| 795.043 | VIBURNUM - DOUBLEFILE 'SHASTA' 3-4 FEET | EA |
| 795.047 | VIBURNUM - FRAGRANT SNOWBALL 24-30 INCH | EA |
| 795.051 | VIBURNUM - HIGHBUSH CRANBERRY 24-30 INCHES | EA |
| 795.053 | VIBURNUM - HIGHBUSH CRANBERRY 3-4 FEET | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 795.057 | VIBURNUM - LEATHERLEAF 24-30 INCH | EA |
| 795.061 | VIBURNUM - LINDEN 2-3 FEET | EA |
| 795.065 | VIBURNUM - MAYFLOWER 24-30 INCH | EA |
| 795.069 | VIBURNUM - NANNYBERRY 24-30 INCH | EA |
| 795.073 | VIBURNUM - ORIENTAL 2-3 FEET | EA |
| 795.077 | VIBURNUM - SNOWBALL 24-30 INCH | EA |
| 795.079 | VIBURNUM - WITHEROD 18-24 INCH | EA |
| 795.081 | VIBURNUM - WITHEROD 24-30 INCH | EA |
| 795.113 | WEIGELA - PINK PRINCESS 24-30 INCH | EA |
| 795.117 | WEIGELA - RED PRINCE 24-30 INCH | EA |
| 795.151 | WINTERBERRY - MALE 18-24 INCH | EA |
| 795.153 | WINTERBERRY - MALE 24-30 INCH | EA |
| 795.155 | WINTERBERRY - FEMALE 18-24 INCH | EA |
| 795.157 | WINTERBERRY - FEMALE 24-30 INCH | EA |
| 795.181 | WITCH HAZEL 'ARNOLD PROMISE' 2-3 FEET | EA |
| 795.183 | WITCH HAZEL 'ARNOLD PROMISE' 3-4 FEET | EA |
| 795.185 | WITCH HAZEL - AUTUMN BLOOMING 2-3 FEET | EA |
| 795.187 | WITCH HAZEL - AUTUMN BLOOMING 3-4 FEET | EA |
| 795.189 | WITCH HAZEL - SPRING BLOOMING 2-3 FEET | EA |
| 795.191 | WITCH HAZEL - SPRING BLOOMING 3-4 FEET | EA |
| 795.431 | WILLOW - PUSSY 18-24 INCH | EA |
| 795.433 | WILLOW - PUSSY 2-3 FEET | EA |
| 796.009 | BEARBERRY 1 GALLON | EA |
| 796.011 | BEARBERRY 2 GALLON | EA |
| 796.015 | DEAD NETTLE 2 QUART | EA |
| 796.027 | HONEYSUCKLE VINE 'GOLDFLAME' 2 GALLON | EA |
| 796.029 | HONEYSUCKLE VINE 'HALL'S' 2 GALLON | EA |
| 796.033 | IVY VINE - BALTIC PER FLAT | EA |
| 796.035 | IVY VINE - BALTIC 1 GALLON | EA |
| 796.037 | IVY VINE - BOSTON PER FLAT | EA |
| 796.039 | IVY VINE - BOSTON 1 GALLON | EA |
| 796.043 | MYRTLE VINE PER FLAT | EA |
| 796.045 | MYRTLE VINE 1 GALLON | EA |
| 796.049 | PACHYSANDRA PER FLAT | EA |
| 796.053 | SILVER FLEECE VINE 1 GALLON | EA |
| 796.061 | TRUMPET CREEPER 1 GALLON | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 796.063 | TRUMPET CREEPER - 'FLAVA' 2 GALLON | EA |
| 796.065 | TRUMPET CREEPER - 'MADAME GALEN' 5 GALLON | EA |
| 796.071 | VIRGINIA CREEPER 1 GALLON | EA |
| 796.073 | VIRGINIA CREEPER 2 GALLON | EA |
| 796.079 | WINTERCREEPER - PURPLELEAF PER FLAT | EA |
| 796.081 | WINTERCREEPER - PURPLELEAF 1 GALLON | EA |
| 796.211 | ROSE - BONICA 2 GALLON | EA |
| 796.217 | ROSE - FLOWER CARPET 1 GALLON | EA |
| 796.219 | ROSE - FLOWER CARPET 2 GALLON | EA |
| 796.225 | ROSE - PINK MEIDILAND 2 GALLON | EA |
| 796.235 | ROSE - RUGOSA PINK 2 GALLON | EA |
| 796.237 | ROSE - RUGOSA PINK 3 GALLON | EA |
| 796.241 | ROSE - RUGOSA RED 2 GALLON | EA |
| 796.243 | ROSE - RUGOSA RED 3 GALLON | EA |
| 796.247 | ROSE - RUGOSA WHITE 2 GALLON | EA |
| 796.249 | ROSE - RUGOSA WHITE 3 GALLON | EA |
| 796.255 | ROSE - SEA FOAM 2 GALLON | EA |
| 796.265 | ROSE - SEVILLANA 2 GALLON | EA |
| 796.275 | ROSE - SIMPLICITY 2 GALLON | EA |
| 796.285 | ROSE - THE FAIRY 2 GALLON | EA |
| 796.295 | ROSE - WHITE MEIDILAND 2 GALLON | EA |
| 796.403 | BLUE FESCUE 1 GALLON | EA |
| 796.409 | BLUE OAT GRASS 1 GALLON | EA |
| 796.415 | BLUE LYME GRASS 1 GALLON | EA |
| 796.419 | COMMON RUSH 1 GALLON | EA |
| 796.423 | DWARF FOUNTAIN GRASS - 'HAMELN' 1 GALLON | EA |
| 796.425 | DWARF FOUNTAIN GRASS - LITTLE BUNNY 1 GALLON | EA |
| 796.427 | FEATHER REED GRASS 2 GALLON | EA |
| 796.431 | FOUNTAIN GRASS 1 GALLON | EA |
| 796.435 | JAPANESE BLOOD GRASS 1 GALLON | EA |
| 796.441 | JAPANESE SEDGE GRASS 2 QUART | EA |
| 796.445 | LILYTURF 2 QUART | EA |
| 796.449 | MAIDEN GRASS 'MORNING LIGHT' 2 GALLON | EA |
| 796.451 | MAIDEN GRASS - DWARF 1 GALLON | EA |
| 796.455 | SWITCH GRASS 2 GALLON | EA |
| 796.461 | TUFTED HAIR GRASS 'GOLD VEIL' 2 GALLON | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 796.467 | ZEBRA GRASS 2 GALLON | EA |
| 796.705 | ALPINE ASTER 2 QUART | EA |
| 796.713 | BEE BALM 2 QUART | EA |
| 796.715 | BLACK EYED SUSAN 2 QUART | EA |
| 796.717 | BLACK EYED SUSAN 2 GALLON | EA |
| 796.719 | BLANKET FLOWER 1 GALLON | EA |
| 796.721 | BUTTERFLY WEED 2 QUART | EA |
| 796.725 | CARDINAL FLOWER 2 QUART | EA |
| 796.729 | CINNAMON FERN 1 GALLON | EA |
| 796.733 | COREOPSIS LANCELEAF 1 GALLON | EA |
| 796.741 | COREOPSIS THREAD - 'MOONBEAM' 2 GALLON | EA |
| 796.747 | DAYLILY - 'FLAVA' 1 GALLON | EA |
| 796.751 | DAYLILY - 'FULVA' 1 GALLON | EA |
| 796.755 | DAYLILY - 'PEACH FAIRY' 1 GALLON | EA |
| 796.759 | DAYLILY - 'PRIMA DONNA' 1 GALLON | EA |
| 796.763 | DAYLILY - 'STELLA D'ORO' 1 GALLON | EA |
| 796.767 | DAYLILY - 'TICK TOCK' 1 GALLON | EA |
| 796.775 | ENGLISH LAVENDER 1 GALLON | EA |
| 796.777 | EVENING PRIMROSE 2 QUART | EA |
| 796.779 | GAYFEATHER - 'KOBALD' 2 QUART | EA |
| 796.783 | GLOBE THISTLE 2 QUART | EA |
| 796.787 | LAMB'S EAR - 'SILVER CARPET' 2 QUART | EA |
| 796.789 | LAVENDAR COTTON 2 QUART | EA |
| 796.791 | LUPINE 2 QUART | EA |
| 796.797 | MEADOW SAGE 1 GALLON | EA |
| 796.803 | NEW ENGLAND ASTER 1 GALLON | EA |
| 796.813 | POPPY-ICELAND 2 QUART | EA |
| 796.815 | POPPY - ORIENTAL 2 QUART | EA |
| 796.817 | PURPLE CONEFLOWER 2 QUART | EA |
| 796.823 | ROSE MALLOW 2 GALLON | EA |
| 796.827 | ROYAL FERN 1 GALLON | EA |
| 796.833 | RUSSIAN SAGE 1 GALLON | EA |
| 796.837 | SEA LAVENDAR 1 GALLON | EA |
| 796.841 | SEDUM 'AUTUMN JOY' 2 QUART | EA |
| 796.845 | SHASTA DAISY - 'ALASKA' 2 QUART | EA |
| 796.847 | SILVER MOUND 1 GALLON | EA |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 796.853 | VERONICA 'SUNNY BORDER BLUE' 2 QUART | EA |
| 796.859 | YARROW - 'APPLE BLOSSOM' 2 GALLON | EA |
| 796.863 | YARROW - 'MOONSHINE' 2 GALLON | EA |
| 796.867 | YARROW - 'PAPRIKA' 2 GALLON | EA |
| * 800.1 | ELECTRICAL CONDUIT REMOVED AND RESET | FT |
| * 800.2 | 2 INCH ELECTRICAL CONDUIT - BLACK STEEL | FT |
| * 800.3 | 3 INCH ELECTRICAL CONDUIT - BLACK STEEL | FT |
| 801.22 | 2 INCH ELECTRICAL CONDUIT - TYPE NM (DOUBLE) | FT |
| 801.24 | 2 INCH ELECTRICAL CONDUIT - TYPE NM (4 BANK) | FT |
| 801.26 | 2 INCH ELECTRICAL CONDUIT - TYPE NM (6 BANK) | FT |
| 801.32 | 3 INCH ELECTRICAL CONDUIT - TYPE NM (DOUBLE) | FT |
| 801.34 | 3 INCH ELECTRICAL CONDUIT - TYPE NM (4 BANK) | FT |
| 801.36 | 3 INCH ELECTRICAL CONDUIT - TYPE NM (6 BANK) | FT |
| 801.42 | 4 INCH ELECTRICAL CONDUIT - TYPE NM (DOUBLE) | FT |
| 801.44 | 4 INCH ELECTRICAL CONDUIT - TYPE NM (4 BANK) | FT |
| 801.46 | 4 INCH ELECTRICAL CONDUIT - TYPE NM (6 BANK) | FT |
| 801.62 | 6 INCH ELECTRICAL CONDUIT - TYPE NM (DOUBLE) | FT |
| 801.64 | 6 INCH ELECTRICAL CONDUIT - TYPE NM (4 BANK) | FT |
| 801.66 | 6 INCH ELECTRICAL CONDUIT - TYPE NM (6 BANK) | FT |
| 804.05 | 1/2 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.075 | 3/4 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.1 | 1 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.15 | 1-1/2 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.2 | 2 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC (UL) | FT |
| 804.3 | 3 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.4 | 4 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 804.6 | 6 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC -(UL) | FT |
| 806.05 | 1/2 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.075 | 3/4 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.1 | 1 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.15 | 1-1/2 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.2 | 2 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.3 | 3 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.4 | 4 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 806.6 | 6 INCH ELECTRICAL CONDUIT TYPE RM - GALVANIZED STEEL | FT |
| 808.2 | 2 INCH ELECTRICAL CONDUIT TY RM - STEEL - (PLASTIC COATED) | FT |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| 808.3 | 3 INCH ELECTRICAL CONDUIT TY RM - STEEL - (PLASTIC COATED) | FT |
| 808.4 | 4 INCH ELECTRICAL CONDUIT TY RM - STEEL - (PLASTIC COATED) | FT |
| 808.6 | 6 INCH ELECTRICAL CONDUIT TY RM - STEEL - (PLASTIC COATED) | FT |
| 809.05 | 1/2 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.075 | 3/4 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.1 | 1 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.15 | 1-1/2 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.2 | 2 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.3 | 3 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| 809.4 | 4 INCH ELECTRICAL CONDUIT - FLEXIBLE METALLIC | FT |
| * 809.905 | 1/2 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.907 | 3/4 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.91 | 1 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.915 | 1-1/2 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.92 | 2 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.93 | 3 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| * 809.94 | 4 INCH ELECTRIC CONDUIT FLEXIBLE METALLIC - LIQUID TIGHT | FT |
| 810. | CONDUIT ENCASED IN CONCRETE - SD 4.041 | FT |
| * 810.91 | MAINTENANCE OF TRAFFIC CONTROL SIGNAL SYSTEMS | LS |
| 811.10 | ELECTRIC MANHOLE - SD2.010 | EA |
| 811.11 | ELECTRIC MANHOLE - SD2.011 | EA |
| 811.12 | ELECTRIC MANHOLE - SD2.012 | EA |
| 811.13 | ELECTRIC MANHOLE - SD2.013 | EA |
| 811.14 | ELECTRIC MANHOLE - SD2.014 | EA |
| 811.20 | ELECTRIC HANDHOLE - SD2.020 | EA |
| 811.21 | ELECTRIC HANDHOLE - SD2.021 | EA |
| 811.22 | ELECTRIC HANDHOLE - SD2.022 | EA |
| 811.23 | ELECTRIC HANDHOLE - SD2.023 | EA |
| 811.24 | ELECTRIC HANDHOLE - SD2.024 | EA |
| * 811.25 | ELECTRIC HANDHOLE - TYPE A | EA |
| * 811.26 | ELECTRIC HANDHOLE - TYPE B | EA |
| * 811.27 | ELECTRIC HANDHOLE - (MUNICIPAL STANDARD) | EA |
| 811.30 | PULL BOX 8 X 23 INCHES - SD2.030 | EA |
| 811.31 | PULL BOX 12 X 12 INCHES - SD2.031 | EA |
| 811.35 | PULL BOX ADJUSTED | EA |
| 811.36 | ELECTRIC MANHOLE ADJUSTED | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 811.37 | ELECTRIC HANDHOLE ADJUSTED | EA |
| * 811.38 | ELECTRIC HANDHOLE REMOVED AND RESET | EA |
| * 811.39 | ELECTRIC HANDHOLE REMOVED AND STACKED | EA |
| 811.40 | JUNCTION BOX 6 X 6 X 4 INCHES | EA |
| 811.41 | JUNCTION BOX 8 X 6 X 4 INCHES | EA |
| 811.42 | JUNCTION BOX 8 X 6 X 6 INCHES | EA |
| 811.50 | JUNCTION BOX 10 X 6 X 4 INCHES | EA |
| 811.60 | JUNCTION BOX 12 X 8 X 6 INCHES | EA |
| 811.61 | JUNCTION BOX 12 X 12 X 6 INCHES | EA |
| 811.62 | JUNCTION BOX 12 X 12 X 8 INCHES | EA |
| 811.63 | JUNCTION BOX 12 X 12 X 10 INCHES | EA |
| 811.71 | JUNCTION BOX 18 X 12 X 8 INCHES | EA |
| 811.72 | JUNCTION BOX 18 X 12 X 10 INCHES | EA |
| 811.80 | JUNCTION BOX 24 X 8 X 8 INCHES | EA |
| 811.81 | JUNCTION BOX 24 X 8 X 12 INCHES | EA |
| 811.82 | JUNCTION BOX 24 X 8 X 18 INCHES | EA |
| 811.83 | JUNCTION BOX 24 X 10 X 16 INCHES | EA |
| 811.84 | JUNCTION BOX 24 X 12 X 8 INCHES | EA |
| 811.85 | JUNCTION BOX 24 X 12 X 12 INCHES | EA |
| 811.86 | JUNCTION BOX 24 X 14 X 10 INCHES | EA |
| 811.87 | JUNCTION BOX 24 X 24 X 10 INCHES | EA |
| 811.90 | JUNCTION BOX 30 X 24 X 12 INCHES | EA |
| * 812.09 | LIGHT STANDARD FOUNDATION PRECAST | EA |
| 812.10 | LIGHT STANDARD FOUNDATION SD3.010 | EA |
| 812.11 | LIGHT STANDARD FOUNDATION SD3.011 | EA |
| 812.12 | LIGHT STANDARD FOUNDATION SD3.012 | EA |
| 812.13 | LIGHT STANDARD FOUNDATION SD3.013 | EA |
| 812.14 | LIGHT STANDARD FOUNDATION SD3.014 | EA |
| 812.15 | LIGHT STANDARD FOUNDATION SD3.015 | EA |
| 812.20 | LIGHTING LOAD CENTER FOUNDATION | EA |
| 812.30 | STANDARD SIGNAL POST FOUNDATION SD3.030 | EA |
| 812.31 | PEDESTAL SIGNAL POST FOUNDATION SD3.031 | EA |
| 812.40 | SIGNAL MAST ARM FOUNDATION | EA |
| * 812.41 | SIGNAL MAST ARM FOUNDATION - MUNICIPAL STANDARD | EA |
| 813.10 | TRAFFIC SIGNAL STEEL MESSENGER CABLE - TYPE 0 | FT |
| 813.21 | TRAFFIC SIGNAL CABLE - TYPE 1 | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 813.22 | TRAFFIC SIGNAL CABLE - TYPE 2 | FT |
| 813.23 | TRAFFIC SIGNAL CABLE - TYPE 3 | FT |
| 813.24 | TRAFFIC SIGNAL CABLE - TYPE 4 | FT |
| 813.25 | TRAFFIC SIGNAL CABLE - TYPE 5 | FT |
| 813.26 | TRAFFIC SIGNAL HEAD WIRE TYPE 6 | FT |
| 813.30 | WIRE TYPE 7 NO. 10 GENERAL PURPOSE | FT |
| 813.31 | WIRE TYPE 7 NO. 8 GENERAL PURPOSE | FT |
| 813.32 | WIRE TYPE 7 NO. 6 GENERAL PURPOSE | FT |
| 813.33 | WIRE TYPE 7 NO. 4 GENERAL PURPOSE | FT |
| 813.34 | WIRE TYPE 7 NO. 2 GENERAL PURPOSE | FT |
| 813.35 | WIRE TYPE 7 NO. 1 GENERAL PURPOSE | FT |
| 813.36 | WIRE TYPE 7 NO. 1/0 GENERAL PURPOSE | FT |
| 813.37 | WIRE TYPE 7 NO. 2/0 GENERAL PURPOSE | FT |
| 813.38 | WIRE TYPE 7 NO. 3/0 GENERAL PURPOSE | FT |
| 813.39 | WIRE TYPE 7 NO. 4/0 GENERAL PURPOSE | FT |
| 813.40 | WIRE TYPE 8 NO. 10 DIRECT BURIAL | FT |
| 813.41 | WIRE TYPE 8 NO. 8 DIRECT BURIAL | FT |
| 813.42 | WIRE TYPE 8 NO. 6 DIRECT BURIAL | FT |
| 813.43 | WIRE TYPE 8 NO. 4 DIRECT BURIAL | FT |
| 813.44 | WIRE TYPE 8 NO. 2 DIRECT BURIAL | FT |
| 813.45 | WIRE TYPE 8 NO. 1 DIRECT BURIAL | FT |
| 813.46 | WIRE TYPE 8 NO. 1/0 DIRECT BURIAL | FT |
| 813.47 | WIRE TYPE 8 NO. 2/0 DIRECT BURIAL | FT |
| 813.48 | WIRE TYPE 8 NO. 3/0 DIRECT BURIAL | FT |
| 813.49 | WIRE TYPE 8 NO. 4/0 DIRECT BURIAL | FT |
| 813.50 | WIRE TYPE 9 SPECIAL PURPOSE (TW - THW) | FT |
| 813.51 | WIRE TYPE 9 SPECIAL PURPOSE (UF) | FT |
| 813.52 | WIRE TYPE 10 - #8 GROUNDING AND BONDING | FT |
| 813.53 | WIRE TYPE 11 - LOOP DETECTOR LEAD IN | FT |
| 813.54 | WIRE TYPE 12 - HEAVY DUTY PORTABLE CORD | FT |
| 813.55 | WIRE TYPE 13 - LOOP DETECTOR WIRE AND TUBE | FT |
| 813.60 | EQUIPMENT GROUNDING | LS |
| 813.70 | GROUND ROD | FT |
| 813.71 | GROUND ROD 8 FT. LONG | EA |
| 813.72 | GROUND ROD 10 FT. LONG | EA |
| * 813.79 | INTERCONNECT CABLE SYSTEM | LS |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| * 813.791 | INTERCONNECT CABLE SYSTEM | FT |
| 813.80 | SERVICE CONNECTION (OVERHEAD) | LS |
| 813.81 | SERVICE CONNECTION (UNDERGROUND) | LS |
| 815. | TRAFFIC CONTROL SIGNAL | LS |
| 815.1 | TRAFFIC CONTROL SIGNAL LOCATION NO. 1 | LS |
| 815.2 | TRAFFIC CONTROL SIGNAL LOCATION NO. 2 | LS |
| 815.3 | TRAFFIC CONTROL SIGNAL LOCATION NO. 3 | LS |
| 815.4 | TRAFFIC CONTROL SIGNAL LOCATION NO. 4 | LS |
| 815.5 | TRAFFIC CONTROL SIGNAL LOCATION NO. 5 | LS |
| 815.98 | FOOTING COST ADJUSTMENT | FT |
| 816. | TRAFFIC SIGNAL REMOVED AND RESET | LS |
| 816.01 | TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 1 | LS |
| 816.02 | TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 2 | LS |
| 816.03 | TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 3 | LS |
| 816.40 | TRAFFIC CONTROL SIGNAL REMOVED AND RESET | LS |
| * 816.80 | TRAFFIC CONTROL SIGNAL REMOVED AND STACKED | LS |
| * 816.81 | TEMPORARY TRAFFIC CONTROL SIGNAL | LS |
| 816.90 | TRAFFIC CONTROL SIGNAL REMOVED AND TRANSPORTED | LS |
| 817.10 | SIGNAL POST AND BASE STANDARD - 8 FOOT | EA |
| 817.11 | SIGNAL POST AND BASE STANDARD - 10 FOOT | EA |
| 817.20 | SIGNAL POST AND BASE PEDESTAL - 8 FOOT | EA |
| 817.21 | SIGNAL POST AND BASE PEDESTAL - 10 FOOT | EA |
| 817.40 | SIGNAL BASE STANDARD - 14 INCH OCTAGONAL | EA |
| 817.41 | SIGNAL BASE PEDESTAL - 15 INCH SQUARE | EA |
| 817.50 | SIGNAL MAST ARM 20 FEET - ALUMINUM | EA |
| 817.51 | SIGNAL MAST ARM 25 FEET - ALUMINUM | EA |
| 817.52 | SIGNAL MAST ARM 30 FEET - ALUMINUM | EA |
| 817.53 | SIGNAL MAST ARM 35 FEET - ALUMINUM | EA |
| 817.60 | SIGNAL MAST ARM 20 FEET - STEEL | EA |
| 817.61 | SIGNAL MAST ARM 25 FEET - STEEL | EA |
| 817.62 | SIGNAL MAST ARM 30 FEET - STEEL | EA |
| 817.63 | SIGNAL MAST ARM 35 FEET - STEEL | EA |
| 817.70 | SIGNAL AND LIGHTING MAST ARM 30 FEET X 6 FEET | EA |
| 817.71 | SIGNAL AND LIGHTING MAST ARM 35 FEET X 6 FEET | EA |
| 817.72 | SIGNAL AND LIGHTING MAST ARM 40 FEET X 6 FEET | EA |
| 817.73 | SIGNAL AND LIGHTING MAST ARM 30 FEET X 8 FEET | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 817.74 | SIGNAL AND LIGHTING MAST ARM 35 FEET X 8 FEET | EA |
| 817.75 | SIGNAL AND LIGHTING MAST ARM 40 FEET X 8 FEET | EA |
| 818.01 | SIGNAL HEAD 1 WAY, ONE SECTION 8 INCH LENS | EA |
| 818.02 | SIGNAL HEAD 1 WAY, TWO SECTION 8 INCH LENS | EA |
| 818.03 | SIGNAL HEAD 1 WAY, THREE SECTION 8 INCH LENS | EA |
| 818.04 | SIGNAL HEAD 1 WAY, FOUR SECTION 8 INCH LENS | EA |
| 818.05 | SIGNAL HEAD 1 WAY, FIVE SECTION 8 INCH LENS | EA |
| 818.11 | SIGNAL HEAD 1 WAY, ONE SECTION 12 INCH LENS | EA |
| 818.12 | SIGNAL HEAD 1 WAY, TWO SECTION 12 INCH LENS | EA |
| 818.13 | SIGNAL HEAD 1 WAY, THREE SECTION 12 INCH LENS | EA |
| 818.14 | SIGNAL HEAD 1 WAY, FOUR SECTION 12 INCH LENS | EA |
| 818.15 | SIGNAL HEAD 1 WAY, FIVE SECTION 12 INCH LENS | EA |
| * 818.23 | SIGNAL HEAD 1 WAY, THREE SECTION TWO - 12 INCH LENS | EA |
| * 818.24 | SIGNAL HEAD 1 WAY, FOUR SECTION TWO - 12 INCH LENS | EA |
| * 818.25 | SIGNAL HEAD 1 WAY, FIVE SECTION TWO - 12 INCH LENS | EA |
| 818.33 | SIGNAL HEAD 1 WAY, THREE SECTION 12 INCH RED LENS | EA |
| 818.34 | SIGNAL HEAD 1 WAY, FOUR SECTION 12 INCH RED LENS | EA |
| 818.35 | SIGNAL HEAD 1 WAY, FIVE SECTION 12 INCH RED LENS | EA |
| 818.40 | SIGNAL HEAD 1 WAY, 1 SECTION 9 INCH SQUARE LENS | EA |
| * 818.42 | PEDESTRIAN SIGNAL HEAD | EA |
| 818.51 | 1 WAY POST TOP MOUNTING ASSEMBLY | EA |
| 818.52 | 2 WAY POST TOP MOUNTING ASSEMBLY | EA |
| 818.53 | 3 WAY POST TOP MOUNTING ASSEMBLY | EA |
| 818.54 | 4 WAY POST TOP MOUNTING ASSEMBLY | EA |
| 818.55 | MAST ARM MOUNTING ASSEMBLY 1 WAY | EA |
| 818.56 | MAST ARM MOUNTING ASSEMBLY 2 WAY | EA |
| 818.57 | MAST ARM MOUNTING ASSEMBLY 3 WAY | EA |
| 818.58 | MAST ARM MOUNTING ASSEMBLY 4 WAY | EA |
| 818.59 | POST SIDE MOUNTING ASSEMBLY 1 WAY | EA |
| 818.60 | POST SIDE MOUNTING ASSEMBLY 2 WAY | EA |
| 818.61 | POST SIDE MOUNTING ASSEMBLY 3 WAY | EA |
| 818.62 | POST SIDE MOUNTING ASSEMBLY 4 WAY | EA |
| 818.63 | SPAN WIRE MOUNTING ASSEMBLY 1 WAY | EA |
| 818.64 | SPAN WIRE MOUNTING ASSEMBLY 2 WAY | EA |
| 818.65 | SPAN WIRE MOUNTING ASSEMBLY 3 WAY | EA |
| 818.66 | SPAN WIRE MOUNTING ASSEMBLY 4 WAY | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 818.70 | LOUVERED HOOD FOR 8 INCH SIGNAL SECTION | EA |
| 818.71 | LOUVERED HOOD FOR 12 INCH SIGNAL SECTION | EA |
| 818.80 | BACK-PLATES FOR 8 INCH SIGNAL HEAD | EA |
| 818.81 | BACK-PLATES FOR 12 INCH SIGNAL HEAD | EA |
| 818.82 | BACK-PLATES FOR COMBINED 8 INCH + 12 INCH SIGNAL HEAD | EA |
| 818.95 | POLE CLAMP WITH WIRE ENTRANCE | EA |
| 819. | TRAFFIC SIGNAL CONTROLLER | LS |
| 819.1 | TRAFFIC SIGNAL CONTROLLER LOCATION NO. 1 | LS |
| 819.2 | TRAFFIC SIGNAL CONTROLLER LOCATION NO. 2 | LS |
| 819.3 | TRAFFIC SIGNAL CONTROLLER LOCATION NO. 3 | LS |
| 819.39 | 8 PHASE, MENU-DRIVEN TRAFFIC CONTROL UNIT | EA |
| 819.4 | TRAFFIC SIGNAL CONTROLLER LOCATION NO. 4 | LS |
| 819.5 | TRAFFIC SIGNAL CONTROLLER LOCATION NO. 5 | LS |
| 819.50 | RAILROAD PRE-EMPTOR | EA |
| 819.51 | FIRE STATION PRE-EMPTOR | EA |
| 819.72 | DETECTOR UNIT CONFLICTING GREEN | EA |
| 819.800 | MAGNETIC DETECTOR AMPLIFIER | EA |
| 819.801 | VEHICLE DETECTOR (DIRECTIONAL) COMPENSATED MAGNETIC | EA |
| 819.802 | VEHICLE DETECTOR (MULTI-LANE) NON-COMPENSATED MAGNETIC | EA |
| 819.803 | VEHICLE DETECTOR (SINGLE-LANE) NON-COMPENSATED MAGNETIC | EA |
| 819.810 | DETECTOR AMPLIFIER - MAGNETIC (SPECIAL) | EA |
| 819.811 | DETECTOR SENSING HEAD - MAGNETIC (SPECIAL) | EA |
| 819.820 | VEHICLE PRESENCE DETECTOR - ULTRASONIC | EA |
| 819.821 | VEHICLE MOTION DETECTOR - ULTRASONIC | EA |
| 819.830 | INDUCTIVE LOOP DETECTOR AMPLIFIER | EA |
| 819.831 | WIRE LOOP INSTALLED IN ROADWAY | FT |
| 819.832 | MICROLOOP INSTALLED IN ROADWAY | EA |
| 819.850 | PEDESTRIAN PUSH BUTTON | EA |
| 819.851 | PUSH BUTTON FOR GREEN LIGHT (SIGN) | EA |
| 819.852 | PUSH BUTTON FOR WALK SIGNAL (SIGN) | EA |
| * 820.10 | HIGHWAY LIGHTING - ROADWAY | LS |
| * 820.11 | HIGHWAY LIGHTING - UNDERPASS | LS |
| * 820.12 | HIGHWAY LIGHTING - AREA | LS |
| * 820.13 | HIGHWAY LIGHTING - SIGN | LS |
| * 821.10 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 4 FOOT BRACKET | EA |
| * 821.11 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 6 FOOT BRACKET | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 821.12 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 8 FOOT BRACKET | EA |
| * 821.13 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 10 FOOT BRACKET | EA |
| * 821.14 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 12 FOOT BRACKET | EA |
| * 821.15 | HIGHWAY LIGHTING POLE (ANCHOR BASE) 15 FOOT BRACKET | EA |
| * 821.20 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 4 FOOT BRACKET | EA |
| * 821.21 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 6 FOOT BRACKET | EA |
| * 821.22 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 8 FOOT BRACKET | EA |
| * 821.23 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 10 FOOT BRACKET | EA |
| * 821.24 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 12 FOOT BRACKET | EA |
| * 821.25 | HIGHWAY LIGHTING POLE (ANCHOR BASE) TWIN 15 FOOT BRACKET | EA |
| * 822.10 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 4 FOOT BRACKET | EA |
| * 822.11 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 6 FOOT BRACKET | EA |
| * 822.12 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 8 FOOT BRACKET | EA |
| * 822.13 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 10 FOOT BRACKET | EA |
| * 822.14 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 12 FOOT BRACKET | EA |
| * 822.15 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) 15 FOOT BRACKET | EA |
| * 822.20 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 4 FOOT BRACKET | EA |
| * 822.21 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 6 FOOT BRACKET | EA |
| * 822.22 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 8 FOOT BRACKET | EA |
| * 822.23 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 10 FT BRACKET | EA |
| * 822.24 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 12 F BRACKET | EA |
| * 822.25 | HIGHWAY LIGHTING POLE (TRANSFORMER BASE) TWIN 15 F BRACKET | EA |
| 822.83 | HIGH MAST TOWER (40 FOOT MOUNTING HEIGHT) | EA |
| 822.84 | HIGH MAST TOWER (45 FOOT MOUNTING HEIGHT) | EA |
| 822.85 | HIGH MAST TOWER (50 FOOT MOUNTING HEIGHT) | EA |
| 822.86 | HIGH MAST TOWER (60 FOOT MOUNTING HEIGHT) | EA |
| 822.87 | HIGH MAST TOWER (80 FOOT MOUNTING HEIGHT) | EA |
| 822.88 | HIGH MAST TOWER (100 FOOT MOUNTING HEIGHT) | EA |
| 822.89 | HIGH MAST TOWER (110 FOOT MOUNTING HEIGHT) | EA |
| 822.90 | HIGH MAST TOWER (120 FOOT MOUNTING HEIGHT) | EA |
| 822.91 | HIGH MAST TOWER (130 FOOT MOUNTING HEIGHT) | EA |
| 822.92 | HIGH MAST TOWER (140 FOOT MOUNTING HEIGHT) | EA |
| 822.93 | HIGH MAST TOWER (150 FOOT MOUNTING HEIGHT) | EA |
| 822.94 | HIGH MAST TOWER (160 FOOT MOUNTING HEIGHT) | EA |
| 822.95 | HIGH MAST TOWER (170 FOOT MOUNTING HEIGHT) | EA |
| 822.96 | HIGH MAST TOWER (180 FOOT MOUNTING HEIGHT) | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 822.97 | HIGH MAST TOWER (190 FOOT MOUNTING HEIGHT) | EA |
| 822.98 | HIGH MAST TOWER (200 FOOT MOUNTING HEIGHT) | EA |
| 823.10 | HIGHWAY LIGHTING LUMINAIRE 175 WATT | EA |
| 823.11 | HIGHWAY LIGHTING LUMINAIRE 250 WATT | EA |
| 823.12 | HIGHWAY LIGHTING LUMINAIRE 400 WATT | EA |
| 823.13 | HIGHWAY LIGHTING LUMINAIRE 750 WATT | EA |
| 823.14 | HIGHWAY LIGHTING LUMINAIRE 1000 WATT | EA |
| 823.15 | AREA LIGHTING LUMINAIRE 175 WATT | EA |
| 823.16 | AREA LIGHTING LUMINAIRE 250 WATT | EA |
| 823.17 | AREA LIGHTING LUMINAIRE 400 WATT | EA |
| 823.18 | AREA LIGHTING LUMINAIRE 750 WATT | EA |
| 823.19 | AREA LIGHTING LUMINAIRE 1000 WATT | EA |
| 823.20 | AREA LIGHTING LUMINAIRE 1600 WATT | EA |
| 823.21 | AREA LIGHTING LUMINAIRE 4000 WATT | EA |
| 823.22 | FLOOD LIGHTING LUMINAIRE LESS THAN 500 WATT | EA |
| 823.23 | FLOOD LIGHTING LUMINAIRE 500 WATT AND OVER | EA |
| 823.30 | UNDERPASS LIGHTING LUMINAIRE 4 FOOT FLUORESCENT | EA |
| 823.31 | UNDERPASS LIGHTING LUMINAIRE 6 FOOT FLUORESCENT | EA |
| 823.32 | UNDERPASS LIGHTING LUMINAIRE 8 FOOT FLUORESCENT | EA |
| 823.33 | SIGN LIGHTING LUMINAIRE 4 FOOT FLUORESCENT | EA |
| 823.34 | SIGN LIGHTING LUMINAIRE 6 FOOT FLUORESCENT | EA |
| 823.35 | SIGN LIGHTING LUMINAIRE 8 FOOT FLUORESCENT | EA |
| 823.40 | SIGN LIGHTING LUMINAIRE 175 WATT | EA |
| 823.41 | SIGN LIGHTING LUMINAIRE 250 WATT | EA |
| 823.50 | PHOTO ELECTRIC CONTROL | EA |
| 823.51 | MULTIPLE CONTROL SWITCH | EA |
| 823.52 | MULTIPLE CIRCUIT CONTACTOR | EA |
| 823.53 | TIME CLOCK | EA |
| * 823.54 | HYDRAULIC POWER UNIT | EA |
| 823.60 | HIGHWAY LIGHTING LOAD CENTER | LS |
| * 823.61 | HIGHWAY LIGHTING LOAD CENTER NO.1 | LS |
| * 823.62 | HIGHWAY LIGHTING LOAD CENTER NO.2 | LS |
| 823.70 | HIGHWAY LIGHTING POLE AND LUMINAIRE REMOVED AND RESET | EA |
| * 823.71 | HIGHWAY LIGHTING POLE AND LUMINAIRE REMOVED & STACKED | EA |
| * 823.80 | LIGHTING AND TRAFFIC SIGNAL POLE | EA |
| * 823.81 | STEEL STRAIN POLE | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| * 823.83 | STRAIN POLE ASSEMBLY | LS |
| 824.10 | FLASHING WARNING BEACON TYPE D | LS |
| 824.20 | FLASHING WARNING BEACON TYPE A | LS |
| 824.30 | FLASHING WARNING BEACON TYPE B | LS |
| 824.40 | FLASHING WARNING BEACON TYPE C | LS |
| 824.50 | FLASHING WARNING BEACON REMOVED AND RESET | LS |
| * 824.51 | FLASHING WARNING BEACON REMOVED AND STACKED | LS |
| * 824.52 | FLASHING WARNING BEACON REMOVED AND TRANSPORTED | LS |
| 824.60 | HIGHWAY WARNING SIGN - ILLUMINATED | EA |
| 824.61 | HIGHWAY WARNING SIGN - ILLUMINATED | LS |
| 824.70 | HIGHWAY WARNING SIGN - ILLUM. REMOVED AND RESET | LS |
| * 824.71 | HIGHWAY WARNING SIGN - ILLUM. REMOVED AND STACKED | LS |
| 824.72 | HIGHWAY WARNING SIGN - ILLUM. REMOVED & TRANSPORTED | LS |
| 824.80 | LIGHTED BARRIER ARROWS | EA |
| 824.81 | LIGHTED BARRIER ARROWS | LS |
| 824.90 | LIGHTED BARRIER ARROWS REMOVED AND RESET | LS |
| * 824.91 | LIGHTED BARRIER ARROWS REMOVED AND STACKED | LS |
| 824.92 | LIGHTED BARRIER ARROWS REMOVED AND TRANSPORTED | LS |
| 824.93 | LIGHTED BARRIER ARROWS REMOVED TRANSPORTED AND RESET | LS |
| * 826.51 | FIRE ALARM BOX REMOVED AND RESET | EA |
| * 826.52 | FIRE ALARM BOX REMOVED AND STACKED | EA |
| * 826.53 | FIRE ALARM BOX AND POST R&R (ECP AND BASE) | EA |
| * 826.6 | POLICE SIGNAL CALL BOX | EA |
| * 826.61 | POLICE SIGNAL CALL BOX REMOVED AND RESET | EA |
| * 826.62 | POLICE SIGNAL CALL BOX REMOVED AND RESET | EA |
| * 826.63 | POLICE SIGNAL BOX AND POST R&R (ECP AND BASE) | EA |
| 827.21 | 24 INCH WARNING CLUSTER (H1-2) - ALUMINUM PANEL (TYPE A) | EA |
| 827.22 | 36 INCH WARNING CLUSTER (H1-2) - ALUMINUM PANEL (TYPE A) | EA |
| 827.33 | ABUTMENT WARNING SIGN (H1-3) - ALUMINUM PANEL (TYPE A) | EA |
| * 828.01 | OVERHEAD GUIDE SIGN REMOVED AND RESET | SF |
| * 828.02 | OVERHEAD GUIDE SIGN REMOVED AND STACKED | EA |
| * 828.03 | OVERHEAD GUIDE SIGN REMOVED | EA |
| * 828.04 | GROUND MOUNTED SIGN SUPPORT- CLEANED AND PAINTED | EA |
| * 828.05 | GROUND MOUNTED SIGN PANEL- CLEANED AND PAINTED | SY |
| 828.1 | OVERHEAD GUIDE SIGN - ALUMINUM PANEL (TYPE B) | SF |
| 829. | ROADSIDE GUIDE SIGN (G) - ALUMINUM PANEL (TYPE B) | SF |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| * 830.211 | PROJECT FUNDING SOURCE SIGN | EA |
| * 830.212 | PROJECT FUNDING SOURCE SIGN - EXCLUDING FABRICATION | EA |
| 831. | ROADSIDE GUIDE SIGN (D6/D8) - ALUMINUM PANEL(TYPE A) | SF |
| 832. | WARNING-REGULATORY AND ROUTE MARKER - ALUM. PANEL (TYPE A) | SF |
| 833.5 | DEMOUNTABLE REFLECTORIZED DELINEATOR - GUARD RAIL | EA |
| 833.7 | DELINEATION FOR GUARD RAIL TERMINI | EA |
| 834. | DEMOUNTABLE REFLECTORIZED REFERENCE LOCATION SIGN | EA |
| 834.17 | REFLECTORIZED FLEXIBLE DELINEATOR POST (AMBER) | EA |
| 834.18 | REFLECTORIZED FLEXIBLE DELINEATOR POST (WHITE) | EA |
| 835. | DEMOUNTABLE REFLECTORIZED HAZARD MARKER (H1-1) | EA |
| 836. | DEMOUNTABLE REFLECTORIZED PROJECT MARKER | EA |
| 836.5 | DEMOUNTABLE REFLECTORIZED STATION MARKER | EA |
| 840.101 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-1) STEEL | LS |
| 840.102 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-2) STEEL | LS |
| 840.103 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-3) STEEL | LS |
| 840.104 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-4) STEEL | LS |
| 840.105 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-5) STEEL | LS |
| 840.106 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-6) STEEL | LS |
| 840.107 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-7) STEEL | LS |
| 840.108 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-8) STEEL | LS |
| 840.109 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-9) STEEL | LS |
| 840.110 | SUPPORTS FOR OVERHEAD GUIDE SIGN (OD-10) STEEL | LS |
| 841.1 | SUPPORTS FOR GUIDE SIGN (D6 W/ D8-5 INCH TUBULAR POST) STEEL | EA |
| 841.2 | SUPPORTS FOR GUIDE SIGN (D6-5 INCH TUBULAR POST) STEEL | EA |
| 841.3 | SUPPORTS FOR GUIDE SIGN (D6-P5 POSTS) STEEL | EA |
| 841.4 | SUPPORTS FOR GUIDE SIGN (D8-4 INCH TUBULAR POST) STEEL | EA |
| 841.5 | SUPPORTS FOR GUIDE SIGN (D8-P5 POSTS) STEEL | EA |
| 841.6 | SUPPORTS FOR GUIDE SIGN (I-2A-5 INCH TUBULAR POST) STEEL | EA |
| 841.7 | SUPPORTS FOR GUIDE SIGN (D6 WITH D8 - SPECIAL DESIGN) STEEL | EA |
| 841.8 | SUPPORTS FOR GUIDE SIGN (D6 - SPECIAL DESIGN) STEEL | EA |
| 842.101 | SUPPORTS FOR GUIDE SIGN (GF-1) STEEL | LS |
| 842.102 | SUPPORTS FOR GUIDE SIGN (GF-2) STEEL | LS |
| 842.103 | SUPPORTS FOR GUIDE SIGN (GF-3) STEEL | LS |
| 842.104 | SUPPORTS FOR GUIDE SIGN (GF-4) STEEL | LS |
| 842.105 | SUPPORTS FOR GUIDE SIGN (GF-5) STEEL | LS |
| 844.101 | SUPPORTS FOR GUIDE SIGN (G1) STEEL | LS |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| 844.102 | SUPPORTS FOR GUIDE SIGN (G2) STEEL | LS |
| 844.103 | SUPPORTS FOR GUIDE SIGN (G3) STEEL | LS |
| 844.104 | SUPPORTS FOR GUIDE SIGN (G4) STEEL | LS |
| 844.105 | SUPPORTS FOR GUIDE SIGN (G5) STEEL | LS |
| 845.1 | SUPPORT FOR GUIDE SIGN (E5-1) STEEL | EA |
| 846.1 | SUPPORT FOR GUIDE SIGN (E5-1A) STEEL | EA |
| 847.1 | SIGN SUP (N/GUIDE)+RTE MKR W/1 BRKWAY POST ASSEMBLY - STEEL | EA |
| 848.1 | SIGN SUP (N/GUIDE)+RTE MKR W/2 BRKWAY POST ASSEMBLIES-STEEL | EA |
| * 850.41 | ROADWAY FLAGGER | HR |
| 851. | SAFETY CONTROLS FOR CONSTRUCTION OPERATIONS | UD |
| 852. | SAFETY SIGNING FOR CONSTRUCTION OPERATIONS | SF |
| 853. | PORTABLE BARRICADE TYPE III | EA |
| 853.1 | PORTABLE BREAKAWAY BARRICADE TYPE III | EA |
| 853.2 | TEMPORARY CONCRETE BARRIER | FT |
| 853.21 | TEMPORARY CONCRETE BARRIER REMOVED & RESET | FT |
| * 853.36 | TEMPORARY CONCRETE BARRIER ON BRIDGE (SINGLE FACED) | FT |
| * 853.37 | TEMPORARY CONCRETE BARRIER ON BRIDGE REMOVED & RESET | FT |
| * 853.403 | MOVABLE IMPACT ATTENUATOR | UD |
| 853.41 | TEMP.IMP.ATTENUATOR FOR SHLDR, INCAPABLE OF REDIRECTION | EA |
| 853.411 | TEMP.IMP.ATTENUATOR FOR SHLDR, INCAPABLE OF REDIRECTION R&R | EA |
| 853.42 | TEMP.IMP.ATTENUATOR FOR SHLDR, CAPABLE OF REDIRECTION | EA |
| 853.421 | TEMP.IMP.ATTENUATOR FOR SHLDR, CAPABLE OF REDIRECTION R&R | EA |
| 853.43 | TEMP.IMP.ATTENUATOR FOR MEDIAN, INCAPABLE OF REDIRECTION | EA |
| 853.431 | TEMP.IMP.ATTENUATOR FOR MEDIAN, INCAPABLE OF REDIRECTION, R&R | EA |
| 853.44 | TEMP.IMP.ATTENUATOR FOR MEDIAN, CAPABLE OF REDIRECTION | EA |
| 853.441 | TEMP.IMP.ATTENUATOR FOR MEDIAN, CAPABLE OF REDIRECTION, R&R | EA |
| 853.5 | TEMPORARY ANTI-GLARE SCREEN (PADDLE TYPE) | FT |
| 853.6 | TEMPORARY ANTI-GLARE SCREEN REMOVED AND RESET | FT |
| * 853.7 | TEMPORARY ANTI-GLARE SCREEN REMOVED AND STACKED | FT |
| * 853.8 | TEMPORARY ILLUMINATION FOR NIGHT WORK | UD |
| * 853.9 | TEMP. ILLUMINATION FOR NIGHT PAVING & PLANING OPERATIONS | UD |
| 854. | TEMPORARY RAISED PAVEMENT MARKERS | EA |
| 854.014 | TEMPORARY PAVING MARKINGS - 4 IN. (PAINTED) | FT |
| 854.016 | TEMPORARY PAVING MARKINGS - 6 IN. (PAINTED) | FT |
| 854.024 | TEMPORARY PAVEMENT MARKINGS - 4 IN. (NON-REMOVABLE TAPE) | FT |
| 854.026 | TEMPORARY PAVEMENT MARKINGS - 6 IN. (NON-REMOVABLE TAPE) | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| 854.034 | TEMPORARY PAVEMENT MARKINGS - 4 IN. (REMOVABLE TAPE) | FT |
| 854.036 | TEMPORARY PAVEMENT MARKINGS - 6 IN. (REMOVABLE TAPE) | FT |
| 854.1 | PAVEMENT MARKING REMOVAL - PAINT | SF |
| 854.2 | PAVEMENT MARKING REMOVAL - THERMOPLASTIC | SF |
| 854.3 | PAVEMENT MARKING REMOVAL - TAPE | SF |
| 854.4 | PAVEMENT MARKING MASKING (REMOVABLE TAPE) | SF |
| 855.1 | HAZARD IDENTIFICATION BEACON TYPE B | EA |
| 855.2 | HAZARD IDENTIFICATION BEACON TYPE D | EA |
| 856. | SPECIAL LIGHTING UNIT (FLASHING ARROW) | UD |
| 856.12 | PORTABLE CHANGEABLE MESSAGE SIGN | UD |
| 856.2 | RADAR DETECTOR ACTIVATOR | EA |
| 859. | REFLECTORIZED DRUM | DD |
| 860.04 | 4 INCH REFLECTORIZED WHITE LINE (PAINTED) | FT |
| 860.06 | 6 INCH REFLECTORIZED WHITE LINE (PAINTED) | FT |
| 860.08 | 8 INCH REFLECTORIZED WHITE LINE (PAINTED) | FT |
| 860.12 | 12 INCH REFLECTORIZED WHITE LINE (PAINTED) | FT |
| 861.04 | 4 INCH REFLECTORIZED YELLOW LINE (PAINTED) | FT |
| 861.06 | 6 INCH REFLECTORIZED YELLOW LINE (PAINTED) | FT |
| 861.08 | 8 INCH REFLECTORIZED YELLOW LINE (PAINTED) | FT |
| 861.12 | 12 INCH REFLECTORIZED YELLOW LINE (PAINTED) | FT |
| 862. | GORE LINES - REFLECTORIZED WHITE (PAINTED) | SF |
| 863. | GORE LINES - REFLECTORIZED YELLOW (PAINTED) | SF |
| 864. | PAVEMENT ARROW REFLECTORIZED WHITE (PAINTED) | SF |
| 864.01 | PAVEMENT ARROW AND LEGENDS REFLECTORIZED WHITE TAPE (INLAY) | SF |
| 864.02 | PAVEMENT ARROW AND LEGENDS (SURFACE APPLIED TAPE) | SF |
| 864.04 | PAVEMENT ARROWS AND LEGENDS REFL. WHITE (THERMOPLASTIC) | SF |
| * 864.21 | RAISED PAVEMENT MARKER ONE-WAY WHITE | EA |
| * 864.22 | RAISED PAVEMENT MARKER ONE-WAY YELLOW | EA |
| * 864.23 | RAISED PAVEMENT MARKER TWO-WAY WHITE/RED | EA |
| * 864.24 | RAISED PAVEMENT MARKER TWO-WAY YELLOW/RED | EA |
| * 864.25 | RAISED PAVEMENT MARKER TWO-WAY YELLOW/YELLOW | EA |
| * 864.31 | SLOTTED PAVEMENT MARKER ONE-WAY WHITE | EA |
| * 864.32 | SLOTTED PAVEMENT MARKER ONE-WAY YELLOW | EA |
| * 864.33 | SLOTTED PAVEMENT MARKER TWO-WAY WHITE/RED | EA |
| * 864.34 | SLOTTED PAVEMENT MARKER TWO-WAY YELLOW/RED | EA |
| * 864.35 | SLOTTED PAVEMENT MARKER TWO-WAY YELLOW/YELLOW | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|--|-------|
| 865. | CROSS WALKS AND STOP LINES REFLECTORIZED WHITE (PAINTED) | SF |
| 865.1 | CROSS WALKS AND STOP LINES REFL. WHITE (THERMOPLASTIC) | SF |
| 866.04 | 4 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC) | FT |
| 866.06 | 6 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC) | FT |
| 866.08 | 8 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC) | FT |
| 866.12 | 12 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC) | FT |
| 867.04 | 4 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC) | FT |
| 867.06 | 6 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC) | FT |
| 867.08 | 8 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC) | FT |
| 867.12 | 12 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC) | FT |
| 868. | GORE LINES - REFLECTORIZED WHITE (THERMOPLASTIC) | SF |
| 869. | GORE LINES - REFLECTORIZED YELLOW (THERMOPLASTIC) | SF |
| 870.04 | 4 INCH WHITE REFLECTIVE TAPE (INLAY) | FT |
| 871.04 | 4 INCH YELLOW REFLECTIVE TAPE (INLAY) | FT |
| 872.04 | 4 INCH WHITE REFLECTIVE TAPE (SURFACE APPLIED) | FT |
| 873.04 | 4 INCH YELLOW REFLECTIVE TAPE (SURFACE APPLIED) | FT |
| 874. | STREET NAME SIGN | EA |
| * 874.1 | STREET SIGN REMOVED AND RESET | EA |
| * 874.11 | STREET SIGN WITHOUT POST | EA |
| * 874.2 | TRAFFIC SIGN REMOVED AND RESET | EA |
| * 874.3 | TRAFFIC SIGNS REMOVED AND STACKED | LS |
| * 874.4 | TRAFFIC SIGN REMOVED AND STACKED | EA |
| * 874.5 | MISCELLANEOUS SIGNS REMOVED AND STACKED | LS |
| * 874.6 | TEMPORARY MASKING OF SIGNS | SF |
| * 874.7 | MISCELLANEOUS SIGNS REMOVED AND STACKED | EA |
| * 875.1 | PARKING METER REMOVED AND RESET | EA |
| * 875.2 | PARKING METER REMOVED AND STACKED | EA |
| * 875.21 | PARKING METER REMOVED AND DISCARDED | EA |
| * 876. | ELECTRIC POLE REMOVED AND STACKED | EA |
| * 877. | SIGN POST REMOVED AND RESET | EA |
| * 877.1 | SIGN POST REMOVED AND DISCARDED | EA |
| * 877.2 | SIGN POST REMOVED AND STACKED | EA |
| * 877.3 | SIGN POST 2 INCH STEEL | EA |
| * 877.4 | SIGN POST 2-1/2 INCH STEEL | EA |
| 901. | 4000 PSI, 1.5 IN., 565 CEMENT CONCRETE | CY |
| 901.3 | 4000 PSI, 1.5 IN., 565 CEMENT CONCRETE FOR POST FOUNDATION | CY |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| * 901.7 | CONTRACTOR QUALITY CONTROL - CEMENT CONCRETE | LS |
| 902. | 3500 PSI, 1.5 IN., 520 CEMENT CONCRETE | CY |
| 903. | 3000 PSI, 1.5 IN., 470 CEMENT CONCRETE | CY |
| 904. | 4000 PSI, 3/4 IN., 610 CEMENT CONCRETE | CY |
| 904.1 | 5000 PSI, 3/4 IN., 705 CEMENT CONCRETE | CY |
| 904.2 | 5000 PSI, 3/4 IN., 685 SILICA FUME MODIFIED CEMENT CONCRETE | CY |
| 904.3 | 5000 PSI, 3/4 IN., 685 HP CEMENT CONCRETE | CY |
| * 904.4 | 4000 PSI, 3/4 IN., 585 HP CEMENT CONCRETE | CY |
| 905. | 4000 PSI, 3/8 IN., 660 CEMENT CONCRETE | CY |
| 905.1 | 5000 PSI, 3/8 IN., 710 SILICA FUME MODIFIED CEMENT CONCRETE | CY |
| 905.2 | 5000 PSI, 3/8 IN., 710 HP CEMENT CONCRETE | CY |
| 906. | 5000 PSI, 1.5 IN., 660 CEMENT CONCRETE | CY |
| * 907. | SAWCUT GROOVES IN CONCRETE BRIDGE DECK | SY |
| * 908. | CEMENT FOR POINTING | BAG |
| * 908.10 | CONCRETE PENETRANT | SF |
| * 908.2 | CEMENT CONCRETE FORM LINER - FRACTURED FIN | SY |
| * 908.3 | CEMENT CONC. ARCH. TREATMENT - EXPOSED AGGREGATE FINISH | SY |
| * 909. | LIGHTWEIGHT CEMENT CONCRETE | CY |
| * 909.12 | POLYMER LATEX CONCRETE PATCH | CF |
| * 909.2 | CEMENTITIOUS MORTAR FOR PATCHING | SF |
| 909.9 | UNDERWATER FOUNDATION INSPECTION | UD |
| * 909.99 | RAPID SET CEMENT | BAG |
| 910. | STEEL REINFORCEMENT FOR STRUCTURES | LB |
| 910.1 | STEEL REINFORCEMENT FOR STRUCTURES - EPOXY COATED | LB |
| 910.2 | STEEL REINFORCEMENT FOR STRUCTURES - COATED | LB |
| 910.3 | STEEL REINFORCEMENT FOR STRUCTURES - GALVANIZED | LB |
| * 910.4 | MECHANICAL REINFORCING BAR SPLICER | EA |
| 911. | SHEAR CONNECTORS | LS |
| * 911.1 | SHEAR CONNECTORS | EA |
| * 911.504 | 1/2 INCH DIAMETER HIGH STRENGTH BOLTS | LS |
| * 911.507 | 7/8 INCH DIAMETER HIGH STRENGTH BOLTS | LS |
| * 911.604 | 1/2 INCH DIAMETER HIGH STRENGTH BOLT | EA |
| * 911.607 | 7/8 INCH DIAMETER HIGH STRENGTH BOLT | EA |
| * 911.907 | 7/8 INCH DIAMETER COUNTERSUNK BOLT | EA |
| * 911.91 | EXPANSION BOLTS | EA |
| * 912. | DRILLING AND GROUTING DOWELS | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 912.1 | DRILLING AND GROUTING DOWELS | FT |
| * 912.4 | DRILLED AND GROUTED #4 DOWELS | EA |
| * 912.5 | DRILLED AND GROUTED #5 DOWELS | EA |
| * 912.6 | DRILLED AND GROUTED #6 DOWELS | EA |
| * 912.7 | DRILLED AND GROUTED #7 DOWELS | EA |
| * 912.8 | DRILLED AND GROUTED #8 DOWELS | EA |
| * 912.9 | DRILLED AND GROUTED #9 DOWELS | EA |
| * 913.2 | CORING AND GROUTING ANCHOR BOLTS | EA |
| * 913.3 | CORING AND GROUTING DOWELS | EA |
| * 913.31 | CORING AND GROUTING DOWELS | FT |
| * 913.4 | CORING AND GROUTING SWEDGE BOLTS | EA |
| * 915.13 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 20 TO 24.99 FT SPAN) | EA |
| * 915.14 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 20 TO 24.99 FT. SPAN) | EA |
| * 915.15 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 20 TO 24.99 FT. SPAN) | EA |
| * 915.16 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 20 TO 24.99 FT. SPAN) | EA |
| * 915.23 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 25 TO 29.99 FT. SPAN) | EA |
| * 915.24 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 25 TO 29.99 FT. SPAN) | EA |
| * 915.25 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 25 TO 29.99 FT. SPAN) | EA |
| * 915.26 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 25 TO 29.99 FT. SPAN) | EA |
| * 915.33 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 30 TO 34.99 FT. SPAN) | EA |
| * 915.34 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 30 TO 34.99 FT. SPAN) | EA |
| * 915.35 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 30 TO 34.99 FT. SPAN) | EA |
| * 915.36 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 30 TO 34.99 FT. SPAN) | EA |
| * 915.4 | BRICK MASONRY | SF |
| * 915.43 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 35 TO 39.99 FT. SPAN) | EA |
| * 915.44 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 35 TO 39.99 FT. SPAN) | EA |
| * 915.45 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 35 TO 39.99 FT. SPAN) | EA |
| * 915.46 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 35 TO 39.99 FT. SPAN) | EA |
| * 915.53 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 40 TO 44.99 FT. SPAN) | EA |
| * 915.54 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 40 TO 44.99 FT. SPAN) | EA |
| * 915.55 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 40 TO 44.99 FT. SPAN) | EA |
| * 915.56 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 40 TO 44.99 FT. SPAN) | EA |
| * 915.63 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 45 TO 49.99 FT. SPAN) | EA |
| * 915.64 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 45 TO 49.99 FT. SPAN) | EA |
| * 915.65 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 45 TO 49.99 FT. SPAN) | EA |
| * 915.66 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 45 TO 49.99 FT. SPAN) | EA |

Standard Items - English

| Item # | Item Description | Units |
|----------|---|-------|
| * 915.73 | ARCH FRAME UNIT (4FT. OR LESS WIDE - 50 TO 54.99 FT. SPAN) | EA |
| * 915.74 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 50 TO 54.99 FT. SPAN) | EA |
| * 915.75 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 50 TO 54.99 FT. SPAN) | EA |
| * 915.76 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 50 TO 54.99 FT. SPAN) | EA |
| * 915.83 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 55 TO 59.99 FT. SPAN) | EA |
| * 915.84 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 55 TO 59.99 FT. SPAN) | EA |
| * 915.85 | ARCH FRAME UNIT (5.01 TO 6 FT. WIDE - 55 TO 59.99 FT. SPAN) | EA |
| * 915.86 | ARCH FRAME UNIT (OVER 6FT. WIDE - 55 TO 59.99 FT. SPAN) | EA |
| * 915.93 | ARCH FRAME UNIT (4 FT. OR LESS WIDE - 60 OR MORE FOOT SPAN) | EA |
| * 915.94 | ARCH FRAME UNIT (4.01 TO 5 FT. WIDE - 60 OR MORE FT. SPAN) | EA |
| * 915.95 | ARCH FRAME UNIT (5.01 TO 6FT. WIDE - -60 OR MORE FT. SPAN) | EA |
| * 915.96 | ARCH FRAME UNIT (OVER 6 FT. WIDE - 60 OR MORE FT. SPAN) | EA |
| * 917. | QUARRY FACED GRANITE | SF |
| * 920. | GRANITE CAPSTONE | FT |
| * 921.1 | LAMINATED ELASTOMERIC BEARING W/ ANCHOR BOLTS (0-50) | EA |
| * 921.2 | LAMINATED ELASTOMERIC BEARING W/ ANCHOR BOLTS (51-100) | EA |
| * 921.3 | LAMINATED ELASTOMERIC BEARING W/ ANCHOR BOLTS (101-150) | EA |
| * 921.4 | LAMINATED ELASTOMERIC BEARING W/ ANCHOR BOLTS (151-200) | EA |
| * 921.5 | LAMINATED ELASTOMERIC BEARING W/ ANCHOR BOLTS (>200) | EA |
| * 922.1 | LAMINATED ELASTOMERIC BEARING W/O ANCHOR BOLTS (0-50) | EA |
| * 922.2 | LAMINATED ELASTOMERIC BEARING W/O ANCHOR BOLTS (51-100) | EA |
| * 922.3 | LAMINATED ELASTOMERIC BEARING W/O ANCHOR BOLTS (101-150) | EA |
| * 922.4 | LAMINATED ELASTOMERIC BEARING W/O ANCHOR BOLTS (151-200) | EA |
| * 922.5 | LAMINATED ELASTOMERIC BEARING W/O ANCHOR BOLTS (>200) | EA |
| * 923.1 | LAM. SLIDING ELASTOMERIC BEARING W/ ANCHOR BOLTS (0-50) | EA |
| * 923.2 | LAM. SLIDING ELASTOMERIC BEARING W/ ANCHOR BOLTS (51-100) | EA |
| * 923.3 | LAM. SLIDING ELASTOMERIC BEARING W/ ANCHOR BOLTS (101-150) | EA |
| * 923.4 | LAM. SLIDING ELASTOMERIC BEARING W/ ANCHOR BOLTS (151-200) | EA |
| * 923.5 | LAM. SLIDING ELASTOMERIC BEARING W/ ANCHOR BOLTS (>200) | EA |
| * 924.1 | LAM. SLIDING ELASTOMERIC BEARING W/O ANCHOR BOLTS (0-50) | EA |
| * 924.2 | LAM. SLIDING ELASTOMERIC BEARING W/O ANCHOR BOLTS (51-100) | EA |
| * 924.3 | LAM. SLIDING ELASTOMERIC BEARING W/O ANCHOR BOLTS (101-150) | EA |
| * 924.4 | LAM. SLIDING ELASTOMERIC BEARING W/O ANCHOR BOLTS (151-200) | EA |
| * 924.5 | LAM. SLIDING ELASTOMERIC BEARING W/O ANCHOR BOLTS (>200) | EA |
| 930.301 | PRESTRESSED CONCRETE DECK BEAMS (S36-12) | FT |
| 930.302 | PRESTRESSED CONCRETE DECK BEAMS (S36-15) | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 930.303 | PRESTRESSED CONCRETE DECK BEAMS (S36-18) | FT |
| 930.304 | PRESTRESSED CONCRETE DECK BEAMS (S36-21) | FT |
| 930.305 | PRESTRESSED CONCRETE DECK BEAMS (S48-12) | FT |
| 930.306 | PRESTRESSED CONCRETE DECK BEAMS (S48-15) | FT |
| 930.307 | PRESTRESSED CONCRETE DECK BEAMS (S48-18) | FT |
| 930.308 | PRESTRESSED CONCRETE DECK BEAMS (S48-21) | FT |
| 930.401 | PRESTRESSED CONCRETE BOX BEAMS (B36-24) | FT |
| 930.402 | PRESTRESSED CONCRETE BOX BEAMS (B36-27) | FT |
| 930.403 | PRESTRESSED CONCRETE BOX BEAMS (B36-30) | FT |
| 930.404 | PRESTRESSED CONCRETE BOX BEAMS (B36-33) | FT |
| 930.405 | PRESTRESSED CONCRETE BOX BEAMS (B36-36) | FT |
| 930.406 | PRESTRESSED CONCRETE BOX BEAMS (B36-39) | FT |
| 930.407 | PRESTRESSED CONCRETE BOX BEAMS (B36-42) | FT |
| 930.408 | PRESTRESSED CONCRETE BOX BEAMS (B36-45) | FT |
| 930.409 | PRESTRESSED CONCRETE BOX BEAMS (B36-48) | FT |
| 930.410 | PRESTRESSED CONCRETE BOX BEAMS (B48-24) | FT |
| 930.411 | PRESTRESSED CONCRETE BOX BEAMS (B48-27) | FT |
| 930.412 | PRESTRESSED CONCRETE BOX BEAMS (B48-30) | FT |
| 930.413 | PRESTRESSED CONCRETE BOX BEAMS (B48-33) | FT |
| 930.414 | PRESTRESSED CONCRETE BOX BEAMS (B48-36) | FT |
| 930.415 | PRESTRESSED CONCRETE BOX BEAMS (B48-39) | FT |
| 930.416 | PRESTRESSED CONCRETE BOX BEAMS (B48-42) | FT |
| 930.417 | PRESTRESSED CONCRETE BOX BEAMS (B48-45) | FT |
| 930.418 | PRESTRESSED CONCRETE BOX BEAMS (B48-48) | FT |
| 930.501 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-24) | FT |
| 930.502 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-27) | FT |
| 930.503 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-30) | FT |
| 930.504 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-33) | FT |
| 930.505 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-36) | FT |
| 930.506 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-39) | FT |
| 930.507 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-42) | FT |
| 930.508 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-45) | FT |
| 930.509 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B36-48) | FT |
| 930.510 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-24) | FT |
| 930.511 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-27) | FT |
| 930.512 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-30) | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 930.513 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-33) | FT |
| 930.514 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-36) | FT |
| 930.515 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-39) | FT |
| 930.516 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-42) | FT |
| 930.517 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-45) | FT |
| 930.518 | HIGH PERFORMANCE PRESTRESSED CONCRETE BOX BEAMS (B48-48) | FT |
| 931.01 | PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT 1000) | FT |
| 931.02 | PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT 1200) | FT |
| 931.03 | PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT 1400) | FT |
| 931.04 | PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT 1600) | FT |
| 931.05 | PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT 1800) | FT |
| 931.11 | HIGH PERFORM. PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT1000) | FT |
| 931.12 | HIGH PERFORM. PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT1200) | FT |
| 931.13 | HIGH PERFORM. PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT1400) | FT |
| 931.14 | HIGH PERFORM. PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT1600) | FT |
| 931.15 | HIGH PERFORM. PRESTRESSED CONCRETE BULB TEE BEAMS (NEBT1800) | FT |
| 932. | ELASTOMERIC BRIDGE BEARING PAD | SF |
| 933. | ELASTOMERIC BRIDGE BEARING PAD | EA |
| 940. | UNTREATED TIMBER PILES | FT |
| 941. | TREATED TIMBER PILES | FT |
| 942.101 | STEEL PILE HP 10 X 42 | FT |
| 942.102 | STEEL PILE HP 10 X 57 | FT |
| 942.121 | STEEL PILE HP 12 X 53 | FT |
| 942.122 | STEEL PILE HP 12 X 63. | FT |
| 942.123 | STEEL PILE HP 12 X 74 | FT |
| 942.124 | STEEL PILE HP 12 X 84 | FT |
| 942.141 | STEEL PILE HP 14 X 73 | FT |
| 942.142 | STEEL PILE HP 14 X 89 | FT |
| 942.143 | STEEL PILE HP 14 X 102 | FT |
| 942.144 | STEEL PILE HP 14 X 117 | FT |
| 943.09 | STEEL PIPE PILE 8-5/8 INCH OUTSIDE DIAMETER | FT |
| 943.10 | STEEL PIPE PILE 10 INCH OUTSIDE DIAMETER | FT |
| 943.11 | STEEL PIPE PILE 10-3/4 INCH OUTSIDE DIAMETER | FT |
| 943.12 | STEEL PIPE PILE 12 INCH OUTSIDE DIAMETER | FT |
| 943.13 | STEEL PIPE PILE 12-3/4 INCH OUTSIDE DIAMETER | FT |
| 943.14 | STEEL PIPE PILE 14 INCH OUTSIDE DIAMETER | FT |

Standard Items - English

| Item # | Item Description | Units |
|-----------|--|-------|
| 943.16 | STEEL PIPE PILE 16 INCH OUTSIDE DIAMETER | FT |
| * 944.101 | STEEL PILE SPLICE HP 10 X 42 | EA |
| * 944.102 | STEEL PILE SPLICE HP 10 X 57 | EA |
| * 944.121 | STEEL PILE SPLICE HP 12 X 53 | EA |
| * 944.122 | STEEL PILE SPLICE HP 12 X 63 | EA |
| * 944.123 | STEEL PILE SPLICE HP 12 X 74 | EA |
| * 944.124 | STEEL PILE SPLICE HP 12 X 84 | EA |
| * 944.141 | STEEL PILE SPLICE HP 14 X 73 | EA |
| * 944.142 | STEEL PILE SPLICE HP 14 X 89 | EA |
| * 944.143 | STEEL PILE SPLICE HP 14 X 102 | EA |
| * 944.144 | STEEL PILE SPLICE HP 14 X 117. | EA |
| 945. | CAST-IN-PLACE CONCRETE PILES | FT |
| 945.101 | DRILLED SHAFT EXCAVATION 3.0 FOOT DIAMETER | FT |
| 945.102 | DRILLED SHAFT EXCAVATION 3.5 FOOT DIAMETER | FT |
| 945.103 | DRILLED SHAFT EXCAVATION 4.0 FOOT DIAMETER | FT |
| 945.104 | DRILLED SHAFT EXCAVATION 4.5 FOOT DIAMETER | FT |
| 945.105 | DRILLED SHAFT EXCAVATION 5.0 FOOT DIAMETER | FT |
| 945.106 | DRILLED SHAFT EXCAVATION 5.5 FOOT DIAMETER | FT |
| 945.107 | DRILLED SHAFT EXCAVATION 6.0 FOOT DIAMETER | FT |
| 945.108 | DRILLED SHAFT EXCAVATION 6.5 FOOT DIAMETER | FT |
| 945.109 | DRILLED SHAFT EXCAVATION 7.0 FOOT DIAMETER | FT |
| 945.110 | DRILLED SHAFT EXCAVATION 7.5 FOOT DIAMETER | FT |
| 945.111 | DRILLED SHAFT EXCAVATION 8.0 FOOT DIAMETER | FT |
| 945.112 | DRILLED SHAFT EXCAVATION 8.5 FOOT DIAMETER | FT |
| 945.113 | DRILLED SHAFT EXCAVATION 9.0 FOOT DIAMETER | FT |
| 945.201 | ROCK SOCKET EXCAVATION 3.0 FOOT DIAMETER | FT |
| 945.202 | ROCK SOCKET EXCAVATION 3.5 FOOT DIAMETER | FT |
| 945.203 | ROCK SOCKET EXCAVATION 4.0 FOOT DIAMETER | FT |
| 945.204 | ROCK SOCKET EXCAVATION 4.5 FOOT DIAMETER | FT |
| 945.205 | ROCK SOCKET EXCAVATION 5.0 FOOT DIAMETER | FT |
| 945.206 | ROCK SOCKET EXCAVATION 5.5 FOOT DIAMETER | FT |
| 945.207 | ROCK SOCKET EXCAVATION 6.0 FOOT DIAMETER | FT |
| 945.208 | ROCK SOCKET EXCAVATION 6.5 FOOT DIAMETER | FT |
| 945.209 | ROCK SOCKET EXCAVATION 7.0 FOOT DIAMETER | FT |
| 945.210 | ROCK SOCKET EXCAVATION 7.5 FOOT DIAMETER | FT |
| 945.211 | ROCK SOCKET EXCAVATION 8.0 FOOT DIAMETER | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|--|-------|
| 945.212 | ROCK SOCKET EXCAVATION 8.5 FOOT DIAMETER | FT |
| 945.213 | ROCK SOCKET EXCAVATION 9.0 FOOT DIAMETER | FT |
| 945.301 | OBSTRUCTION EXCAVATION 3.0 FOOT DIAMETER | FT |
| 945.302 | OBSTRUCTION EXCAVATION 3.5 FOOT DIAMETER | FT |
| 945.303 | OBSTRUCTION EXCAVATION 4.0 FOOT DIAMETER | FT |
| 945.304 | OBSTRUCTION EXCAVATION 4.5 FOOT DIAMETER | FT |
| 945.305 | OBSTRUCTION EXCAVATION 5.0 FOOT DIAMETER | FT |
| 945.306 | OBSTRUCTION EXCAVATION 5.5 FOOT DIAMETER | FT |
| 945.307 | OBSTRUCTION EXCAVATION 6.0 FOOT DIAMETER | FT |
| 945.308 | OBSTRUCTION EXCAVATION 6.5 FOOT DIAMETER | FT |
| 945.309 | OBSTRUCTION EXCAVATION 7.0 FOOT DIAMETER | FT |
| 945.310 | OBSTRUCTION EXCAVATION 7.5 FOOT DIAMETER | FT |
| 945.311 | OBSTRUCTION EXCAVATION 8.0 FOOT DIAMETER | FT |
| 945.312 | OBSTRUCTION EXCAVATION 8.5 FOOT DIAMETER | FT |
| 945.313 | OBSTRUCTION EXCAVATION 9.0 FOOT DIAMETER | FT |
| 945.401 | TRIAL SHAFT 3.0 FOOT DIAMETER | FT |
| 945.402 | TRIAL SHAFT 3.5 FOOT DIAMETER | FT |
| 945.403 | TRIAL SHAFT 4.0 FOOT DIAMETER | FT |
| 945.404 | TRIAL SHAFT 4.5 FOOT DIAMETER | FT |
| 945.405 | TRIAL SHAFT 5.0 FOOT DIAMETER | FT |
| 945.406 | TRIAL SHAFT 5.5 FOOT DIAMETER | FT |
| 945.407 | TRIAL SHAFT 6.0 FOOT DIAMETER | FT |
| 945.408 | TRIAL SHAFT 6.5 FOOT DIAMETER | FT |
| 945.409 | TRIAL SHAFT 7.0 FOOT DIAMETER | FT |
| 945.410 | TRIAL SHAFT 7.5 FOOT DIAMETER | FT |
| 945.411 | TRIAL SHAFT 8.0 FOOT DIAMETER | FT |
| 945.412 | TRIAL SHAFT 8.5 FOOT DIAMETER | FT |
| 945.413 | TRIAL SHAFT 9.0 FOOT DIAMETER | FT |
| 945.501 | DRILLED SHAFT 3.0 FOOT DIAMETER | FT |
| 945.502 | DRILLED SHAFT 3.5 FOOT DIAMETER | FT |
| 945.503 | DRILLED SHAFT 4.0 FOOT DIAMETER | FT |
| 945.504 | DRILLED SHAFT 4.5 FOOT DIAMETER | FT |
| 945.505 | DRILLED SHAFT 5.0 FOOT DIAMETER | FT |
| 945.506 | DRILLED SHAFT 5.5 FOOT DIAMETER | FT |
| 945.507 | DRILLED SHAFT 6.0 FOOT DIAMETER | FT |
| 945.508 | DRILLED SHAFT 6.5 FOOT DIAMETER | FT |

Standard Items - English

| Item # | Item Description | Units |
|---------|---|-------|
| 945.509 | DRILLED SHAFT 7.0 FOOT DIAMETER | FT |
| 945.510 | DRILLED SHAFT 7.5 FOOT DIAMETER | FT |
| 945.511 | DRILLED SHAFT 8.0 FOOT DIAMETER | FT |
| 945.512 | DRILLED SHAFT 8.5 FOOT DIAMETER | FT |
| 945.513 | DRILLED SHAFT 9.0 FOOT DIAMETER | FT |
| 945.601 | PERMANENT CASING 3.0 FOOT DIAMETER | FT |
| 945.602 | PERMANENT CASING 3.5 FOOT DIAMETER | FT |
| 945.603 | PERMANENT CASING 4.0 FOOT DIAMETER | FT |
| 945.604 | PERMANENT CASING 4.5 FOOT DIAMETER | FT |
| 945.605 | PERMANENT CASING 5.0 FOOT DIAMETER | FT |
| 945.606 | PERMANENT CASING 5.5 FOOT DIAMETER | FT |
| 945.607 | PERMANENT CASING 6.0 FOOT DIAMETER | FT |
| 945.608 | PERMANENT CASING 6.5 FOOT DIAMETER | FT |
| 945.609 | PERMANENT CASING 7.0 FOOT DIAMETER | FT |
| 945.610 | PERMANENT CASING 7.5 FOOT DIAMETER | FT |
| 945.611 | PERMANENT CASING 8.0 FOOT DIAMETER | FT |
| 945.612 | PERMANENT CASING 8.5 FOOT DIAMETER | FT |
| 945.613 | PERMANENT CASING 9.0 FOOT DIAMETER | FT |
| 945.71 | CROSS HOLE SONIC TESTING ACCESS PIPES | FT |
| 945.72 | CROSS HOLE SONIC TEST | EA |
| 945.81 | OSTERBERG LOAD CELL AXIAL LOAD TEST | EA |
| 945.82 | CONVENTIONAL AXIAL LOAD TEST | EA |
| 946.12 | PRECAST-PRESTRESSED CONCRETE PILE - 12 INCH | FT |
| 946.14 | PRECAST-PRESTRESSED CONCRETE PILE - 14 INCH | FT |
| 946.16 | PRECAST-PRESTRESSED CONCRETE PILE - 16 INCH | FT |
| 946.18 | PRECAST-PRESTRESSED CONCRETE PILE - 18 INCH | FT |
| 946.20 | PRECAST-PRESTRESSED CONCRETE PILE - 20 INCH | FT |
| * 947. | TEST PILE | FT |
| 947.1 | TIMBER TEST PILE | EA |
| 948.1 | SHORT DURATION LOAD TEST | EA |
| 948.2 | MAINTAINED LOAD TEST | EA |
| 948.3 | QUICK LOAD TEST | EA |
| 948.31 | STATIC - CYCLIC (EXPRESS) LOAD TEST | EA |
| 948.4 | DYNAMIC LOAD TEST PREPARATION | EA |
| 948.41 | DYNAMIC LOAD TEST BY CONTRACTOR | EA |
| 948.5 | PILE SHOES | EA |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| 950. | LUMBER SHEETING | MBM |
| * 950.1 | TEMPORARY SHORING | LS |
| 951. | WOOD SHEETING | MBM |
| 952. | STEEL SHEETING | LB |
| 955. | TREATED TIMBER | MBM |
| 960. | STRUCTURAL STEEL | LB |
| 960.1 | STRUCTURAL STEEL - COATED STEEL | LB |
| 960.11 | STRUCTURAL STEEL - UNCOATED | LB |
| 960.12 | STRUCTURAL STEEL - M270 GRADE 70HPS & 50 HPS | LB |
| 961.101 | CLEAN AND PAINT (OVERCOAT) STEEL BRIDGE NO. _____ | LS |
| 961.102 | CLEAN AND PAINT (OVERCOAT) STEEL BRIDGE NO. _____ | LS |
| 961.103 | CLEAN AND PAINT (OVERCOAT) STEEL BRIDGE NO. _____ | LS |
| 961.104 | CLEAN AND PAINT (OVERCOAT) STEEL BRIDGE NO. _____ | LS |
| 961.105 | CLEAN AND PAINT (OVERCOAT) STEEL BRIDGE NO. _____ | LS |
| 961.201 | CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. _____ | LS |
| 961.202 | CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. _____ | LS |
| 961.203 | CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. _____ | LS |
| 961.204 | CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. _____ | LS |
| 961.205 | CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. _____ | LS |
| * 964. | LINSEED ANTI-SPALLING COMPOUND | SY |
| * 964.1 | EPOXY BONDING COMPOUND | SF |
| * 964.2 | EPOXY PROTECTIVE COATING | SF |
| * 964.213 | EPOXY BONDING UNDER PRESSURE | LS |
| * 964.7 | EPOXY MORTAR FOR PATCHING | SF |
| * 964.8 | EPOXY MORTAR FOR PATCHING | FT |
| 965. | MEMBRANE WATERPROOFING FOR BRIDGE DECKS | SY |
| * 965.1 | MEMBRANE WATERPROOFING (RUBBERIZED ASPHALT) | SY |
| * 965.2 | MEMBRANE WATERPROOFING FOR BRIDGE DECKS - SPRAY APPLIED | SF |
| 966. | WATERPROOFING PROTECTIVE COURSE | SY |
| 967. | MEMBRANE WATERPROOFING | SY |
| * 968. | SCUPPER | EA |
| * 968.1 | SCUPPER AND DOWNSPOUT | EA |
| * 968.4 | SCUPPER-REMOVED | EA |
| 970. | BITUMINOUS DAMP-PROOFING | SY |
| 971. | ASPHALTIC BRIDGE JOINT SYSTEM | FT |
| 971.1 | ASPHALTIC BRIDGE JOINT SYSTEM | CF |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| 972. | STRIP SEAL BRIDGE JOINT SYSTEM | FT |
| * 974.1 | METAL BRIDGE RAILING REMOVED AND RESET | FT |
| * 974.2 | METAL BRIDGE RAILING REMOVED AND STACKED | FT |
| * 974.3 | METAL BRIDGE RAILING REMOVED | FT |
| * 974.31 | METAL BRIDGE RAILING REMOVED | LS |
| 975.1 | METAL BRIDGE RAILING (3 RAIL), STEEL (TYPE S3-TL4) | FT |
| 975.2 | METAL BRIDGE RAILING (3 RAIL), ALUMINUM (TYPE AL-3) | FT |
| 975.3 | PROTECTIVE SCREEN TYPE I | FT |
| 975.4 | PROTECTIVE SCREEN TYPE II | FT |
| 975.5 | ALUMINUM HANDRAIL | FT |
| * 982. | MARINE HARDWARE | LB |
| * 982.2 | FENDER LOG | EA |
| * 982.3 | ALUMINUM GANGWAY | EA |
| * 982.4 | TIMBER GANGWAY | EA |
| 983. | DUMPED RIPRAP | TON |
| * 983.01 | DUMPED RIPRAP | CY |
| * 983.02 | MODIFIED DUMPED RIPRAP | TON |
| 983.1 | RIPRAP | TON |
| * 983.11 | MODIFIED RIPRAP | TON |
| * 983.2 | RIPRAP | CY |
| * 983.21 | RIPRAP (MORTARED) | CY |
| * 983.3 | RIPRAP REMOVED AND RELAID | CY |
| * 983.4 | ROCK FILL | CY |
| * 983.41 | ROCK FILL | TON |
| * 983.5 | MODIFIED ROCK FILL | TON |
| * 983.51 | MODIFIED ROCK FILL | SY |
| * 983.52 | MODIFIED ROCK FILL | CY |
| 984. | STONE + STONE CHIPS FOR WW REVETS,BRKWTR,MDS,GRS, + JTY | TON |
| * 984.6 | STONE FOR EROSION CONTROL | TON |
| * 984.601 | DUMPED STONE FOR EROSION CONTROL | TON |
| * 984.61 | STONE FOR EROSION CONTROL | SY |
| * 984.62 | STONE FOR EROSION CONTROL | CY |
| 985. | SLOPE PAVING | SY |
| * 985.01 | SLOPE PAVING REMOVED AND RESET | SY |
| 986. | MODIFIED ROCKFILL | TON |
| 987. | SPECIAL SLOPE PAVING UNDER BRIDGE - OPTION | SY |

Standard Items - English

| Item # | Item Description | Units |
|-----------|---|-------|
| * 987.02 | SPECIAL SLOPE PAVING UNDER BRIDGE REMOVED AND RESET | SY |
| 987.1 | SPECIAL SLOPE PAVING UNDER BRIDGE - QUARRY STONE | SY |
| 987.12 | SPECIAL SLOPE PAVING UNDER BRIDGE - QUARRY STONE GROUTED | SY |
| 987.2 | SPECIAL SLOPE PAVING UNDER BRIDGE - PRECAST CONCRETE BLOCKS | SY |
| 987.3 | SPECIAL SLOPE PAVING UNDER BRIDGE - CEMENT CONCRETE | SY |
| 988. | CHANNEL PAVING | SY |
| 988.1 | GROUTED CHANNEL PAVING | SY |
| * 988.2 | MODIFIED CHANNEL PAVING | SY |
| * 989.2 | REPAIRS TO CONCRETE | LS |
| * 989.21 | REPAIRS TO CONCRETE STAIRS | LS |
| * 990.1 | COFFERDAM STRUCTURE NO. _____ | LS |
| * 990.2 | COFFERDAM STRUCTURE NO. _____ | LS |
| * 991.1 | CONTROL OF WATER - STRUCTURE NO. _____ | LS |
| * 991.2 | CONTROL OF WATER - STRUCTURE NO. _____ | LS |
| * 992.1 | ALTERATION TO BRIDGE STRUCTURE NO. _____ | LS |
| * 992.2 | ALTERATION TO BRIDGE STRUCTURE NO. _____ | LS |
| * 992.3 | TEMPORARY SUPPORTS FOR BRIDGE STRUCTURE | LS |
| * 992.31 | TEMPORARY SUPPORTS FOR WATER PIPE | LS |
| * 992.32 | TEMPORARY SUPPORTS FOR PIPING | LS |
| * 993.1 | TEMPORARY BRIDGE NO. _____ | LS |
| * 993.11 | TEMPORARY BRIDGE NO. _____ REMOVED AND STACKED | LS |
| * 994.01 | TEMPORARY PROTECTIVE SHIELDING BRIDGE NO. _____ | LS |
| * 994.1 | TEMPORARY PROTECTIVE SHIELDING | SF |
| * 994.11 | TEMPORARY PROTECTIVE SHIELDING | FT |
| * 994.2 | INSTALL PROTECTIVE SHIELDING | SF |
| * 994.3 | REMOVE PROTECTIVE SHIELDING | SF |
| * 995. | BRIDGE SUPERSTRUCTURE, BRIDGE NO. _____ | LS |
| 995.01 | BRIDGE STRUCTURE, BRIDGE NO. _____ | LS |
| * 995.011 | CULVERT STRUCTURE, CULVERT NO. _____ | LS |
| 995.02 | BRIDGE STRUCTURE, BRIDGE NO. _____ | LS |
| * 995.021 | CULVERT STRUCTURE, CULVERT NO. _____ | LS |
| 995.03 | BRIDGE STRUCTURE, BRIDGE NO. _____ | LS |
| * 996.01 | WALL STRUCTURE, WALL NO. _____ | LS |
| * 996.02 | WALL STRUCTURE, WALL NO. _____ | LS |
| 996.1 | NOISE BARRIER STRUCTURE | SF |
| 996.11 | NOISE BARRIER FOUNDATION | FT |

Standard Items - English

| Item # | Item Description | Units |
|----------|---------------------------------------|-------|
| 996.2 | WEEP HOLE FOR NOISE BARRIER STRUCTURE | EA |
| * 996.31 | MECHANICALLY STABILIZED EARTH WALL | SY |
| * 996.32 | MECHANICALLY STABILIZED EARTH WALL | LS |

2703 English Standard Items Listed